

3", 4", 5" DIAMETER SINGLE WALL CORR/GUARD SUGGESTED LIST PRICES

3", 4", & 5" DIAMETER CORR/GUARD - SINGLE WALL	3 INCH DIAMETER			4 INCH DIAMETER			5 INCH DIAMETER			
	3CGSW LIST PRICE EA.	3CGSW CTN. QTY.	3CGSW CTN. WT.	4CGSW LIST PRICE EA.	4CGSW CTN. QTY.	4CGSW CTN. WT.	5CGSW LIST PRICE EA.	5CGSW CTN. QTY.	5CGSW CTN. WT.	
PIPE LENGTHS										
CGSW6	6" LONG STRAIGHT LENGTH, SINGLE WALL	25.74	6	2	31.59	6	2	41.23	4	2
CGSW12	12" LONG STRAIGHT LENGTH, SINGLE WALL	31.14	6	4	37.15	6	5	43.76	4	4
CGSW18	18" LONG STRAIGHT LENGTH, SINGLE WALL	47.60	6	5	53.82	6	7	66.09	4	6
CGSW24	24" LONG STRAIGHT LENGTH, SINGLE WALL	60.35	6	7	66.11	6	8	76.27	4	8
CGSW36	36" LONG STRAIGHT LENGTH, SINGLE WALL	75.72	6	10	85.62	6	13	100.70	4	11
CGSW48	48" LONG STRAIGHT LENGTH, SINGLE WALL	106.93	6	12	124.53	6	17	133.57	4	15
VARIABLE LENGTHS										
CGSWVL10	7.5" - 10" VARIABLE LENGTH, SINGLE WALL	73.24	4	3	78.82	4	4	85.97	4	6
CGSWVL22	7.5" - 22" VARIABLE LENGTH, SINGLE WALL	85.97	4	5	97.76	4	6	106.19	4	7
FITTINGS										
3CGSWEI4	ECCENTRIC INCREASER 3" TO 4"	92.20	6	6	N/A	N/A	N/A	N/A	N/A	N/A
CGSW45L	45 DEGREE ELBOW, SINGLE WALL	73.08	6	3	85.20	6	5	95.36	4	5
CGSW90L	90 DEGREE ELBOW, SINGLE WALL	85.82	6	5	103.47	6	6	127.21	4	7
CGSW90SL	90 DEGREE ELBOW	85.82	6	3	103.47	6	5	N/A	N/A	N/A
CGSWBT	BOOT TEE, SINGLE WALL	138.68	4	4	138.68	4	5	184.54	4	6
CGSWDFA	DOUBLE FEMALE ADAPTER, SINGLE WALL	33.43	4	2	38.22	4	2	39.81	4	3
CGSWDMA	DOUBLE MALE ADAPTER, SINGLE WALL	31.84	4	2	38.22	4	2	39.81	4	3
CGSWDS	HORIZONTAL DRAIN SECTION, SINGLE WALL	63.55	4	2	73.08	4	7	77.18	2	2
3CGSWEI5	ECCENTRIC INCREASER 3" TO 5"	104.94	4	5	N/A	N/A	N/A	N/A	N/A	N/A
4CGSWEI5	ECCENTRIC INCREASER 4" TO 5"	N/A	N/A	N/A	100.15	4	5	N/A	N/A	N/A
4CGSWER3	4" TO 3" DIAMETER ECCENTRIC REDUCER, SINGLE WALL	N/A	N/A	N/A	127.21	4	4	N/A	N/A	N/A
CGSWT	TEE, SINGLE WALL	74.47	4	3	78.82	4	4	92.66	4	6
CGSWTC	TEE CAP WITH DRAIN, SINGLE WALL	46.02	4	6	52.80	4	2	56.19	4	2
CGSWTCN	TEE CAP, SINGLE WALL	33.35	4	1	35.56	4	2	41.23	4	3
5CGSWER4	5" TO 4" DIAMETER ECCENTRIC REDUCER, SINGLE WALL	N/A	N/A	N/A	N/A	N/A	N/A	159.06	2	2
CGSWVDS	VERTICAL DRAIN SECTION	70.81	4	2	77.61	4	3	84.32	1	1
90 DEGREE FEMALE TERMINATION, SINGLE WALL TERMINATIONS										
CGSW90LTF	90 DEGREE FEMALE TERMINATION, SINGLE WALL	88.36	4	4	104.92	4	5	124.04	1	2
CGSW90LTM	90 DEGREE MALE TERMINATION, SINGLE WALL	84.37	4	4	104.92	4	4	124.04	4	5
CGSWC	CAP, SINGLE WALL	120.37	4	8	128.58	4	8	168.63	4	11
CGSWMCF	MITER CUT FEMALE TERMINATION, SINGLE WALL	40.60	1	3	46.97	1	1	83.92	1	---
CGSWTTM	MALE TEE TERMINATION, SINGLE WALL	75.62	4	3	91.54	4	2	99.97	1	2
CGSWHTF	HORIZONTAL FEMALE TERMINATION, SINGLE WALL	32.00	4	2	35.19	4	2	37.87	1	1
CGSWHTM	HORIZONTAL MALE TERMINATION, SINGLE WALL	30.10	4	1	32.97	4	2	37.22	1	---
CGSWMCM	MITER CUT MALE TERMINATION, SINGLE WALL	40.60	1	1	42.97	1	1	83.92	1	1
CGSWTTF	FEMALE TEE TERMINATION, SINGLE WALL	84.68	4	3	99.50	4	---	107.01	1	2
ROOF/WALL PENETRATIONS/ACCESSORIES										
CGSWSC	STORM COLLAR, SINGLE WALL	28.49	4	1	31.46	4	1	31.46	4	2
CGSWWPK	SINGLE WALL, WALL PENETRATION	95.36	1	4	101.73	1	5	101.73	1	4
CGSWF	FLASHING 2/12-5/12 PITCH, SINGLE WALL	69.00	2	4	73.31	2	4	75.82	2	7
CGSWF-12	FLASHING 6/12-12/12 PITCH, SINGLE WALL	72.44	4	14	75.62	4	13	78.82	4	12
CGSWFT	TALL CONE FLASHING, SINGLE WALL	89.03	2	6	104.94	2	7	121.79	1	6
SUPPORTS/GUIDES										
CGSWGR	GUY RING, SINGLE WALL	44.57	6	2	46.19	6	2	47.76	4	2
CGSWPS	PLATE SUPPORT/FIRESTOP, SINGLE WALL	43.97	4	10	44.69	4	10	51.75	4	27
CGSWWH2	WALL HANGER 2" CLEARANCE, SINGLE WALL	22.13	4	1	22.13	4	2	26.00	4	2
CGSWWS2	WALL SUPPORT 2" CLEARANCE, SINGLE WALL	22.13	4	3	22.13	4	4	26.00	4	5
KITS										
CGSWHVK	HORIZONTAL VENT KIT	388.48	1	8	391.66	1	8	N/A	N/A	N/A
CGSWVVK	VERTICAL VENT KIT	N/A	N/A	N/A	289.47	1	8		---	---

3", 4", 5" DIAMETER SINGLE WALL CORR/GUARD VALUE SUGGESTED LIST PRICES

3", 4", & 5" DIAMETER CORR/GUARD VALUE - SINGLE WALL	3 INCH DIAMETER			4 INCH DIAMETER			5 INCH DIAMETER			
	3CGVSW	3CGVSW	3CGVSW	4CGVSW	4CGVSW	4CGVSW	5CGVSW	5CGVSW	5CGVSW	
	LIST PRICE EA.	CTN. QTY.	CTN. WT.	LIST PRICE EA.	CTN. QTY.	CTN. WT.	LIST PRICE EA.	CTN. QTY.	CTN. WT.	
PIPE LENGTHS										
CGVSW6	6" LENGTH	19.74	6	2	25.62	6	3	27.85	4	3
CGVSW12	12" LENGTH	26.01	6	3	29.10	6	5	32.92	4	3
CGVSW18	18" LENGTH	32.14	6	5	36.35	6	7	44.61	4	7
CGVSW24	24" LENGTH	40.76	6	7	46.97	6	9	51.49	4	8
CGVSW36	36" LENGTH	51.12	6	10	57.81	6	13	67.98	4	11
CGVSW48	48" LENGTH	72.20	6	16	84.09	6	24	90.21	4	16
VARIABLE LENGTHS										
CGVSWVL10	10" VARIABLE LENGTH, SINGLE WALL	58.85	4	3	61.17	4	3	65.72	4	---
CGVSWVL22	22" VARIABLE LENGTH, SINGLE WALL	63.88	4	5	67.48	4	6	71.97	4	7
CGVSWDFA	DOUBLE FEMALE ADAPTER, SINGLE WALL	28.38	4	2	31.68	4	2	28.02	4	3
CGVSWDMA	DOUBLE MALE ADAPTER, SINGLE WALL	22.49	4	2	25.81	4	2	26.88	4	3
FITTINGS										
CGVSW90SL	SHORT RADIUS ELBOW	58.70	6	3	61.89	6	5	N/A	N/A	N/A
3CGVSWEI4	ECCENTRIC INCREASER 3" TO 4"	66.33	6	6	N/A	N/A	N/A	N/A	N/A	N/A
3CGVSWEI5	ECCENTRIC INCREASER 3" TO 5"	76.29	4	5	N/A	N/A	N/A	N/A	N/A	N/A
4CGVSWEI5	4" DIAMETER TO 5" DIAMETER INCREASER	N/A	N/A	N/A	75.63	4	5	N/A	N/A	N/A
4CGVSWER3	4" DIAMETER TO 3" DIAMETER ECCENTRIC REDUCER	N/A	N/A	N/A	56.61	4	4	N/A	N/A	N/A
CGVSWHDS	HORIZONTAL DRAIN SECTION	35.49	4	2	38.55	4	3	41.94	2	2
CGVSWT	TEE, SINGLE WALL	58.26	4	12	59.12	4	4	67.10	1	1
CGVSWTC	TEE CAP WITH DRAIN, SINGLE WALL	37.38	4	6	43.45	4	2	44.12	4	3
CGVSWTCN	TEE CAP, SINGLE WALL	26.38	4	---	27.77	4	2	30.18	4	3
CGVSWVDS	VERTICAL DRAIN SECTION	49.30	4	2	52.42	4	3	56.94	1	1
CGVSW45L	45 DEG ELBOW	49.37	6	3	57.54	6	5	64.40	4	5
CGVSW90L	90 DEG ELBOW	57.95	6	5	69.88	6	7	85.91	4	7
CGVSWBT	BOOT TEE, SINGLE WALL	111.39	4	4	104.32	4	7	137.68	1	2
CGVSWDS	DRAIN SECTION, SINGLE WALL	42.90	4	2	49.37	4	3	52.12	2	2
5CGVSWER4	5" TO 4" DIAMETER ECCENTRIC REDUCER	N/A	N/A	N/A	N/A	N/A	N/A	59.39	2	2
TERMINATIONS										
CGVSWHTF	HORIZONTAL FEMALE TERMINATION, SINGLE WALL	22.77	4	2	24.61	4	2	26.28	1	1
CGVSWHTM	HORIZONTAL MALE TERMINATION, SINGLE WALL	21.28	4	---	22.84	4	3	25.58	1	---
CGVSWMCF	MITER CUT FEMALE TERMINATION, SINGLE WALL	34.31	1	3	41.15	1	1	56.67	1	---
CGVSWMCM	MITER CUT MALE TERMINATION, SINGLE WALL	33.66	1	1	36.63	1	1	56.67	1	1
CGVSWTTF	FEMALE TEE TERMINATION, SINGLE WALL	63.81	4	3	71.80	4	---	96.34	1	2
CGVSWTTM	MALE TEE TERMINATION, SINGLE WALL	58.82	4	3	64.24	4	7	93.93	1	2
CGVSW90LTF	90 DEGREE FEMALE TERMINATION, SINGLE WALL	59.67	4	4	70.82	4	7	83.77	1	2
CGVSW90LTM	90 DEGREE MALE TERMINATION, SINGLE WALL	56.98	4	---	70.82	4	7	83.77	1	2
CGVSWC	CAP, SINGLE WALL	108.37	4	12	95.24	4	15	113.87	2	9
ROOF/WALL PENETRATIONS/ACCESSORIES										
CGVSWSC	STORM COLLAR, SINGLE WALL	25.66	4	1	28.34	4	3	21.24	4	2
CGVSWWPK	WALL PENETRATION KIT	67.33	1	3	70.44	1	5	72.79	1	4
CGVSWF	FLASHING 2/12-5/12 PITCH, SINGLE WALL	46.59	2	5	49.50	2	5	68.25	2	7
CGVSWF-12	FLASHING 6/12-12/12 PITCH, SINGLE WALL	48.91	4	13	51.07	4	21	70.96	4	13
CGVSWFT	TALL CONE FLASHING, SINGLE WALL	60.11	2	7	70.86	2	7	109.65	1	5
SUPPORTS/GUIDES										
CGVSWPS	PLATE SUPPORT/FIRESTOP, SINGLE WALL	39.60	4	10	40.23	4	10	46.59	4	27
CGVSWWH2	WALL HANGER 2" CLEARANCE, SINGLE WALL	14.95	4	1	91.61	4	2	17.56	4	2
CGVSWWS2	WALL SUPPORT 2" CLEARANCE	19.93	4	3	22.65	4	4	23.39	4	5
CGVSWGR	GUY RING, SINGLE WALL	30.09	6	2	31.19	6	2	43.01	4	2
KITS										
CGVSWHVK	HORIZONTAL VENT KIT	294.17	1	8	334.28	1	8	N/A	N/A	N/A
CGVSWVVK	VERTICAL VENT KIT	N/A	N/A	N/A	260.63	1	8		---	---

CORRGUARD SUGGESTED LIST PRICES

3" DIAMETER	Cart Qty	CG	CG	CG	CG	CG	
		AL294CAZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	CG	
		CA0	C30	C40	C60	Cart Wt	
PIPE LENGTHS							
3CG6	6" LONG STRAIGHT LENGTH, DOUBLE WALL	4	59.14	62.24	73.43	79.47	4
3CG12	12" LONG STRAIGHT LENGTH, DOUBLE WALL	4	71.46	75.20	88.75	96.03	6
3CG18	18" LONG STRAIGHT LENGTH, DOUBLE WALL	4	101.89	107.26	126.51	136.90	10
3CG24	24" LONG STRAIGHT LENGTH, DOUBLE WALL	4	122.72	129.18	152.41	164.93	13
3CG36	36" LONG STRAIGHT LENGTH, DOUBLE WALL	4	177.96	187.34	221.03	239.19	19
3CG48	48" LONG STRAIGHT LENGTH, DOUBLE WALL	4	212.99	234.41	295.61	305.20	19
VARIABLE LENGTHS							
3CGAL	ADJUSTABLE VENT PIPE	4	172.41	N/A	N/A	N/A	20
3CGVL10	7.5" - 10" VARIABLE LENGTH, DOUBLE WALL	4	97.19	102.30	120.69	130.62	6
3CGVL22	7.5" - 22" VARIABLE LENGTH, DOUBLE WALL	4	111.34	117.20	138.30	149.65	13
FITTINGS							
3CG45L	45 DEGREE ELBOW, DOUBLE WALL	4	110.46	116.28	137.16	148.45	7
3CG90L	90 DEGREE ELBOW, DOUBLE WALL	4	135.02	142.12	167.66	181.44	9
3CGBT	BOOT TEE, DOUBLE WALL	4	266.94	280.98	331.53	358.74	13
3CGCEC	CASING END CLOSURE	4	33.78	35.47	42.04	45.42	4
3CGDFA	DOUBLE FEMALE ADAPTER, DOUBLE WALL	4	102.52	107.91	127.32	137.77	5
3CGDMA	DOUBLE MALE ADAPTER, DOUBLE WALL	4	99.63	104.84	123.72	133.88	5
3CGDS	HORIZONTAL DRAIN SECTION, DOUBLE WALL	4	104.33	109.82	129.57	140.24	5
3CGEI4	ECCENTRIC INCREASER 3" TO 4"	4	104.41	109.91	129.68	140.30	12
3CGEI5	ECCENTRIC INCREASER 3" TO 5"	4	149.73	157.59	185.97	201.24	14
3CGT	TEE, DOUBLE WALL	4	184.78	194.48	229.50	248.36	9
3CGTC	TEE CAP WITH DRAIN, DOUBLE WALL	4	45.51	47.89	56.53	61.16	4
3CGTCN	TEE CAP, DOUBLE WALL	4	35.41	37.25	43.95	47.57	3
3CGVDS	VERTICAL DRAIN SECTION	4	84.51	85.41	84.51	84.51	6
TERMINATIONS							
3CG90LTF	90 DEGREE FEMALE TERMINATION, DOUBLE WALL	4	102.52	107.91	127.32	137.77	5
3CG90LTM	90 DEGREE MALE TERMINATION, DOUBLE WALL	4	99.63	104.84	123.72	133.88	5
3CGC	CAP, DOUBLE WALL	4	131.92	138.88	163.86	177.29	9
3CGHTF	HORIZONTAL FEMALE TERMINATION, DOUBLE WALL	4	57.04	60.03	70.82	76.66	4
3CGHTM	HORIZONTAL MALE TERMINATION, DOUBLE WALL	4	55.60	58.50	69.05	74.72	4
3CGMCF	MITER CUT FEMALE TERMINATION, DOUBLE WALL	4	59.93	63.07	74.43	80.55	5
3CGMCM	MITER CUT MALE TERMINATION, DOUBLE WALL	4	61.36	64.61	76.22	82.45	4
3CGPHT	3" DIAMETER, RHEEM HORIZONTAL TERMINATION	4	75.13	N/A	N/A	N/A	6
3CGRHT	HORIZONTAL TERMINATION	4	55.39	N/A	71.76	N/A	4
3CGRVT	VERTICAL TERMINATION	4	211.11	N/A	232.23	N/A	13
3CGTTF	FEMALE TEE TERMINATION, DOUBLE WALL	4	96.03	101.07	119.23	129.06	7
3CGTTM	MALE TEE TERMINATION, DOUBLE WALL	4	86.61	91.20	107.58	116.41	7
ROOF/WALL PENETRATIONS/ACCESSORIES							
3CGF	FLASHING 2/12-5/12 PITCH, DOUBLE WALL	4	43.81	46.01	55.57	56.78	8
3CGF-12	FLASHING 6/12-12/12 PITCH, DOUBLE WALL	4	56.11	59.03	69.63	75.34	13
3CGFT	TALL CONE FLASHING, DOUBLE WALL	4	84.68	89.16	105.17	113.82	12
3CGSC	STORM COLLAR, DOUBLE WALL	4	27.13	28.58	33.73	36.48	2
3CGTR	TRIM RING	24	11.67	N/A	N/A	N/A	6
3CGWPK	DOUBLE WALL, WALL PENETRATION	4	86.52	91.04	107.39	116.21	17
SUPPORTS/GUIDES							
3CGGR	GUY RING, DOUBLE WALL	4	45.59	45.59	45.59	45.59	2
3CGHVK12		---	312.65	N/A	N/A	N/A	---
3CGPS	PLATE SUPPORT/FIRESTOP, DOUBLE WALL	4	92.05	96.90	114.33	123.71	10
3CGWH1	WALL HANGER 1" CLEARANCE, DOUBLE WALL	4	17.33	17.33	17.33	17.33	2
3CGWS1	WALL SUPPORT 1" CLEARANCE, DOUBLE WALL	4	25.99	25.99	25.99	25.99	4
KITS							
3CGRLSHK	RINNAI HORIZONTAL KIT	1	221.94	N/A	N/A	N/A	4

CORRGUARD VALUE SUGGESTED LIST PRICES

3" DIAMETER		Cart Qty	CGV	CGV	CGV	CGV	CGV
			SS/AZ	SS/430SS	SS/304SS	SS/316SS	CGV
			CA0	C30	C40	C60	Cart Wt
PIPE LENGTHS							
3CGV6	6" LENGTH	4	45.82	N/A	N/A	N/A	3
3CGV12	12" LENGTH	4	51.14	N/A	N/A	N/A	6
3CGV18	18" LENGTH	4	68.79	N/A	N/A	N/A	10
3CGV24	24" LENGTH	4	82.88	N/A	N/A	N/A	14
3CGV36	36" LENGTH	4	120.16	N/A	N/A	N/A	20
3CGV48	48" LENGTH	4	156.33	N/A	N/A	N/A	19
VARIABLE LENGTHS							
3CGVAL	ADJUSTABLE VENT PIPE	4	136.10	N/A	N/A	N/A	6
3CGVVL10	10" VARIABLE LENGTH, DOUBLE WALL	4	83.17	N/A	N/A	N/A	7
3CGVVL22	22" VARIABLE LENGTH, DOUBLE WALL	4	90.74	N/A	N/A	N/A	14
FITTINGS							
3CGV45L	45 DEG ELBOW	4	83.27	N/A	N/A	N/A	7
3CGV90L	90 DEG ELBOW	4	99.18	N/A	N/A	N/A	10
3CGVBT	BOOT TEE, DOUBLE WALL	4	192.29	N/A	N/A	N/A	10
3CGVCEC	CASING END CLOSURE	4	30.41	N/A	N/A	N/A	4
3CGVDFA	DOUBLE FEMALE ADAPTER, DOUBLE WALL	4	69.24	N/A	N/A	N/A	5
3CGVDMA	DOUBLE MALE ADAPTER, DOUBLE WALL	4	67.28	N/A	N/A	N/A	5
3CGVEI4	ECCENTRIC INCREASER 3" TO 4"	4	83.50	N/A	N/A	N/A	12
3CGVEI5	ECCENTRIC INCREASER 3" TO 5"	4	118.02	N/A	N/A	N/A	14
3CGVHDS	HORIZONTAL DRAIN SECTION	4	59.33	N/A	N/A	N/A	5
3CGVT	TEE, DOUBLE WALL	4	130.85	N/A	N/A	N/A	8
3CGVTC	TEE CAP WITH DRAIN, DOUBLE WALL	4	37.44	N/A	N/A	N/A	4
3CGVTCN	TEE CAP, DOUBLE WALL	4	28.73	N/A	N/A	N/A	3
3CGVVDS	VERTICAL DRAIN SECTION	4	77.83	N/A	N/A	N/A	5
TERMINATIONS							
3CGV90LTF	90 DEGREE FEMALE TERMINATION, DOUBLE WALL	4	73.20	N/A	N/A	N/A	5
3CGV90LTM	90 DEGREE MALE TERMINATION, DOUBLE WALL	4	67.28	N/A	N/A	N/A	5
3CGVC	CAP, DOUBLE WALL	4	89.89	N/A	N/A	N/A	---
3CGVHTF	HORIZONTAL FEMALE TERMINATION, DOUBLE WALL	4	44.85	N/A	N/A	N/A	4
3CGVHTM	HORIZONTAL MALE TERMINATION, DOUBLE WALL	4	43.56	N/A	N/A	N/A	4
3CGVMCF	MITER CUT FEMALE TERMINATION, DOUBLE WALL	4	44.22	N/A	N/A	N/A	5
3CGVMCM	MITER CUT MALE TERMINATION, DOUBLE WALL	4	44.98	N/A	N/A	N/A	5
3CGVPHT	RHEEM HORIZONTAL TERMINATION	4	50.74	N/A	N/A	N/A	6
3CGVPVT	VERTICAL TERMINATION	4	106.31	N/A	N/A	N/A	13
3CGVRHT	HORIZONTAL TERMINATION	4	45.87	N/A	N/A	N/A	4
3CGVRVT	VERTICAL TERMINATION	4	163.78	N/A	N/A	N/A	13
3CGVTF	FEMALE TEE TERMINATION, DOUBLE WALL	4	74.19	N/A	N/A	N/A	7
3CGVTTM	MALE TEE TERMINATION, DOUBLE WALL	4	66.69	N/A	N/A	N/A	7
ROOF/WALL PENETRATIONS/ACCESSORIES							
3CGVF	FLASHING 2/12-5/12 PITCH, DOUBLE WALL	4	39.44	N/A	N/A	N/A	8
3CGVF-12	FLASHING 6/12-12/12 PITCH, DOUBLE WALL	4	50.52	N/A	N/A	N/A	13
3CGVFT	TALL CONE FLASHING, DOUBLE WALL	4	76.26	N/A	N/A	N/A	---
3CGVSC	STORM COLLAR, DOUBLE WALL	4	24.44	N/A	N/A	N/A	2
3CGVTR	TRIM RING	24	7.89	N/A	N/A	N/A	6
3CGVWPK	WALL PENETRATION KIT	4	58.41	N/A	N/A	N/A	15
SUPPORTS/GUIDES							
3CGVGR	GUY RING, DOUBLE WALL	4	41.04	N/A	N/A	N/A	2
3CGVPS	PLATE SUPPORT/FIRESTOP, DOUBLE WALL	4	82.89	N/A	N/A	N/A	10
3CGVWH1	WALL HANGER 1" CLEARANCE, DOUBLE WALL	4	11.70	N/A	N/A	N/A	2
3CGVWS1	WALL SUPPORT 1" CLEARANCE	4	23.38	N/A	N/A	N/A	4
MISCELLANEOUS ACCESSORIES							
3CGVWPKS	WALL PENETRATION KIT	1	45.60	N/A	N/A	N/A	4
KITS							
3CGVPHK1	HORIZONTAL KIT	1	196.39	N/A	N/A	N/A	5
3CGVPVK1	VERTICAL KIT	1	187.95	N/A	N/A	N/A	11
3CGVRLSHK	RINNAI HORIZONTAL KIT	1	180.96	N/A	N/A	N/A	2

CORRGUARD SUGGESTED LIST PRICES

4" DIAMETER		Cart Qty	CG	CG	CG	CG	CG
			AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	CG
			CA0	C30	C40	C60	Cart Wt
PIPE LENGTHS							
4CG6	6" LONG STRAIGHT LENGTH, DOUBLE WALL	4	65.29	66.09	81.09	87.74	5
4CG12	12" LONG STRAIGHT LENGTH, DOUBLE WALL	4	80.07	81.04	99.45	107.63	9
4CG18	18" LONG STRAIGHT LENGTH, DOUBLE WALL	4	110.46	111.80	137.16	148.45	12
4CG24	24" LONG STRAIGHT LENGTH, DOUBLE WALL	4	131.92	133.53	163.86	177.29	16
4CG36	36" LONG STRAIGHT LENGTH, DOUBLE WALL	4	199.41	201.83	247.66	268.03	24
4CG48	48" LONG STRAIGHT LENGTH, DOUBLE WALL	4	235.96	245.35	303.31	328.46	24
VARIABLE LENGTHS							
4CGVL10	7.5" - 10" VARIABLE LENGTH, DOUBLE WALL	4	111.06	112.41	137.95	149.27	8
4CGVL22	7.5" - 22" VARIABLE LENGTH, DOUBLE WALL	4	126.85	128.39	157.55	170.51	16
FITTINGS							
4CG45L	45 DEGREE ELBOW, DOUBLE WALL	4	122.72	124.20	152.41	164.93	8
4CG90L	90 DEGREE ELBOW, DOUBLE WALL	4	156.48	158.38	194.37	210.32	11
4CGBT	BOOT TEE, DOUBLE WALL	4	331.35	335.36	411.51	445.34	12
4CGCEC	CASING END CLOSURE	1	36.07	37.87	47.08	48.51	---
4CGDFA	DOUBLE FEMALE ADAPTER, DOUBLE WALL	4	96.06	97.23	119.32	129.12	8
4CGDMA	DOUBLE MALE ADAPTER, DOUBLE WALL	4	80.86	81.84	100.42	108.66	6
4CGDS	HORIZONTAL DRAIN SECTION, DOUBLE WALL	4	110.46	111.80	137.16	148.45	6
4CGEI5	ECCENTRIC INCREASER 4" TO 5"	4	169.38	171.41	210.36	227.62	15
4CGER3	4" DIAMETER TO 3" DIAMETER ECCENTRIC REDUCER, DOUBLE WALL	4	110.31	111.65	137.03	148.26	10
4CGT	TEE, DOUBLE WALL	4	229.12	231.90	284.58	307.97	10
4CGTC	TEE CAP WITH DRAIN, DOUBLE WALL	4	49.25	49.85	61.19	66.21	4
4CGTCN	TEE CAP, DOUBLE WALL	4	37.56	38.00	46.63	50.47	4
4CGVDS	VERTICAL DRAIN SECTION	4	97.09	97.09	97.09	97.09	8
4FCSEI6	ECCENTRIC INCREASER 4" TO 6" FLANGED	4	356.38	368.12	387.08	425.81	26
TERMINATIONS							
4CG7HT	RINNAI HORIZONTAL TERMINATION	1	127.04	N/A	N/A	N/A	6
4CG7HT90	RINNAI HORIZONTAL TERMINATION 90 DEGREE ELBOW	1	207.36	N/A	N/A	N/A	7
4CG90LTF	90 DEGREE FEMALE TERMINATION, DOUBLE WALL	4	113.33	114.70	140.76	152.31	10
4CG90LTM	90 DEGREE MALE TERMINATION, DOUBLE WALL	4	110.53	111.88	137.29	148.55	---
4CGC	CAP, DOUBLE WALL	4	135.02	136.63	167.66	181.44	10
4CGHTF	HORIZONTAL FEMALE TERMINATION, DOUBLE WALL	4	61.36	62.12	76.22	82.45	6
4CGHTM	HORIZONTAL MALE TERMINATION, DOUBLE WALL	1	59.21	59.91	73.53	79.55	1
4CGMCF	MITER CUT FEMALE TERMINATION, DOUBLE WALL	4	96.06	97.23	119.32	129.12	4
4CGMCM	MITER CUT MALE TERMINATION, DOUBLE WALL	4	80.86	81.84	100.42	108.66	4
4CGTTF	FEMALE TEE TERMINATION, DOUBLE WALL	4	139.32	141.04	173.03	187.27	10
4CGTTM	MALE TEE TERMINATION, DOUBLE WALL	4	137.89	139.56	171.24	185.30	10
ROOF/WALL PENETRATIONS/ACCESSORIES							
4CGF	FLASHING 2/12-5/12 PITCH, DOUBLE WALL	4	56.60	57.13	71.78	113.76	9
4CGF-12	FLASHING 6/12-12/12 PITCH, DOUBLE WALL	4	58.11	58.80	72.15	78.07	17
4CGFT	TALL CONE FLASHING, DOUBLE WALL	4	95.15	96.32	118.15	127.86	14
4CGSC	STORM COLLAR, DOUBLE WALL	4	27.13	27.48	33.73	36.48	2
4CGWPK	DOUBLE WALL, WALL PENETRATION KIT	4	92.26	97.11	114.60	123.97	14
SUPPORTS/GUIDES							
4CGGR	GUY RING, DOUBLE WALL	4	47.12	47.12	47.12	47.12	2
4CGPS	PLATE SUPPORT/FIRESTOP, DOUBLE WALL	4	92.05	96.90	114.33	123.71	10
4CGWH1	WALL HANGER 1" CLEARANCE, DOUBLE WALL	4	20.20	20.20	20.20	20.20	3
4CGWS1	WALL SUPPORT 1" CLEARANCE, DOUBLE WALL	4	28.88	28.88	28.88	28.88	5

CORRGUARD VALUE SUGGESTED LIST PRICES

4" DIAMETER		Cart Qty	CGV	CGV	CGV	CGV	CGV
			SS/AZ	SS/430SS	SS/304SS	SS/316SS	CGV
			CA0	C30	C40	C60	Cart Wt
PIPE LENGTHS							
4CGV6	6" LENGTH	4	48.90	N/A	N/A	N/A	5
4CGV12	12" LENGTH	4	56.56	N/A	N/A	N/A	9
4CGV18	18" LENGTH	4	74.59	N/A	N/A	N/A	13
4CGV24	24" LENGTH	4	89.08	N/A	N/A	N/A	17
4CGV36	36" LENGTH	4	134.65	N/A	N/A	N/A	24
4CGV48	48" LENGTH	4	168.38	N/A	N/A	N/A	24
VARIABLE LENGTHS							
4CGVVL10	10" VARIABLE LENGTH, DOUBLE WALL	4	92.66	N/A	N/A	N/A	9
4CGVVL22	22" VARIABLE LENGTH, DOUBLE WALL	4	97.92	N/A	N/A	N/A	17
FITTINGS							
4CGV45L	45 DEG ELBOW	4	82.88	N/A	N/A	N/A	8
4CGV90L	90 DEG ELBOW	4	110.29	N/A	N/A	N/A	11
4CGVBT	BOOT TEE, DOUBLE WALL	4	223.76	N/A	N/A	N/A	12
4CGVCEC	CASING END CLOSURE	1	32.47	N/A	N/A	N/A	1
4CGVDFA	DOUBLE FEMALE ADAPTER, DOUBLE WALL	4	64.87	N/A	N/A	N/A	8
4CGVDMA	DOUBLE MALE ADAPTER, DOUBLE WALL	4	54.60	N/A	N/A	N/A	6
4CGVEI5	ECCENTRIC INCREASER 4" TO 5"	4	114.38	N/A	N/A	N/A	15
4CGVER3	4" DIAMETER TO 3" DIAMETER ECCENTRIC REDUCER	4	85.98	N/A	N/A	N/A	10
4CGVHDS	HORIZONTAL DRAIN SECTION	4	63.80	N/A	N/A	N/A	7
4CGVT	TEE, DOUBLE WALL	4	154.73	N/A	N/A	N/A	11
4CGVTC	TEE CAP WITH DRAIN, DOUBLE WALL	4	40.15	N/A	N/A	N/A	4
4CGVTCN	TEE CAP, DOUBLE WALL	4	30.25	N/A	N/A	N/A	4
4CGVVDS	VERTICAL DRAIN SECTION	4	89.45	N/A	N/A	N/A	8
TERMINATIONS							
4CGV7HTL	4"/7" DIRECT VENT HORIZ TERM LEFT COLLAR	1	89.21	N/A	N/A	N/A	6
4CGV7HTR	4"/7" DIRECT VENT HORIZ TERM/ELBOW RIGHT COLLAR	1	89.21	N/A	N/A	N/A	6
4CGV90LTF	90 DEGREE FEMALE TERMINATION, DOUBLE WALL	4	83.17	N/A	N/A	N/A	10
4CGV90LTM	90 DEGREE MALE TERMINATION, DOUBLE WALL	4	74.63	N/A	N/A	N/A	---
4CGVC	CAP, DOUBLE WALL	4	121.55	N/A	N/A	N/A	10
4CGVHTF	HORIZONTAL FEMALE TERMINATION, DOUBLE WALL	4	47.85	N/A	N/A	N/A	6
4CGVHTM	HORIZONTAL MALE TERMINATION, DOUBLE WALL	1	45.91	N/A	N/A	N/A	1
4CGVMCF	MITER CUT FEMALE TERMINATION, DOUBLE WALL	4	64.87	N/A	N/A	N/A	7
4CGVMCM	MITER CUT MALE TERMINATION, DOUBLE WALL	4	56.98	N/A	N/A	N/A	7
4CGVTTF	FEMALE TEE TERMINATION, DOUBLE WALL	4	111.90	N/A	N/A	N/A	10
4CGVTTM	MALE TEE TERMINATION, DOUBLE WALL	4	109.70	N/A	N/A	N/A	10
ROOF/WALL PENETRATIONS/ACCESSORIES							
4CGVF	FLASHING 2/12-5/12 PITCH, DOUBLE WALL	4	85.67	N/A	N/A	N/A	9
4CGVF-12	FLASHING 6/12-12/12 PITCH, DOUBLE WALL	4	50.98	N/A	N/A	N/A	39
4CGVFT	TALL CONE FLASHING, DOUBLE WALL	4	42.42	N/A	N/A	N/A	14
4CGVSC	STORM COLLAR, DOUBLE WALL	4	24.44	N/A	N/A	N/A	2
4CGVWPK	WALL PENETRATION KIT	4	62.30	N/A	N/A	N/A	15
SUPPORTS/GUIDES							
4CGVGR	GUY RING, DOUBLE WALL	4	31.83	N/A	N/A	N/A	2
4CGVPS	PLATE SUPPORT/FIRESTOP, DOUBLE WALL	4	62.16	N/A	N/A	N/A	10
4CGVWH1	WALL HANGER 1" CLEARANCE, DOUBLE WALL	4	13.65	N/A	N/A	N/A	2
4CGVWS1	WALL SUPPORT 1" CLEARANCE	4	26.01	N/A	N/A	N/A	5

CORRGUARD SUGGESTED LIST PRICES

5" DIAMETER		Cart Qty	CG	CG	CG	CG	CG
			AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	CG
			CA0	C30	C40	C60	Cart Wt
PIPE LENGTHS							
5CG6	6" LONG STRAIGHT LENGTH DOUBLE WALL	4	67.73	68.58	84.11	91.06	6
5CG12	12" LONG STRAIGHT LENGTH DOUBLE WALL	4	91.41	92.54	113.56	122.84	10
5CG18	18" LONG STRAIGHT LENGTH DOUBLE WALL	4	138.05	139.73	171.48	185.56	16
5CG24	24" LONG STRAIGHT LENGTH DOUBLE WALL	4	181.01	183.23	224.84	243.27	20
5CG36	36" LONG STRAIGHT LENGTH DOUBLE WALL	4	214.77	217.39	266.73	288.67	29
5CG48	48" LONG STRAIGHT LENGTH, DOUBLE WALL	4	260.57	264.45	329.34	393.93	29
VARIABLE LENGTHS							
5CGVL10	7.5" - 10" VARIABLE LENGTH, DOUBLE WALL	4	111.06	112.41	137.95	149.27	---
5CGVL22	7.5" - 22" VARIABLE LENGTH, DOUBLE WALL	4	174.05	176.18	216.18	233.93	19
FITTINGS							
5CG45L	45 DEGREE ELBOW, DOUBLE WALL	4	125.18	126.69	155.45	168.25	10
5CG90L	90 DEGREE ELBOW, DOUBLE WALL	4	175.51	177.64	218.00	235.88	16
5CGBT	BOOT TEE, DOUBLE WALL	4	331.35	335.36	411.51	445.34	15
5CGCEC	CASING END CLOSURE	1	38.24	40.16	47.57	51.43	---
5CGDFA	DOUBLE FEMALE ADAPTER, DOUBLE WALL	4	98.56	99.75	122.39	132.47	9
5CGDMA	DOUBLE MALE ADAPTER, DOUBLE WALL	4	92.39	93.53	114.75	124.19	7
5CGDS	HORIZONTAL DRAIN SECTION, DOUBLE WALL	4	123.96	125.46	153.94	166.61	8
5CGER4	5" DIAMETER TO 4" DIAMETER ECCENTRIC REDUCER, DOUBLE WALL	4	115.50	116.91	143.48	155.24	14
5CGT	TEE, DOUBLE WALL	4	260.18	263.33	323.13	349.66	13
5CGTC	TEE CAP WITH DRAIN, DOUBLE WALL	4	51.75	52.36	64.27	69.54	6
5CGTCN	TEE CAP, DOUBLE WALL	4	39.43	39.88	48.94	52.94	5
5FCSEI6	ECCENTRIC INCREASER 5" TO 6" FLANGED	4	362.18	375.42	392.72	430.99	26
TERMINATIONS							
5CG90LTF	90 DEGREE FEMALE TERMINATION, DOUBLE WALL	4	123.45	124.94	153.32	165.91	12
5CG90LTM	90 DEGREE MALE TERMINATION, DOUBLE WALL	4	122.72	124.20	152.41	164.93	12
5CGC	CAP, DOUBLE WALL	4	156.80	158.69	194.73	210.74	12
5CGHTF	HORIZONTAL FEMALE TERMINATION, DOUBLE WALL	4	65.43	66.19	81.23	87.92	7
5CGHTM	HORIZONTAL MALE TERMINATION, DOUBLE WALL	4	62.96	63.70	78.17	84.60	7
5CGMCF	MITER CUT FEMALE TERMINATION, DOUBLE WALL	4	92.05	93.18	114.35	123.72	---
5CGMCM	MITER CUT MALE TERMINATION, DOUBLE WALL	4	92.05	93.18	114.35	123.72	6
5CGTTF	FEMALE TEE TERMINATION, DOUBLE WALL	4	93.11	94.26	115.68	125.15	12
5CGTTM	MALE TEE TERMINATION, DOUBLE WALL	4	90.25	91.34	112.09	121.29	12
ROOF/WALL PENETRATIONS/ACCESSORIES							
5CGF	FLASHING 2/12-5/12 PITCH, DOUBLE WALL	4	68.55	69.25	86.93	88.90	12
5CGF-12	FLASHING 6/12-12/12 PITCH, DOUBLE WALL	4	68.60	69.41	85.18	92.19	---
5CGFT	TALL CONE FLASHING, DOUBLE WALL	4	72.19	73.06	89.65	97.02	16
5CGSC	STORM COLLAR, DOUBLE WALL	4	27.13	27.48	33.73	36.48	2
5CGWPK	DOUBLE WALL, WALL PENETRATION KIT	4	92.27	97.11	114.60	123.97	20
SUPPORTS/GUIDES							
5CGGR	GUY RING, DOUBLE WALL	4	48.62	48.62	48.62	48.62	2
5CGPS	PLATE SUPPORT/FIRESTOP, DOUBLE WALL	4	111.68	117.56	138.74	150.12	10
5CGWH1	WALL HANGER 1" CLEARANCE, DOUBLE WALL	4	20.20	20.20	20.20	20.20	3
5CGWS1	WALL SUPPORT 1" CLEARANCE, DOUBLE WALL	4	28.88	28.88	28.88	28.88	5

CORRGUARD VALUE SUGGESTED LIST PRICES

		CGV	CGV	CGV	CGV	CGV
		SS/AZ	SS/430SS	SS/304SS	SS/316SS	
5" DIAMETER	Cart Qty	CA0	C30	C40	C60	Cart Wt
PIPE LENGTHS						
5CGV6	6" LENGTH	4	57.07	N/A	N/A	6
5CGV12	12" LENGTH	4	61.72	N/A	N/A	10
5CGV18	18" LENGTH	4	93.21	N/A	N/A	15
5CGV24	24" LENGTH	4	122.22	N/A	N/A	20
5CGV36	36" LENGTH	4	145.03	N/A	N/A	29
5CGV48	48" LENGTH	4	179.82	N/A	N/A	29
VARIABLE LENGTHS						
5CGVVL10	10" VARIABLE LENGTH, DOUBLE WALL	4	91.51	N/A	N/A	10
5CGVVL22	22" VARIABLE LENGTH, DOUBLE WALL	4	144.48	N/A	N/A	19
FITTINGS						
5CGV45L	45 DEG ELBOW	4	84.54	N/A	N/A	11
5CGV90L	90 DEG ELBOW	4	120.42	N/A	N/A	16
5CGVBT	BOOT TEE, DOUBLE WALL	4	223.76	N/A	N/A	24
5CGVCEC	CASING END CLOSURE	1	34.43	N/A	N/A	1
5CGVDFA	DOUBLE FEMALE ADAPTER, DOUBLE WALL	4	66.56	N/A	N/A	9
5CGVDMA	DOUBLE MALE ADAPTER, DOUBLE WALL	4	62.40	N/A	N/A	7
5CGVER4	5" DIAMETER TO 4" DIAMETER ECCENTRIC REDUCER	4	87.86	N/A	N/A	14
5CGVHDS	HORIZONTAL DRAIN SECTION	4	67.56	N/A	N/A	8
5CGVT	TEE, DOUBLE WALL	4	175.70	N/A	N/A	16
5CGVTC	TEE CAP WITH DRAIN, DOUBLE WALL	4	40.29	N/A	N/A	6
5CGVTCN	TEE CAP, DOUBLE WALL	4	30.15	N/A	N/A	5
TERMINATIONS						
5CGV90LTF	90 DEGREE FEMALE TERMINATION, DOUBLE WALL	4	93.70	N/A	N/A	12
5CGV90LTM	90 DEGREE MALE TERMINATION, DOUBLE WALL	4	88.33	N/A	N/A	12
5CGVC	CAP, DOUBLE WALL	4	125.64	N/A	N/A	21
5CGVHTF	HORIZONTAL FEMALE TERMINATION, DOUBLE WALL	4	51.03	N/A	N/A	7
5CGVHTM	HORIZONTAL MALE TERMINATION, DOUBLE WALL	4	48.74	N/A	N/A	7
5CGVMCF	MITER CUT FEMALE TERMINATION, DOUBLE WALL	4	70.14	N/A	N/A	8
5CGVMCM	MITER CUT MALE TERMINATION, DOUBLE WALL	4	65.18	N/A	N/A	5
5CGVTTF	FEMALE TEE TERMINATION, DOUBLE WALL	4	67.90	N/A	N/A	12
5CGVTTM	MALE TEE TERMINATION, DOUBLE WALL	4	65.60	N/A	N/A	12
ROOF/WALL PENETRATIONS/ACCESSORIES						
5CGVF	FLASHING 2/12-5/12 PITCH, DOUBLE WALL	4	61.72	N/A	N/A	12
5CGVF-12	FLASHING 6/12-12/12 PITCH, DOUBLE WALL	4	61.76	N/A	N/A	35
5CGVFT	TALL CONE FLASHING, DOUBLE WALL	4	65.01	N/A	N/A	16
5CGVSC	STORM COLLAR, DOUBLE WALL	4	24.44	N/A	N/A	5
5CGVWPK	WALL PENETRATION KIT	4	62.30	N/A	N/A	21
SUPPORTS/GUIDES						
5CGVGR	GUY RING, DOUBLE WALL	4	43.77	N/A	N/A	2
5CGVPS	PLATE SUPPORT/FIRESTOP, DOUBLE WALL	4	75.58	N/A	N/A	10
5CGVWH1	WALL HANGER 1" CLEARANCE, DOUBLE WALL	4	13.65	N/A	N/A	3
5CGVWS1	WALL SUPPORT 1" CLEARANCE	4	26.01	N/A	N/A	5

1" Air Insulated CorrGuard Suggested List Prices

6" DIAMETER	PIPE LENGTHS	FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
		CA0	C30	C40	C60	WT		WT
6FCS9	9" STRAIGHT LENGTH	163.67	168.00	195.54	220.50	4	77.86	1
6FCS12	12" STRAIGHT LENGTH	176.69	181.39	211.12	238.05	5	84.70	2
6FCS18	18" STRAIGHT LENGTH	196.92	202.14	235.29	265.31	6	98.70	2
6FCS24	24" STRAIGHT LENGTH	247.78	254.36	296.04	333.82	8	136.20	3
6FCS36	36" STRAIGHT LENGTH	270.98	278.18	323.77	365.07	10	138.66	4
VARIABLE LENGTHS								
6FCSVL22	VARIABLE LENGTH	242.68	249.14	289.96	326.96	8	151.08	3
FITTINGS								
6FCS15L	15 DEGREE ELBOW	197.76	209.18	254.64	295.41	5	96.86	2
6FCS30L	30 DEGREE ELBOW	203.47	214.94	261.15	302.64	5	101.82	2
6FCS45L	45 DEGREE ELBOW	209.29	214.84	250.07	281.96	6	105.00	2
6FCS45T	45 DEGREE TEE	1240.94	1265.53	1307.69	1350.77	16	636.57	8
6FCS90L	90 DEGREE ELBOW	260.97	267.90	311.80	351.59	8	137.81	3
6FCSBT	BOOT TEE	419.37	442.50	475.51	509.49	10	247.39	4
6FCSBTD	BOOT TEE W/DRAIN	508.84	535.31	573.34	612.36	10	325.36	4
6FCSCEC	CASING END CLOSURE	60.77	62.40	72.62	81.88	1		
6FCSDFM	FEMALE TO FEMALE ADAPTER	196.96	203.03	220.23	226.94	4	67.79	1
6FCSDMA	MALE TO MALE ADAPTER	224.41	230.41	247.61	254.33	4	86.42	2
6FCSDS	DRAIN SECTION	294.90	302.73	352.35	397.31	6	147.14	2
6FCS17	ECCENTRIC INCREASER 6" TO 7"	283.37	290.90	338.57	381.78	7	185.21	3
6FCS18	ECCENTRIC INCREASER 6" TO 8"	321.57	330.10	384.21	433.23	8	193.79	3
6FCS19	ECCENTRIC INCREASER 6" TO 9"	348.92	358.18	416.88	470.06	9	224.48	3
6FCS110	ECCENTRIC INCREASER 6" TO 10"	359.75	369.30	429.82	484.65	10	230.56	4
6FCS112	ECCENTRIC INCREASER 6" TO 12"	461.16	473.42	551.01	621.32	13	291.03	5
6FCS114	ECCENTRIC INCREASER 6" TO 14"	578.32	593.68	690.97	779.15	20	393.56	8
6FCS116	ECCENTRIC INCREASER 6" TO 16"	798.30	819.53	953.84	1075.56	27	560.58	12
6FCS118	ECCENTRIC INCREASER 6" TO 18"	850.64	873.23	1016.36	1146.04	30	598.33	13
6FCSER4	ECCENTRIC REDUCER	356.38	368.12	387.08	425.81	7	205.72	2
6FCSER5	ECCENTRIC REDUCER	362.18	375.42	392.94	430.99	7	212.39	2
6FCSR3	TAPERED REDUCER	345.73	360.39	429.41	468.08	6	193.01	2
6FCST	90 DEG MANIFOLD TEE	359.49	369.04	429.52	484.32	8	142.86	3
6FCSTC	TEE CAP	148.59	152.53	177.53	200.17	2	84.54	1
6FCSTCN	TEE CAP LESS DRAIN	146.31	150.19	174.79	197.11	2	72.82	1
6FCST17	TAPERED INCREASER 6" TO 7"	306.97	315.13	366.79	413.57	7	184.17	2
6FCST18	TAPERED INCREASER 6" TO 8"	350.65	359.96	418.95	472.41	8	193.00	3
6FCST19	TAPERED INCREASER 6" TO 9"	350.65	359.97	418.96	472.42	9	201.80	3
6FCST110	TAPERED INCREASER 6" TO 10"	385.62	395.85	460.73	519.51	9	232.59	3
6FCST112	TAPERED INCREASER 6" TO 12"	422.85	434.08	505.22	569.68	11	250.47	4
6FCST114	TAPERED INCREASER 6" TO 14"	597.12	612.99	713.46	804.49	18	399.78	8
6FCST116	TAPERED INCREASER 6" TO 16"	636.30	653.22	760.26	857.26	20	425.61	9
6FCST118	TAPERED INCREASER 6" TO 18"	682.67	700.79	815.66	919.73	22	449.32	9
TERMINATIONS								
6FCSC	CAP	264.60	271.64	316.16	356.49	4	197.97	2
6FCSCB	CAP WITH BIRD SCREEN	276.83	284.19	330.79	372.97	4	197.97	3
6FCSCR	CLOSURE RING	121.68	121.68	121.68	121.68	2		
6FCSEC	EXIT CONE	324.32	324.32	324.32	324.32	3		
6FCSMCF	MITER CUT FEMALE TERMINATION	117.33	136.54	141.81	153.97	3	114.29	2
6FCSMCM	MITER CUT MALE TERMINATION	117.33	136.54	141.81	153.97	3	114.29	2
ROOF/WALL PENETRATIONS/ACCESSORIES								
6FCSF	FLASHING	118.50	121.98	137.93	155.53	9	115.44	9
6FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	304.82	348.20	354.77	400.04	6	296.93	6
6FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	304.82	348.20	354.77	400.04	6	296.93	6
6FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	304.82	348.20	354.77	400.04	6	296.93	6
6FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	304.82	348.20	354.77	400.04	6	296.93	6
6FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	304.82	348.20	354.77	400.04	6	296.93	6
6FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	304.82	348.20	354.77	400.04	7	296.93	7
6FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	304.82	348.20	354.77	400.04	7	296.93	7
6FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	304.82	348.20	354.77	400.04	7	296.93	7
6FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	304.82	348.20	354.77	400.04	7	296.93	7
6FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	304.82	348.20	354.77	400.04	7	296.93	7
6FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	304.82	348.20	354.77	400.04	8	296.93	8
6FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	304.82	348.20	354.77	400.04	8	296.93	8
6FCFS	FIRE STOP	81.61	83.78	97.51	109.97	3	92.25	2
6FCSSC	STORM COLLAR	92.36	94.82	110.34	124.44	4	92.36	3
6FCSWPK	WALL PENETRATION KIT	290.94	311.50	338.63	381.84	14	283.42	14
SUPPORTS/GUIDES								
6FCSGR	GUY RING	63.65	65.51	76.23	85.97	1	58.54	1
6FCSHAR	HALF ANGLE RING	13.13					10.47	
6FCSPS	PLATE SUPPORT	155.99	168.62	196.23	221.28	7	40.34	5
6FCSSSA	STACK SUPPORT ASSEMBLY	332.94	328.11	337.95	352.96	8	198.74	5
6FCSWB	WALL BAND	80.37	82.51	96.04	108.29	1	86.98	1
6FCSSWS	WALL SUPPORT	167.92	172.37	200.63	226.23	7	154.82	6
APPLIANCE CONNECTORS								
6FCS3RC	REDUCING CONNECTOR 6" TO 3"	140.87	144.62	168.33	189.78	3	131.64	1
6FCS4RC	REDUCING CONNECTOR 6" TO 4"	140.87	144.62	168.33	189.78	3	131.64	1
6FCS5RC	REDUCING CONNECTOR 6" TO 5"	140.87	144.62	168.33	189.78	3	131.64	1
6FCSBA	BOILER ADAPTER	165.11	165.11	165.11	165.11	2		
6FCSFA	FLANGE ADAPTER	111.45	114.41	133.17	150.16	3	84.97	2
6FCSFFC	FEMALE ADAPTER	224.93	226.38	268.76	249.76	5	138.54	2
6FCSLXL	Appliance Adapter	104.27	104.27	104.27	104.27	1		
6FCSMFC	MALE ADAPTER	226.16	232.17	270.23	304.72	4	129.80	2
6FCSPVCA	PVC ADAPTER	192.31	192.31	192.31	192.31	2		
6FCSSBA	SINGLE WALL BOILER ADAPTER	141.58	145.33	169.16	190.74	2	130.53	1
6FCSSBAI	BOILER ADAPTER INNER COLLAR	143.90	147.72	171.94	193.87	3	134.49	1

1" Air Insulated CorrGuard Suggested List Prices

6FCSSBAI2	BOILER ADAPTER INNER COLLAR	169.83	174.30	202.87	228.76	3		
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
7" DIAMETER		CA0	C30	C40	C60	WT		WT
PIPE LENGTHS								
7FCS9	9" STRAIGHT LENGTH	204.15	209.57	243.90	275.02	5	81.96	2
7FCS12	12" STRAIGHT LENGTH	224.19	230.15	267.86	302.04	5	89.94	2
7FCS18	18" STRAIGHT LENGTH	250.13	256.79	298.86	337.01	7	105.18	2
7FCS24	24" STRAIGHT LENGTH	319.19	327.67	381.38	430.02	8	148.73	3
7FCS36	36" STRAIGHT LENGTH	351.16	360.51	419.58	473.12	12	151.21	4
VARIABLE LENGTHS								
7FCSVL22	VARIABLE LENGTH	316.33	324.74	377.96	426.18	9	163.31	4
FITTINGS								
7FCS15L	15 DEGREE ELBOW	250.60	255.11	296.59	378.76	5	120.82	2
7FCS30L	30 DEGREE ELBOW	258.57	262.87	304.91	388.90	6	127.56	2
7FCS45L	45 DEGREE ELBOW	273.09	280.37	326.30	367.95	7	137.56	2
7FCS45T	45 DEGREE TEE	1559.59	1584.29	1626.75	1670.06	20	712.70	10
7FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1537.16	1560.24	1599.61	1639.95	17	694.74	9
7FCS90L	90 DEGREE ELBOW	343.35	352.47	410.24	462.58	9	181.36	3
7FCSBT	BOOT TEE	471.45	502.71	548.14	594.42	12	282.03	4
7FCSBT6	BOOT TEE WITH 6" REDUCED TAP	437.79	462.72	498.59	535.43	11	257.93	4
7FCSBTD	BOOT TEE	567.71	598.43	643.00	688.56	12	355.52	5
7FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	533.91	561.30	600.85	641.32	11	328.26	4
7FCSCEC	CASING END CLOSURE	62.53	64.18	74.70	84.24	2		
7FCSDFM	FEMALE TO FEMALE ADAPTER	216.41	222.87	242.14	249.62	4	74.69	1
7FCSDMA	MALE TO MALE ADAPTER	246.37	252.85	272.07	279.54	5	95.25	2
7FCSDS	DRAIN SECTION	318.49	326.95	380.53	429.10	6	153.99	3
7FCSSEI8	ECCENTRIC INCREASER 7" TO 8"	285.72	293.30	341.38	384.94	8	198.19	3
7FCSSEI9	ECCENTRIC INCREASER 7" TO 9"	320.68	329.20	383.17	432.04	9	230.78	3
7FCSSEI10	ECCENTRIC INCREASER 7" TO 10"	331.70	340.50	396.31	446.89	10	267.70	4
7FCSSEI12	ECCENTRIC INCREASER 7" TO 12"	423.30	434.53	505.76	570.29	14	310.52	5
7FCSSEI14	ECCENTRIC INCREASER 7" TO 14"	536.69	550.94	641.25	723.06	20	404.83	9
7FCSSEI16	ECCENTRIC INCREASER 7" TO 16"	734.64	754.18	877.78	989.78	28	572.37	12
7FCSSEI18	ECCENTRIC INCREASER 7" TO 18"	784.08	804.91	936.84	1056.39	52	611.26	35
7FCSER6	ECCENTRIC REDUCER	283.37	290.90	338.57	381.78	7	185.21	2
7FCSR6	TAPERED REDUCER	306.97	315.13	366.79	413.57	7	184.17	2
7FCST	90 DEG MANIFOLD TEE	463.75	476.07	554.09	624.78	9	179.51	4
7FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	421.23	432.41	503.27	567.49	8	153.79	3
7FCSTC	TEE CAP	175.67	180.33	209.90	236.66	3	94.44	1
7FCSTCN	TEE CAP LESS DRAIN	175.41	180.08	209.59	236.33	3	82.98	1
7FCSTI8	TAPERED INCREASER 7" TO 8"	310.47	318.72	370.98	418.30	8	198.39	3
7FCSTI9	TAPERED INCREASER 7" TO 9"	321.90	330.44	384.60	433.68	9	207.99	3
7FCSTI10	TAPERED INCREASER 7" TO 10"	355.67	365.11	424.95	479.18	10	240.26	3
7FCSTI12	TAPERED INCREASER 7" TO 12"	388.41	398.74	464.08	523.28	11	268.29	4
7FCSTI14	TAPERED INCREASER 7" TO 14"	555.86	570.63	664.16	748.89	19	413.91	8
7FCSTI16	TAPERED INCREASER 7" TO 16"	594.59	610.39	710.42	801.07	21	443.06	9
7FCSTI18	TAPERED INCREASER 7" TO 18"	639.10	656.07	763.61	861.05	23	467.81	10
TERMINATIONS								
7FCSC	CAP	316.39	324.79	378.01	426.25	5	246.10	3
7FCSCB	CAP WITH BIRD SCREEN	319.13	327.60	381.31	429.94	6	246.10	4
7FCSCR	CLOSURE RING	123.35		123.35	123.35	2		
7FCSEC	EXIT CONE	338.22	338.22	338.22	338.22	4		
7FCSMCF	MITER CUT FEMALE TERMINATION	124.77	145.23	149.44	163.76	3	121.55	2
7FCSMCM	MITER CUT MALE TERMINATION	124.77	145.23	149.44	163.76	3	121.55	2
ROOF/WALL PENETRATIONS/ACCESSORIES								
7FCSF	FLASHING	153.00	153.58	178.08	200.81	9	149.05	9
7FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	313.38	355.54	364.75	411.29	6	305.27	6
7FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	313.38	355.54	364.75	411.29	7	305.27	7
7FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	313.38	355.54	364.75	411.29	7	305.27	7
7FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	313.38	355.54	364.75	411.29	7	305.27	7
7FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	313.38	355.54	364.75	411.29	7	305.27	7
7FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	313.38	355.54	364.75	411.29	7	305.27	7
7FCSPFF7	FIXED PITCH FLASHING 7-12 PITCH	313.38	355.54	364.75	411.29	8	305.27	8
7FCSPFF8	FIXED PITCH FLASHING 8-12 PITCH	313.38	355.54	364.75	411.29	8	305.27	8
7FCSPFF9	FIXED PITCH FLASHING 9-12 PITCH	313.38	355.54	364.75	411.29	8	305.27	8
7FCSPFF10	FIXED PITCH FLASHING 10-12 PITCH	313.38	355.54	364.75	411.29	8	305.27	8
7FCSPFF11	FIXED PITCH FLASHING 11-12 PITCH	313.38	355.54	364.75	411.29	9	305.27	9
7FCSPFF12	FIXED PITCH FLASHING 12-12 PITCH	313.38	355.54	364.75	411.29	9	305.27	9
7FCSPFS	FIRE STOP	86.67	88.98	103.55	116.77	3	94.71	3
7FCSSC	STORM COLLAR	93.16	95.64	111.32	125.54	4	93.16	3
7FCSPWK	WALL PENETRATION KIT	314.17	334.86	365.64	412.31	16	306.02	15
SUPPORTS/GUIDES								
7FCSGR	GUY RING	63.81	65.72	76.48	86.25	1	58.70	1
7FCSHAR	HALF ANGLE RING	14.19					10.80	
7FCSPS	PLATE SUPPORT	166.66	186.17	216.67	244.32	8	48.37	5
7FCSSSA	STACK SUPPORT ASSEMBLY	354.01	348.87	359.33	375.30	9	209.79	6
7FCSWB	WALL BAND	81.00	83.15	96.77	109.13	1	87.36	1
7FCSW	WALL SUPPORT	170.95	175.49	204.26	230.32	8	157.58	7
APPLIANCE CONNECTORS								
7FCS3RC	REDUCING CONNECTOR 7" TO 3"	156.41	160.56	182.29	210.71	3	143.28	2
7FCS4RC	REDUCING CONNECTOR 7" TO 4"	156.41	160.56	182.29	210.71	3	143.28	2
7FCS5RC	REDUCING CONNECTOR 7" TO 5"	156.41	160.56	182.29	210.71	3	143.28	2
7FCS6RC	REDUCING CONNECTOR 7" TO 6"	156.41	160.56	182.29	210.71	3	143.28	2
7FCSLCA	LOCHINVAR CREST ADAPTER	173.79	173.79	173.79	173.79	1		
7FCSSBA	SINGLE WALL BOILER ADAPTER	151.35	155.36	180.82	203.91	3	137.16	1
7FCSSBAI	BOILER ADAPTER INNER COLLAR	156.87	161.04	187.43	211.34	2	141.31	1
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	

1" Air Insulated CorrGuard Suggested List Prices

8" DIAMETER	PIPE LENGTHS	FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	WT	AL294C	WT
		CA0	C30	C40	C60			
8FCS9	9" STRAIGHT LENGTH	213.50	219.19	255.09	287.65	5	86.09	2
8FCS12	12" STRAIGHT LENGTH	235.81	242.08	281.74	317.70	6	94.76	2
8FCS18	18" STRAIGHT LENGTH	265.21	272.27	316.90	357.33	8	112.04	3
8FCS24	24" STRAIGHT LENGTH	341.34	350.43	407.85	459.90	9	162.11	3
8FCS36	36" STRAIGHT LENGTH	376.28	386.28	449.60	506.96	13	164.10	5
VARIABLE LENGTHS								
8FCSVL22	VARIABLE LENGTH	343.18	352.30	410.06	462.37	10	175.59	4
FITTINGS								
8FCS15L	15 DEGREE ELBOW	239.18	248.96	311.61	364.69	6	134.22	2
8FCS30L	30 DEGREE ELBOW	279.23	290.23	331.25	425.28	7	134.22	2
8FCS45L	45 DEGREE ELBOW	285.63	293.21	341.28	384.83	7	145.60	3
8FCS45T	45 DEGREE TEE	1643.51	1674.26	1730.21	1796.72	23	897.34	12
8FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1417.14	1447.99	1504.21	1560.48	19	728.37	10
8FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	1601.73	1643.41	1720.10	1786.25	21	769.27	11
8FCS90L	90 DEGREE ELBOW	374.22	384.16	447.13	504.18	10	203.46	4
8FCSBT	BOOT TEE	519.69	552.27	601.88	651.61	14	315.23	5
8FCSBT6	BOOT TEE WITH 6" REDUCED TAP	481.33	506.40	544.51	582.79	11	288.16	4
8FCSBT7	BOOT TEE WITH 7" REDUCED TAP	508.84	537.36	580.86	624.40	12	308.03	5
8FCSBTD	BOOT TEE W/DRAIN	620.64	654.69	706.56	758.40	14	394.17	6
8FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	585.89	615.09	686.97	714.46	12	366.79	5
8FCSBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	609.27	640.10	704.07	734.00	13	385.13	5
8FCSCEC	CASING END CLOSURE	64.25	65.97	76.78	86.57	2		
8FCSDF	FEMALE TO FEMALE ADAPTER	228.76	235.71	256.92	266.23	5	80.09	2
8FCSDMA	MALE TO MALE ADAPTER	261.28	268.23	289.43	297.68	5	102.61	2
8FCSDS	DRAIN SECTION	343.97	353.09	410.97	463.43	7	159.98	3
8FCSIE9	ECCENTRIC INCREASER 8" TO 9"	304.57	312.66	363.91	410.33	9	212.91	3
8FCSIE10	ECCENTRIC INCREASER 8" TO 10"	342.06	351.15	408.71	460.86	10	245.35	4
8FCSIE12	ECCENTRIC INCREASER 8" TO 12"	367.68	377.45	439.31	495.35	12	261.98	4
8FCSIE14	ECCENTRIC INCREASER 8" TO 14"	551.71	566.38	659.19	743.31	21	415.80	9
8FCSIE16	ECCENTRIC INCREASER 8" TO 16"	587.07	602.67	701.44	790.93	24	440.28	10
8FCSIE18	ECCENTRIC INCREASER 8" TO 18"	801.27	822.55	957.37	1079.51	32	626.08	14
8FCSIE20	ECCENTRIC INCREASER 8" TO 20"	849.35	871.93	1014.83	1144.30	35	665.83	15
8FCSER5	ECCENTRIC REDUCER	399.41	411.87	435.38	482.22	8	240.93	3
8FCSER6	ECCENTRIC REDUCER	321.57	330.10	384.21	433.23	8	193.79	3
8FCSER7	ECCENTRIC REDUCER	285.72	293.30	341.38	384.94	8	198.19	3
8FCSR6	TAPERED REDUCER	350.65	359.96	418.95	472.41	8	193.00	3
8FCSR7	TAPERED REDUCER	310.47	318.72	370.98	418.30	8	198.39	3
8FCST	90 DEG MANIFOLD TEE	514.33	527.99	614.53	692.94	11	204.23	4
8FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	469.90	482.38	561.47	633.08	9	180.78	4
8FCST7	TEE WITH REDUCED TAP	492.12	505.18	588.00	663.01	10	192.51	4
8FCSTC	TEE CAP	187.90	192.91	224.50	253.16	3	99.84	2
8FCSTCN	TEE CAP LESS DRAIN	184.80	189.70	220.80	248.97	3	87.21	1
8FCSTI9	TAPERED INCREASER 8" TO 9"	328.39	337.11	392.36	442.42	9	213.12	3
8FCSTI10	TAPERED INCREASER 8" TO 10"	341.86	350.95	408.46	460.59	10	220.06	4
8FCSTI12	TAPERED INCREASER 8" TO 12"	406.42	417.22	485.61	547.56	12	268.82	4
8FCSTI14	TAPERED INCREASER 8" TO 14"	518.27	532.06	619.26	698.27	16	354.53	7
8FCSTI16	TAPERED INCREASER 8" TO 16"	750.60	770.53	896.84	1011.27	22	569.74	9
8FCSTI18	TAPERED INCREASER 8" TO 18"	775.29	795.88	926.33	1044.50	24	605.16	10
8FCSTI20	TAPERED INCREASER 8" TO 20"	810.16	831.67	968.01	1091.48	26	635.09	11
TERMINATIONS								
8FCSC	CAP	320.19	328.69	382.57	431.38	5	249.09	3
8FCSCB	CAP WITH BIRD SCREEN	345.62	354.81	412.94	465.65	6	249.09	4
8FCSCR	CLOSURE RING	130.27	130.27	130.27	130.27	2		
8FCSEC	EXIT CONE	358.42	358.42	358.42	358.42	4		
8FCSMCF	MITER CUT FEMALE TERMINATION	147.91	172.16	177.50	194.13	4	144.08	3
8FCSMCM	MITER CUT MALE TERMINATION	147.91	172.16	177.50	194.13	4	144.08	3
ROOF/WALL PENETRATIONS/ACCESSORIES								
8FCSF	FLASHING	155.27	164.33	180.72	203.78	10	151.24	10
8FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	323.83	364.56	376.91	425.01	7	315.44	7
8FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	323.83	364.56	376.91	425.01	7	315.44	7
8FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	323.83	364.56	376.91	425.01	7	315.44	7
8FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	323.83	364.56	376.91	425.01	8	315.44	8
8FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	323.83	364.56	376.91	425.01	8	315.44	8
8FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	323.83	364.56	376.91	425.01	8	315.44	8
8FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	323.83	364.56	376.91	425.01	9	315.44	9
8FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	323.83	364.56	376.91	425.01	9	315.44	9
8FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	323.83	364.56	376.91	425.01	9	315.44	9
8FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	323.83	364.56	376.91	425.01	10	315.44	10
8FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	323.83	364.56	376.91	425.01	10	315.44	10
8FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	323.83	364.56	376.91	425.01	10	315.44	10
8FCSFS	FIRE STOP	89.65	92.03	107.12	120.79	3	96.63	3
8FCSSC	STORM COLLAR	99.55	102.19	118.92	134.09	5	99.55	4
8FCSWPK	WALL PENETRATION KIT	341.72	355.73	397.74	448.48	17	332.88	17
SUPPORTS/GUIDES								
8FCSGR	GUY RING	64.03	65.77	76.55	86.33	1	58.91	1
8FCSHAR	HALF ANGLE RING	15.31					10.97	
8FCSPS	PLATE SUPPORT	181.35	193.38	225.06	253.79	9	50.21	6
8FCSSSA	STACK SUPPORT ASSEMBLY	364.68	359.39	370.18	386.61	10	221.95	6
8FCSWB	WALL BAND	81.50	83.66	97.39	109.80	1	87.65	1
8FCSW	WALL SUPPORT	172.48	177.07	206.09	232.38	9	160.31	9
APPLIANCE CONNECTORS								
8FCS4RC	REDUCING CONNECTOR 8" TO 4"	165.19	169.56	197.36	222.54	4	148.73	2
8FCS5RC	REDUCING CONNECTOR 8" TO 5"	165.19	169.56	197.36	222.54	4	148.73	2
8FCS6RC	REDUCING CONNECTOR 8" TO 6"	165.19	169.56	197.36	222.54	4	148.73	2
8FCS7RC	REDUCING CONNECTOR 8" TO 7"	165.19	169.56	197.36	222.54	4	148.73	2
8FCFA	FLANGE ADAPTER	132.09	135.61	157.83	177.98	5	100.01	3

1" Air Insulated CorrGuard Suggested List Prices

8FCSFFC	FEMALE ADAPTER	227.5	233.56	271.83	306.53	6	144.76	2																											
8FCSKNA	APPLIANCE ADAPTER	268.59				2																													
8FCSLCA	LOCHINVAR CREST ADAPTER	185.36	185.36	185.36	185.36	1																													
8FCSMFC	MALE ADAPTER	241.99	248.43	289.14	326.05	5	144.76	2																											
8FCSPKA	APPLIANCE ADAPTER	160.68	160.68	160.68	160.68	1																													
8FCSPVCA	PVC ADAPTER	204.20				2																													
8FCSSSBA	SINGLE WALL BOILER ADAPTER	161.65	165.95	193.14	217.79	3	144.18	1																											
8FCSSSBAI	BOILER ADAPTER INNER COLLAR	169.84	174.34	202.90	228.82	3	154.78	2																											
SEALANT																																			
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38																												
<table border="0" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th align="center" colspan="2">FCS</th> <th align="center">FCS</th> <th align="center">FCS</th> <th align="center">FCS</th> <th align="center">FCS</th> <th align="center">FCS</th> </tr> <tr> <th colspan="2"></th> <th align="center">AL294C/AZ</th> <th align="center">AL294C/430SS</th> <th align="center">AL294C/904SS</th> <th align="center">AL294C/316SS</th> <th align="center">AL294C</th> <th align="center">AL294C</th> <th align="center">AL294C</th> </tr> <tr> <th align="left" colspan="2">9" DIAMETER</th> <th align="center">CA0</th> <th align="center">C30</th> <th align="center">C40</th> <th align="center">C60</th> <th align="center">WT</th> <th align="center">WT</th> <th align="center">WT</th> </tr> </thead> </table>											FCS		FCS	FCS	FCS	FCS	FCS			AL294C/AZ	AL294C/430SS	AL294C/904SS	AL294C/316SS	AL294C	AL294C	AL294C	9" DIAMETER		CA0	C30	C40	C60	WT	WT	WT
		FCS		FCS	FCS	FCS	FCS	FCS																											
		AL294C/AZ	AL294C/430SS	AL294C/904SS	AL294C/316SS	AL294C	AL294C	AL294C																											
9" DIAMETER		CA0	C30	C40	C60	WT	WT	WT																											
PIPE LENGTHS																																			
9FCS9	9" STRAIGHT LENGTH	222.50	228.43	265.85	299.78	6	119.79	2																											
9FCS12	12" STRAIGHT LENGTH	242.45	248.87	289.66	326.61	7	133.34	2																											
9FCS18	18" STRAIGHT LENGTH	277.84	285.23	331.98	374.30	8	159.05	3																											
9FCS24	24" STRAIGHT LENGTH	359.90	369.45	430.03	484.88	10	233.53	4																											
9FCS36	36" STRAIGHT LENGTH	389.32	399.67	465.19	524.53	14	240.57	5																											
VARIABLE LENGTHS																																			
9FCSVL22	VARIABLE LENGTH	369.44	379.22	441.42	497.75	11	250.18	5																											
FITTINGS																																			
9FCS15L	15 DEGREE ELBOW	284.68	302.17	378.44	441.92	7	140.91	2																											
9FCS30L	30 DEGREE ELBOW	299.87	317.57	396.19	461.67	8	153.87	3																											
9FCS45L	45 DEGREE ELBOW	303.14	311.19	362.19	408.39	9	153.95	3																											
9FCS45T	45 DEGREE TEE	1958.36	1996.81	2065.00	2134.01	27	1054.12	14																											
9FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1705.75	1739.29	1798.36	1855.37	20	814.51	10																											
9FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	1737.29	1763.59	1809.02	1858.27	22	854.15	12																											
9FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	1836.27	1870.69	1931.38	1992.87	24	941.85	13																											
9FCS90L	90 DEGREE ELBOW	398.01	408.59	475.53	536.21	12	217.69	5																											
9FCSBT	BOOT TEE	591.33	627.26	680.07	733.70	16	370.18	6																											
9FCSBT6	BOOT TEE WITH 6" REDUCED TAP	511.68	538.93	578.55	619.13	12	306.88	5																											
9FCSBT7	BOOT TEE WITH 7" REDUCED TAP	535.00	564.74	608.06	652.32	13	324.92	5																											
9FCSBT8	BOOT TEE WITH 8" REDUCED TAP	549.23	582.98	632.47	682.86	14	333.90	6																											
9FCSBTD	BOOT TEE W/DRAIN	707.40	730.97	764.95	799.90	17	601.15	6																											
9FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	627.82	645.07	669.61	695.15	13	537.43	5																											
9FCSBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	650.16	669.12	696.14	724.11	14	555.35	5																											
9FCSBTD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	664.32	686.51	718.48	751.38	15	563.36	6																											
9FCSCEC	CASING END CLOSURE	66.63	68.41	79.62	89.79	2																													
9FCSDFMA	FEMALE TO FEMALE ADAPTER	241.55	248.97	272.17	281.19	5	84.64	2																											
9FCSDMA	MALE TO MALE ADAPTER	276.59	284.01	307.22	316.23	6	109.15	2																											
9FCSDS	DRAIN SECTION	371.49	381.36	443.86	500.49	8	166.60	3																											
9FCSSE10	ECCENTRIC INCREASER 9" TO 10"	326.73	335.42	390.37	440.17	10	226.39	4																											
9FCSSE12	ECCENTRIC INCREASER 9" TO 12"	380.06	390.16	454.10	512.05	12	271.82	5																											
9FCSSE14	ECCENTRIC INCREASER 9" TO 14"	565.28	580.29	675.39	761.58	21	428.04	9																											
9FCSSE16	ECCENTRIC INCREASER 9" TO 16"	603.34	619.38	720.91	812.89	24	454.72	10																											
9FCSSE18	ECCENTRIC INCREASER 9" TO 18"	821.08	842.90	981.04	1106.22	32	482.00	14																											
9FCSSE20	ECCENTRIC INCREASER 9" TO 20"	879.04	902.39	1050.30	1184.31	36	510.91	16																											
9FCSSE22	ECCENTRIC INCREASER 9" TO 22"	924.27	948.84	1104.35	1245.25	39	541.56	17																											
9FCSER6	ECCENTRIC REDUCER	348.92	358.18	416.88	470.06	9	224.48	3																											
9FCSER7	ECCENTRIC REDUCER	320.68	329.20	383.17	432.04	9	230.78	3																											
9FCSER8	ECCENTRIC REDUCER	304.57	312.66	363.91	410.33	9	212.91	3																											
9FCSR6	TAPERED REDUCER	350.65	359.97	418.96	472.42	8	201.80	3																											
9FCSR7	TAPERED REDUCER	321.90	330.44	384.60	433.68	9	207.99	3																											
9FCSR8	TAPERED REDUCER	328.39	337.11	392.36	442.42	9	213.12	3																											
9FCST	90 DEG MANIFOLD TEE	669.17	686.94	799.53	901.54	13	237.11	5																											
9FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	589.29	604.96	704.09	793.94	10	206.15	4																											
9FCST7	TEE WITH REDUCED TAP	608.59	624.77	727.18	819.95	11	213.17	4																											
9FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	627.91	644.58	750.24	845.97	11	220.19	4																											
9FCSTC	TEE CAP	235.33	241.58	281.18	317.06	4	115.90	2																											
9FCSTCN	TEE CAP LESS DRAIN	236.34	242.62	282.38	318.41	3	105.32	2																											
9FCSTI10	TAPERED INCREASER 9" TO 10"	353.27	362.66	422.11	475.97	9	226.62	4																											
9FCSTI12	TAPERED INCREASER 9" TO 12"	407.13	417.95	486.47	548.52	12	277.68	4																											
9FCSTI14	TAPERED INCREASER 9" TO 14"	517.30	531.04	618.09	696.95	17	367.50	7																											
9FCSTI16	TAPERED INCREASER 9" TO 16"	545.07	559.55	651.25	734.35	19	383.96	8																											
9FCSTI18	TAPERED INCREASER 9" TO 18"	669.22	687.02	799.62	901.65	25	495.72	11																											
9FCSTI20	TAPERED INCREASER 9" TO 20"	707.64	726.45	845.50	953.39	27	523.86	12																											
9FCSTI22	TAPERED INCREASER 9" TO 22"	754.17	774.21	901.09	1016.07	28	555.28	12																											
TERMINATIONS																																			
9FCSC	CAP	361.13	370.72	431.49	486.55	7	290.79	4																											
9FCSCB	CAP WITH BIRD SCREEN	367.72	377.51	439.37	495.43	9	290.79	7																											
9FCSCR	CLOSURE RING	135.57	135.57	135.57	135.57	3																													
9FCSEC	EXIT CONE	374.50	374.50	374.50	374.50	5																													
9FCSMCF	MITER CUT FEMALE TERMINATION	154.92	180.31	187.70	203.33	5	150.94	3																											
9FCSMCM	MITER CUT MALE TERMINATION	154.92	180.31	187.70	203.33	5	150.94	4																											
ROOF/WALL PENETRATIONS/ACCESSORIES																																			
9FCSF	FLASHING	166.54	167.99	193.83	218.57	11	162.23	11																											
9FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	327.77	367.97	381.49	430.15	8	319.29	8																											
9FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	327.77	367.97	381.49	430.15	8	319.29	8																											
9FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	327.77	367.97	381.49	430.15	8	319.29	8																											
9FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	327.77	367.97	381.49	430.15	9	319.29	9																											
9FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	327.77	367.97	381.49	430.15	9	319.29	9																											
9FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	327.77	367.97	381.49	430.15	9	319.29	9																											
9FCSPFF7	FIXED PITCH FLASHING 7-12 PITCH	327.77	367.97	381.49	430.15	10	319.29	10																											
9FCSPFF8	FIXED PITCH FLASHING 8-12 PITCH	327.77	367.97	381.49	430.15	10	319.29	10																											
9FCSPFF9	FIXED PITCH FLASHING 9-12 PITCH	327.77	367.97	381.49	430.15	10	319.29	10																											
9FCSPFF10	FIXED PITCH FLASHING 10-12 PITCH	327.77	367.97	381.49	430.15	11	319.29	11																											
9FCSPFF11	FIXED PITCH FLASHING 11-12 PITCH	327.77	367.97	381.49	430.15	11	319.29	6																											
9FCSPFF12	FIXED PITCH FLASHING 12-12 PITCH	327.77	367.97	381.49	430.15	11	319.29	11																											
9FCSFS	FIRE STOP	90.93	93.36	108.65	122.51	4	101.81	3																											

1" Air Insulated CorrGuard Suggested List Prices

9FCSSC	STORM COLLAR	101.19	103.89	120.92	136.33	4	101.19	4																								
9FCSWPK	WALL PENETRATION KIT	360.18	379.25	419.21	472.69	19	350.86	19																								
SUPPORTS/GUIDES																																
9FCSGR	GUY RING	64.08	66.05	76.87	86.66	1	62.13	1																								
9FCSHAR	HALF ANGLE RING	16.54					11.94																									
9FCSPS	PLATE SUPPORT	188.36	199.31	231.99	261.58	10	52.99	7																								
9FCSSSA	STACK SUPPORT ASSEMBLY	391.86	386.19	397.77	415.43	11	256.13	7																								
9FCSWB	WALL BAND	82.25	84.68	98.56	111.14	1	92.59	1																								
9FCSWS	WALL SUPPORT	181.62	186.46	217.02	244.71	10	171.42	10																								
APPLIANCE CONNECTORS																																
9FCS3RC	REDUCING CONNECTOR 9" TO 3"	181.26	186.09	216.59	244.23	4	167.84	2																								
9FCS4RC	REDUCING CONNECTOR 9" TO 4"	181.26	186.09	216.59	244.23	4	167.84	2																								
9FCS5RC	REDUCING CONNECTOR 9" TO 5"	181.26	186.09	216.59	244.23	4	167.84	2																								
9FCS6RC	REDUCING CONNECTOR 9" TO 6"	181.26	186.09	216.59	244.23	4	167.84	2																								
9FCS7RC	REDUCING CONNECTOR 9" TO 7"	181.26	186.09	216.59	244.23	4	167.84	2																								
9FCS8RC	REDUCING CONNECTOR 9" TO 8"	181.26	186.09	216.59	244.23	4	167.84	2																								
9FCSLCA	LOCHINVAR CREST ADAPTER	195.47	195.47	195.47	195.47	1																										
9FCSSBA	SINGLE WALL BOILER ADAPTER	169.97	174.49	203.11	229.02	4	159.09	2																								
9FCSSBAI	BOILER ADAPTER INNER COLLAR	181.45	186.26	216.78	244.46	4	170.82	2																								
SEALANT																																
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38																									
<table border="0" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;"></td> <td style="width:15%; text-align:center;">FCS</td> <td style="width:15%; text-align:center;">FCS</td> <td style="width:15%; text-align:center;">FCS</td> <td style="width:15%; text-align:center;">FCS</td> <td style="width:15%; text-align:center;">FCS</td> <td style="width:15%; text-align:center;">FCSSW</td> <td style="width:15%; text-align:center;">FCSSW</td> </tr> <tr> <td></td> <td style="text-align:center;">AL294C/AZ</td> <td style="text-align:center;">AL294C/430SS</td> <td style="text-align:center;">AL294C/304SS</td> <td style="text-align:center;">AL294C/316SS</td> <td></td> <td style="text-align:center;">AL294C</td> <td></td> </tr> <tr> <td></td> <td style="text-align:center;">CA0</td> <td style="text-align:center;">C30</td> <td style="text-align:center;">C40</td> <td style="text-align:center;">C60</td> <td style="text-align:center;">WT</td> <td></td> <td style="text-align:center;">WT</td> </tr> </table>										FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C			CA0	C30	C40	C60	WT		WT
	FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW																									
	AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C																										
	CA0	C30	C40	C60	WT		WT																									
10" DIAMETER																																
PIPE LENGTHS																																
10FCS9	9" STRAIGHT LENGTH	234.52	240.74	280.20	315.96	6	126.20	2																								
10FCS12	12" STRAIGHT LENGTH	260.51	267.41	311.25	350.96	7	140.47	3																								
10FCS18	18" STRAIGHT LENGTH	273.25	280.50	326.48	368.12	9	169.70	3																								
10FCS24	24" STRAIGHT LENGTH	370.00	379.84	442.08	498.51	11	252.17	4																								
10FCS36	36" STRAIGHT LENGTH	407.19	417.99	486.52	548.58	15	255.19	6																								
VARIABLE LENGTHS																																
10FCSVL22	VARIABLE LENGTH	395.69	406.21	472.79	533.13	12	255.30	5																								
FITTINGS																																
10FCS15L	15 DEGREE ELBOW	280.60	288.72	368.58	433.97	7	148.11	3																								
10FCS30L	30 DEGREE ELBOW	317.07	329.79	401.36	475.27	8	161.64	3																								
10FCS45L	45 DEGREE ELBOW	323.31	331.89	386.28	435.58	9	180.34	4																								
10FCS45T	45 DEGREE TEE	2076.74	2118.27	2181.82	2247.27	31	1109.39	17																								
10FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1566.15	1597.48	1645.40	1694.76	21	883.96	11																								
10FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	1675.64	1709.17	1760.45	1813.26	23	874.65	12																								
10FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	1738.56	1773.33	1826.54	1881.33	25	971.92	14																								
10FCS45T9	45 DEGREE TEE WITH 9" REDUCED TAP	1902.93	1941.57	1999.20	2059.18	28	1015.83	15																								
10FCS90L	90 DEGREE ELBOW	425.13	436.43	507.96	572.76	13	249.72	5																								
10FCSBT	BOOT TEE	610.96	654.33	721.28	787.96	18	397.99	7																								
10FCSBT6	BOOT TEE WITH 6" REDUCED TAP	505.32	532.22	574.08	615.88	13	319.53	5																								
10FCSBT7	BOOT TEE WITH 7" REDUCED TAP	537.36	570.20	621.14	671.90	14	343.21	5																								
10FCSBT8	BOOT TEE WITH 8" REDUCED TAP	553.67	590.79	648.28	705.52	15	352.97	6																								
10FCSBT9	BOOT TEE WITH 9" REDUCED TAP	598.67	638.77	700.80	762.58	16	390.35	6																								
10FCSBTD	BOOT TEE W/DRAIN	730.84	759.24	803.41	847.52	19	495.10	7																								
10FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	630.54	663.48	714.54	765.49	14	415.30	6																								
10FCSBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	657.77	692.32	745.86	799.29	15	438.99	6																								
10FCSBTD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	672.58	710.38	768.82	820.07	16	448.69	6																								
10FCSBTD9	BOOT TEE W/DRAIN AND 9" REDUCED TAP	716.48	741.63	780.87	827.16	17	486.42	7																								
10FCSCEC	CASING END CLOSURE	73.14	75.08	87.39	98.54	2																										
10FCSDFB	FEMALE TO FEMALE ADAPTER	248.79	256.43	280.34	289.62	6	87.47	2																								
10FCSDMA	MALE TO MALE ADAPTER	290.42	298.21	322.59	332.04	6	114.32	2																								
10FCSDS	DRAIN SECTION	401.21	411.87	479.37	540.54	8	172.04	4																								
10FCSSEI12	ECCENTRIC INCREASER 10" TO 12"	393.04	403.48	469.62	529.53	12	281.39	5																								
10FCSSEI14	ECCENTRIC INCREASER 10" TO 14"	489.15	502.13	584.43	659.02	18	369.81	8																								
10FCSSEI16	ECCENTRIC INCREASER 10" TO 16"	619.71	636.16	740.44	834.90	25	468.29	11																								
10FCSSEI18	ECCENTRIC INCREASER 10" TO 18"	780.68	801.41	932.77	1051.76	28	619.07	12																								
10FCSSEI20	ECCENTRIC INCREASER 10" TO 20"	871.80	894.97	1041.65	1174.55	36	698.60	16																								
10FCSSEI22	ECCENTRIC INCREASER 10" TO 22"	919.35	943.76	1098.47	1238.60	40	733.79	18																								
10FCSER6	ECCENTRIC REDUCER	359.75	369.30	429.82	484.65	9	230.56	3																								
10FCSER7	ECCENTRIC REDUCER	331.70	340.50	396.31	446.89	10	267.70	4																								
10FCSER8	ECCENTRIC REDUCER	342.06	351.15	408.71	460.86	10	245.35	4																								
10FCSER9	ECCENTRIC REDUCER	326.73	335.42	390.37	440.17	10	226.39	4																								
10FCSR6	TAPERED REDUCER	385.62	395.85	460.73	519.51	9	232.59	3																								
10FCSR7	TAPERED REDUCER	355.67	365.11	424.95	479.18	9	240.26	3																								
10FCSR8	TAPERED REDUCER	341.86	350.95	408.46	460.59	9	220.06	3																								
10FCSR9	TAPERED REDUCER	353.27	362.66	422.11	475.97	9	353.27	3																								
10FCST	90 DEG MANIFOLD TEE	683.75	701.90	816.94	921.17	14	254.88	6																								
10FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	573.12	588.36	684.78	772.16	11	214.18	4																								
10FCST7	TEE WITH REDUCED TAP	588.83	604.45	703.54	793.30	11	219.91	5																								
10FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	604.50	620.56	722.27	814.43	12	225.65	5																								
10FCST9	TEE WITH REDUCED TAP	644.12	661.24	769.62	867.81	13	240.26	5																								
10FCSTC	TEE CAP	246.17	252.70	294.11	331.66	4	122.57	2																								
10FCSTCN	TEE CAP LESS DRAIN	242.47	248.91	289.70	326.67	4	108.57	2																								
10FCSTI12	TAPERED INCREASER 10" TO 12"	432.40	443.89	516.64	582.56	11	284.52	4																								
10FCSTI14	TAPERED INCREASER 10" TO 14"	534.31	548.50	638.40	719.87	17	377.95	7																								
10FCSTI16	TAPERED INCREASER 10" TO 16"	563.05	578.01	672.74	758.58	20	398.37	8																								
10FCSTI18	TAPERED INCREASER 10" TO 18"	688.95	707.24	823.18	928.19	25	508.08	11																								
10FCSTI20	TAPERED INCREASER 10" TO 20"	731.40	750.83	873.89	985.40	28	538.20	12																								
10FCSTI22	TAPERED INCREASER 10" TO 22"	781.82	802.59	934.15	1053.31	30	559.97	13																								
TERMINATIONS																																
10FCSC	CAP	429.45	440.87	513.14	578.59	7	308.97	4																								
10FCSCB	CAP WITH BIRD SCREEN	434.92	446.48	519.67	585.95	9	308.97	7																								
10FCSCR	CLOSURE RING	141.19	141.19	141.19	141.19	3																										
10FCSEC	EXIT CONE	406.47	406.47	406.47	406.47	5																										
10FCSMCF	MITER CUT FEMALE TERMINATION	171.08	199.11	203.11	224.51	6	166.64	4																								
10FCSMCM	MITER CUT MALE TERMINATION	171.08	199.11	203.11	224.51	6	166.64	4																								

1" Air Insulated CorrGuard Suggested List Prices

ROOF/WALL PENETRATIONS/ACCESSORIES								
10FCSF	FLASHING	174.76	177.80	206.94	233.34	12	173.21	12
10FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	331.70	371.37	386.06	435.31	8	323.12	8
10FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	331.70	371.37	386.06	435.31	9	323.12	9
10FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	331.70	371.37	386.06	435.31	9	323.12	9
10FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	331.70	371.37	386.06	435.31	9	323.12	9
10FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	331.70	371.37	386.06	435.31	10	323.12	10
10FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	331.70	371.37	386.06	435.31	10	323.12	10
10FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	331.70	371.37	386.06	435.31	11	323.12	11
10FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	331.70	371.37	386.06	435.31	11	323.12	11
10FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	331.70	371.37	386.06	435.31	11	323.12	11
10FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	331.70	371.37	386.06	435.31	12	323.12	12
10FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	331.70	371.37	386.06	435.31	12	323.12	12
10FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	331.70	371.37	386.06	435.31	13	323.12	13
10FCSFS	FIRE STOP	93.96	96.46	112.28	126.62	4	104.98	3
10FCSSC	STORM COLLAR	113.58	116.59	135.70	153.03	6	113.58	5
10FCSWPK	WALL PENETRATION KIT	372.39	408.52	433.44	488.74	20	362.76	21
SUPPORTS/GUIDES								
10FCSGR	GUY RING	64.39	66.09	76.92	86.74	1	62.32	1
10FCSHAR	HALF ANGLE RING	17.85					12.13	
10FCSPS	PLATE SUPPORT	194.16	199.92	232.70	262.38	10	62.12	8
10FCSSA	STACK SUPPORT ASSEMBLY	419.84	413.76	426.18	445.10	12	278.83	8
10FCSWB	WALL BAND	82.99	85.20	99.17	111.83	2	92.90	1
10FCSW	WALL SUPPORT	185.64	190.55	221.80	250.10	12	177.32	11
APPLIANCE CONNECTORS								
10FCS4RC	REDUCING CONNECTOR 10" TO 4"	195.22	200.38	233.23	262.98	4	181.99	2
10FCS5RC	REDUCING CONNECTOR 10" TO 5"	195.22	200.38	233.23	262.98	5	181.99	2
10FCS6RC	REDUCING CONNECTOR 10" TO 6"	195.22	200.38	233.23	262.98	5	181.99	2
10FCS7RC	REDUCING CONNECTOR 10" TO 7"	195.22	200.38	233.23	262.98	5	181.99	3
10FCS8RC	REDUCING CONNECTOR 10" TO 8"	195.22	200.38	233.23	262.98	5	181.99	2
10FCS9RC	REDUCING CONNECTOR 10" TO 9"	195.22	200.38	233.23	262.98	5	181.99	2
10FCSFFC	FEMALE ADAPTER	235.82	242.08	281.76	317.70	6	159.35	3
10FCSLCA	LOCHINVAR CREST ADAPTER	212.12				2		
10FCMFC	MALE ADAPTER	258.95	265.82	309.37	348.87	6	158.67	3
10FCSPKA	APPLIANCE ADAPTER	308.16	308.16	308.16	308.16	2		
10FCSPKA2	APPLIANCE ADAPTER	308.16	308.16	308.16	308.16	2		
10FCSPVCA	PVC ADAPTER	236.96				3		
10FCSSBA	SINGLE WALL BOILER ADAPTER	184.45	189.35	220.38	248.50	4	165.99	2
10FCSSBAI	BOILER ADAPTER INNER COLLAR	190.49	195.55	227.60	256.66	4	176.07	2
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
12" DIAMETER								
PIPE LENGTHS								
12FCS9	9" STRAIGHT LENGTH	246.53	253.07	294.57	332.15	7	136.08	3
12FCS12	12" STRAIGHT LENGTH	278.55	285.98	332.84	375.30	8	153.06	3
12FCS18	18" STRAIGHT LENGTH	328.57	337.30	392.58	442.66	10	187.68	4
12FCS24	24" STRAIGHT LENGTH	458.57	470.75	547.89	617.80	13	286.26	5
12FCS36	36" STRAIGHT LENGTH	511.80	525.41	611.52	689.55	18	289.30	7
VARIABLE LENGTHS								
12FCSVL22	VARIABLE LENGTH	452.98	465.01	541.25	610.31	14	288.46	6
FITTINGS								
12FCS15L	15 DEGREE ELBOW	320.36	324.81	429.41	499.96	9	170.94	3
12FCS30L	30 DEGREE ELBOW	334.28	342.00	457.43	536.29	10	179.54	4
12FCS45L	45 DEGREE ELBOW	370.78	380.63	443.02	499.54	11	207.97	5
12FCS45T	45 DEGREE TEE	2195.11	2257.94	2375.71	2492.85	41	1368.97	22
12FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1718.86	1751.84	1813.33	1874.62	24	955.32	13
12FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	1970.82	2010.23	2070.54	2132.66	26	1143.44	14
12FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	2046.91	2087.85	2099.24	2162.21	28	1184.26	15
12FCS45T9	45 DEGREE TEE WITH 9" REDUCED TAP	2054.65	2095.75	2119.38	2182.96	31	1208.10	17
12FCS45T10	45 DEGREE TEE WITH 10" REDUCED TAP	2119.38	2161.78	2183.08	2266.37	34	1262.99	18
12FCS90L	90 DEGREE ELBOW	524.72	538.65	626.91	706.92	17	315.24	7
12FCGBT	BOOT TEE	804.80	840.19	899.54	981.88	22	598.53	9
12FCGBT6	BOOT TEE WITH 6" REDUCED TAP	579.03	611.63	658.21	704.61	14	371.99	6
12FCGBT7	BOOT TEE WITH 7" REDUCED TAP	581.95	612.49	664.82	716.90	15	376.29	6
12FCGBT8	BOOT TEE WITH 8" REDUCED TAP	609.68	649.61	711.75	773.67	16	395.61	7
12FCGBT9	BOOT TEE WITH 9" REDUCED TAP	643.79	686.08	751.85	817.28	17	425.80	7
12FCGBT10	BOOT TEE WITH 10" REDUCED TAP	763.42	816.86	895.37	950.31	19	529.73	8
12FCBTD	BOOT TEE W/DRAIN	954.56	966.85	1056.98	1146.67	24	908.51	10
12FCBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	738.05	783.54	793.65	849.09	16	702.44	7
12FCBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	762.70	801.18	822.44	864.95	17	724.35	7
12FCBTD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	773.38	808.79	823.28	881.91	18	734.17	7
12FCBTD9	BOOT TEE W/DRAIN AND 9" REDUCED TAP	781.48	820.49	834.36	895.06	19	754.99	8
12FCBTD10	BOOT TEE W/DRAIN AND 10" REDUCED TAP	815.58	850.55	859.32	902.81	20	787.78	8
12FCSECE	CASING END CLOSURE	82.38	84.58	98.44	111.01	3		
12FCSDFA	FEMALE TO FEMALE ADAPTER	276.16	284.64	311.18	321.49	6	96.89	2
12FCSDMA	MALE TO MALE ADAPTER	325.27	334.01	361.29	371.89	7	127.75	3
12FCSDS	DRAIN SECTION	433.30	444.80	517.71	583.78	9	184.72	5
12FCSEI14	ECCENTRIC INCREASER 12" TO 14"	505.26	518.68	603.69	680.74	18	393.83	8
12FCSEI16	ECCENTRIC INCREASER 12" TO 16"	600.20	616.15	717.13	808.64	22	472.76	9
12FCSEI18	ECCENTRIC INCREASER 12" TO 18"	689.09	707.42	823.37	928.42	29	523.99	13
12FCSEI20	ECCENTRIC INCREASER 12" TO 20"	864.01	886.97	1032.32	1164.05	32	689.62	14
12FCSEI22	ECCENTRIC INCREASER 12" TO 22"	955.69	981.08	1141.88	1287.54	41	764.67	19
12FCSEI24	ECCENTRIC INCREASER 12" TO 24"	1003.49	1030.14	1198.97	1351.95	45	798.57	20
12FCSER6	ECCENTRIC REDUCER	461.16	473.42	551.01	621.32	13	291.03	5
12FCSER7	ECCENTRIC REDUCER	423.30	434.53	505.76	570.29	13	310.52	5
12FCSER8	ECCENTRIC REDUCER	367.68	377.45	439.31	495.35	12	261.98	4
12FCSER9	ECCENTRIC REDUCER	380.06	390.16	454.10	512.05	12	271.82	5
12FCSER10	ECCENTRIC REDUCER	393.04	403.48	469.62	529.53	12	281.39	4

1" Air Insulated CorrGuard Suggested List Prices

12FCSR6	TAPERED REDUCER	422.85	434.08	505.22	569.68	10	250.47	4
12FCSR7	TAPERED REDUCER	388.41	398.74	464.08	523.28	11	268.29	4
12FCSR8	TAPERED REDUCER	406.42	417.22	485.61	547.56	11	268.82	4
12FCSR9	TAPERED REDUCER	407.13	417.95	486.47	548.52	11	277.68	4
12FCSR10	TAPERED REDUCER	432.40	443.89	516.64	582.56	11	284.52	4
12FCST	90 DEG MANIFOLD TEE	757.56	777.68	905.15	1020.64	17	302.24	7
12FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	540.58	554.95	645.91	728.32	12	246.30	5
12FCST7	TEE WITH REDUCED TAP	587.02	602.63	701.39	790.88	13	250.83	6
12FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	633.47	650.31	756.88	853.44	13	255.35	6
12FCST9	TEE WITH REDUCED TAP	655.96	673.38	783.74	883.71	14	261.21	6
12FCST10	90 DEG MANIFOLD TEE WITH 10" REDUCED TAP	678.41	696.43	810.58	913.99	15	267.05	6
12FCSTC	TEE CAP	276.43	283.77	330.29	372.41	5	142.52	2
12FCSTCN	TEE CAP LESS DRAIN	274.46	281.77	327.94	369.80	5	128.18	2
12FCSTI14	TAPERED INCREASER 12" TO 14"	557.24	572.03	665.79	750.74	17	396.43	7
12FCSTI16	TAPERED INCREASER 12" TO 16"	590.24	605.93	705.23	795.22	20	423.62	9
12FCSTI18	TAPERED INCREASER 12" TO 18"	704.95	723.68	842.29	949.75	23	508.57	10
12FCSTI20	TAPERED INCREASER 12" TO 20"	763.21	783.49	911.88	1028.27	29	566.25	13
12FCSTI22	TAPERED INCREASER 12" TO 22"	963.54	989.13	1151.26	1298.15	32	739.08	14
12FCSTI24	TAPERED INCREASER 12" TO 24"	999.17	1025.71	1193.82	1346.14	34	761.69	15
TERMINATIONS								
12FCSC	CAP	497.78	511.01	594.76	670.67	9	419.39	6
12FCSCB	CAP WITH BIRD SCREEN	528.21	542.24	631.11	711.64	12	419.39	9
12FCSCR	CLOSURE RING	148.52	148.52	148.52	148.52	4		
12FCSEC	EXIT CONE	439.47	439.47	439.47	439.47	7		
12FCSCMF	MITER CUT FEMALE TERMINATION	237.47	276.38	269.63	311.65	8	231.32	5
12FCSCM	MITER CUT MALE TERMINATION	237.47	276.38	269.63	311.65	8	231.32	5
ROOF/WALL PENETRATIONS/ACCESSORIES								
12FCSF	FLASHING	188.32	192.24	223.77	252.29	14	187.28	14
12FCSPF1	FIXED PITCH FLASHING 1-12 PITCH	344.72	382.58	401.22	452.42	10	335.80	10
12FCSPF2	FIXED PITCH FLASHING 2-12 PITCH	344.72	382.58	401.22	452.42	10	335.80	10
12FCSPF3	FIXED PITCH FLASHING 3-12 PITCH	344.72	382.58	401.22	452.42	11	335.80	11
12FCSPF4	FIXED PITCH FLASHING 4-12 PITCH	344.72	382.58	401.22	452.42	11	335.80	11
12FCSPF5	FIXED PITCH FLASHING 5-12 PITCH	344.72	382.58	401.22	452.42	12	335.80	12
12FCSPF6	FIXED PITCH FLASHING 6-12 PITCH	344.72	382.58	401.22	452.42	12	335.80	12
12FCSPF7	FIXED PITCH FLASHING 7-12 PITCH	344.72	382.58	401.22	452.42	13	335.80	13
12FCSPF8	FIXED PITCH FLASHING 8-12 PITCH	344.72	382.58	401.22	452.42	13	335.80	13
12FCSPF9	FIXED PITCH FLASHING 9-12 PITCH	344.72	382.58	401.22	452.42	14	335.80	14
12FCSPF10	FIXED PITCH FLASHING 10-12 PITCH	344.72	382.58	401.22	452.42	14	335.80	14
12FCSPF11	FIXED PITCH FLASHING 11-12 PITCH	344.72	382.58	401.22	452.42	15	335.80	15
12FCSPF12	FIXED PITCH FLASHING 12-12 PITCH	344.72	382.58	401.22	452.42	16	335.80	16
12FCDFS	FIRE STOP	99.61	102.26	119.01	134.21	5	109.99	4
12FCSSC	STORM COLLAR	127.94	131.34	152.88	172.39	7	127.94	6
12FCSWPK	WALL PENETRATION KIT	390.16	448.92	454.10	512.05	24	380.06	24
SUPPORTS/GUIDES								
12FCSGR	GUY RING	64.59	66.31	77.18	87.01	1	62.70	1
12FCSHAR	HALF ANGLE RING	19.29				1	15.47	
12FCSPS	PLATE SUPPORT	195.35	200.54	233.40	263.19	12	83.50	10
12FCSSSA	STACK SUPPORT ASSEMBLY	447.81	441.34	454.57	474.75	15	330.63	10
12FCSWB	WALL BAND	85.22	87.48	101.83	114.82	2	93.61	2
12FCSWS	WALL SUPPORT	221.40	227.29	264.54	298.29	15	198.85	14
APPLIANCE CONNECTORS								
12FCS6RC	REDUCING CONNECTOR 12" TO 6"	233.43	239.64	278.90	314.49	6	208.02	3
12FCS7RC	REDUCING CONNECTOR 12" TO 7"	233.43	239.64	278.90	314.49	6	208.02	3
12FCS8RC	REDUCING CONNECTOR 12" TO 8"	233.43	239.64	278.90	314.49	6	208.02	3
12FCS9RC	REDUCING CONNECTOR 12" TO 9"	233.43	239.64	278.90	314.49	6	208.02	3
12FCS10RC	REDUCING CONNECTOR 12" TO 10"	233.43	239.64	278.90	314.49	6	208.02	3
12FCS11RC	REDUCING CONNECTOR 12" TO 11"	233.43	239.64	278.90	314.49	6	208.02	3
12FCSFFC	FEMALE ADAPTER	244.10	250.58	291.65	328.87	7	176.68	3
12FCSLCA	LOCHINVAR CREST ADAPTER	236.63	236.63	236.63	236.63	2		
12FCMFC	MALE ADAPTER	277.05	284.43	331.03	373.30	7	176.21	3
12FCSSBA	SINGLE WALL BOILER ADAPTER	205.77	211.23	245.86	277.20	5	180.76	2
12FCSSBAI	BOILER ADAPTER INNER COLLAR	211.83	217.46	253.08	285.38	5	191.69	2
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
14" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
		C40	C30	C40	C60	WT		WT
PIPE LENGTHS								
14FCS9	9" STRAIGHT LENGTH	314.00	322.35	375.15	423.02	9	176.17	4
14FCS12	12" STRAIGHT LENGTH	323.02	331.61	385.95	435.21	11	205.96	5
14FCS18	18" STRAIGHT LENGTH	440.37	452.08	526.17	593.29	15	266.28	7
14FCS24	24" STRAIGHT LENGTH	633.19	650.01	756.55	853.08	19	442.00	9
14FCS36	36" STRAIGHT LENGTH	689.62	707.93	823.98	929.10	28	445.19	13
VARIABLE LENGTHS								
14FCSVL22	VARIABLE LENGTH	614.38	630.69	734.09	827.74	22	435.37	11
FITTINGS								
14FCS15L	15 DEGREE ELBOW	421.37	443.67	542.66	656.34	13	250.15	6
14FCS30L	30 DEGREE ELBOW	426.62	452.61	560.93	683.69	15	250.15	7
14FCS45L	45 DEGREE ELBOW	493.80	506.93	590.02	665.30	18	301.41	8
14FCS45T	45 DEGREE TEE	2719.71	2808.20	2972.79	3137.07	51	1768.03	28
14FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1901.94	1941.57	2014.13	2086.88	27	1050.03	14
14FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	1997.36	2039.87	2117.84	2195.92	29	1056.00	16
14FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	2188.48	2242.62	2309.90	2442.27	32	1309.09	17
14FCS45T9	45 DEGREE TEE WITH 9" REDUCED TAP	2214.43	2268.56	2282.15	2488.86	34	1332.94	19
14FCS45T10	45 DEGREE TEE WITH 10" REDUCED TAP	2240.40	2294.48	2394.29	2494.19	37	1356.51	20
14FCS45T12	45 DEGREE TEE WITH 12" REDUCED TAP	2394.85	2456.20	2569.67	2683.05	43	1493.80	24
14FCS90L	90 DEGREE ELBOW	732.80	752.24	875.54	987.25	29	476.53	13
14FCSTBT	BOOT TEE	1191.63	1242.81	1337.21	1431.62	37	911.53	17
14FCSTBT6	BOOT TEE WITH 6" REDUCED TAP	780.15	808.56	859.08	909.90	21	538.93	10
14FCSTBT7	BOOT TEE WITH 7" REDUCED TAP	815.35	848.84	908.93	969.26	22	564.08	11

1" Air Insulated CorrGuard Suggested List Prices

14FCSBT8	BOOT TEE WITH 8" REDUCED TAP	819.28	855.38	920.08	984.96	24	574.13	11
14FCSBT9	BOOT TEE WITH 9" REDUCED TAP	828.61	863.45	925.82	988.53	25	575.77	11
14FCSBT10	BOOT TEE WITH 10" REDUCED TAP	867.07	905.06	973.26	1041.65	27	619.80	12
14FCSBT12	BOOT TEE WITH 12" REDUCED TAP	1050.20	1097.19	1182.17	1267.30	31	784.69	14
14FCSBTD	BOOT TEE W/DRAIN	1354.04	1412.30	1520.01	1627.72	40	1030.38	19
14FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	910.74	945.22	1007.31	1069.64	24	643.20	12
14FCSBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	940.14	976.34	1041.58	1107.03	26	668.14	12
14FCSBTD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	954.49	992.58	1061.22	1130.09	27	678.20	12
14FCSBTD9	BOOT TEE W/DRAIN AND 9" REDUCED TAP	981.26	1024.39	1102.41	1180.55	28	694.26	13
14FCSBTD10	BOOT TEE W/DRAIN AND 10" REDUCED TAP	1030.75	1075.15	1156.68	1238.35	30	738.53	13
14FCSBTD12	BOOT TEE W/DRAIN AND 12" REDUCED TAP	1258.27	1308.55	1399.78	1491.12	34	955.40	15
14FCSCEC	CASING END CLOSURE	92.56	95.01	110.59	124.72	4		
14FCSDFDA	FEMALE TO FEMALE ADAPTER	309.76	329.25	349.69	362.29	9	140.18	4
14FCSDMA	MALE TO MALE ADAPTER	341.32	360.87	381.32	393.92	10	174.99	4
14FCSDDS	DRAIN SECTION	467.96	480.40	559.13	630.48	14	211.97	8
14FCSEI16	ECCENTRIC INCREASER 14" TO 16"	584.58	600.12	698.48	787.61	22	403.42	9
14FCSEI18	ECCENTRIC INCREASER 14" TO 18"	689.37	707.70	823.69	928.77	26	477.68	12
14FCSEI20	ECCENTRIC INCREASER 14" TO 20"	931.60	956.37	1113.09	1255.13	34	656.63	15
14FCSEI22	ECCENTRIC INCREASER 14" TO 22"	956.10	981.50	1142.36	1288.12	37	676.79	17
14FCSEI24	ECCENTRIC INCREASER 14" TO 24"	1071.86	1100.34	1280.67	1444.10	47	752.31	22
14FCSER6	ECCENTRIC REDUCER	578.32	593.68	690.97	779.15	19	393.56	8
14FCSER7	ECCENTRIC REDUCER	536.69	550.94	641.25	723.06	20	404.83	9
14FCSER8	ECCENTRIC REDUCER	551.71	566.38	659.19	743.31	20	415.80	9
14FCSER9	ECCENTRIC REDUCER	565.28	580.29	675.39	761.58	21	428.04	9
14FCSER10	ECCENTRIC REDUCER	489.15	502.13	584.43	659.02	18	369.81	8
14FCSER12	ECCENTRIC REDUCER	505.26	518.68	603.69	680.74	17	393.83	7
14FCSR6	TAPERED REDUCER	597.12	612.99	713.46	804.49	17	399.78	8
14FCSR7	TAPERED REDUCER	555.86	570.63	664.16	748.89	18	413.91	8
14FCSR8	TAPERED REDUCER	518.27	532.06	619.26	698.27	16	354.53	7
14FCSR9	TAPERED REDUCER	517.30	531.04	618.09	696.95	17	367.50	7
14FCSR10	TAPERED REDUCER	534.31	548.50	638.40	719.87	17	377.95	7
14FCSR12	TAPERED REDUCER	557.24	572.03	665.79	750.74	16	396.43	7
14FCST	90 DEG MANIFOLD TEE	839.81	862.13	1003.43	1131.46	29	557.91	13
14FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	575.54	590.84	687.68	775.40	18	345.41	9
14FCST7	TEE WITH REDUCED TAP	581.84	597.30	695.17	783.89	19	351.55	9
14FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	588.13	603.75	702.71	792.35	20	357.66	10
14FCST9	TEE WITH REDUCED TAP	599.70	615.62	716.52	807.92	21	365.00	10
14FCST10	90 DEG MANIFOLD TEE WITH 10" REDUCED TAP	611.24	627.48	730.32	823.48	22	372.32	10
14FCST12	90 DEG MANIFOLD TEE WITH 12" REDUCED TAP	648.32	665.54	774.65	873.48	24	396.62	11
14FCSTC	TEE CAP	285.62	293.20	341.26	384.78	8	184.84	4
14FCSTCN	TEE CAP LESS DRAIN	310.14	318.38	370.62	417.88	8	170.27	4
14FCSTI16	TAPERED INCREASER 14" TO 16"	637.64	654.59	761.87	859.08	20	405.99	9
14FCSTI18	TAPERED INCREASER 14" TO 18"	673.89	691.80	805.19	907.94	25	429.70	11
14FCSTI20	TAPERED INCREASER 14" TO 20"	778.49	799.19	930.16	1048.86	28	511.50	12
14FCSTI22	TAPERED INCREASER 14" TO 22"	873.77	896.97	1043.99	1177.19	34	558.43	15
14FCSTI24	TAPERED INCREASER 14" TO 24"	1074.43	1102.98	1283.76	1447.56	37	728.29	17
TERMINATIONS								
14FCSC	CAP	638.43	655.38	762.79	860.12	12	516.34	8
14FCSCB	CAP WITH BIRD SCREEN	672.23	690.10	803.20	905.67	16	516.34	12
14FCSCR	CLOSURE RING	168.02	168.02	168.02	168.02	5		
14FCSEC	EXIT CONE	569.78	569.78	569.78	569.78	10		
14FCSMCF	MITER CUT FEMALE TERMINATION	330.46	384.64	385.55	433.71	12	321.92	9
14FCSMCM	MITER CUT MALE TERMINATION	330.46	384.64	385.55	433.71	12	321.92	9
ROOF/WALL PENETRATIONS/ACCESSORIES								
14FCSF	FLASHING	200.14	205.18	238.80	269.27	16	199.87	16
14FCSFPP1	FIXED PITCH FLASHING 1-12 PITCH	366.31	401.15	426.35	480.74	11	356.83	11
14FCSFPP2	FIXED PITCH FLASHING 2-12 PITCH	366.31	401.15	426.35	480.74	12	356.83	12
14FCSFPP3	FIXED PITCH FLASHING 3-12 PITCH	366.31	401.15	426.35	480.74	12	356.83	12
14FCSFPP4	FIXED PITCH FLASHING 4-12 PITCH	366.31	401.15	426.35	480.74	13	356.83	13
14FCSFPP5	FIXED PITCH FLASHING 5-12 PITCH	366.31	401.15	426.35	480.74	14	356.83	14
14FCSFPP6	FIXED PITCH FLASHING 6-12 PITCH	366.31	401.15	426.35	480.74	14	356.83	14
14FCSFPP7	FIXED PITCH FLASHING 7-12 PITCH	366.31	401.15	426.35	480.74	15	356.83	15
14FCSFPP8	FIXED PITCH FLASHING 8-12 PITCH	366.31	401.15	426.35	480.74	16	356.83	16
14FCSFPP9	FIXED PITCH FLASHING 9-12 PITCH	366.31	401.15	426.35	480.74	16	356.83	16
14FCSFPP10	FIXED PITCH FLASHING 10-12 PITCH	366.31	401.15	426.35	480.74	17	356.83	17
14FCSFPP11	FIXED PITCH FLASHING 11-12 PITCH	366.31	401.15	426.35	480.74	18	356.83	18
14FCSFPP12	FIXED PITCH FLASHING 12-12 PITCH	366.31	401.15	426.35	480.74	18	356.83	18
14FCSFS	FIRE STOP	110.65	113.59	132.21	149.08	6	115.72	5
14FCSSC	STORM COLLAR	143.62	147.44	171.60	193.49	8	143.62	7
14FCSWPK	WALL PENETRATION KIT	496.89	496.89	583.82	652.12	31	484.03	32
SUPPORTS/GUIDES								
14FCSGR	GUY RING	64.77	66.49	77.37	87.28	1	63.06	1
14FCSHAR	HALF ANGLE RING	34.62				1	16.20	1
14FCSPS	PLATE SUPPORT	203.87	209.28	243.58	274.66	24	104.49	21
14FCSSA	STACK SUPPORT ASSEMBLY	530.78	523.09	538.79	562.71	19	404.49	14
14FCSWB	WALL BAND	100.24	102.90	119.77	135.06	2		
14FCSWS	WALL SUPPORT	291.55	299.28	348.35	392.79	23	264.54	23
APPLIANCE CONNECTORS								
14FCS8RC	REDUCING CONNECTOR 14" TO 8"	356.70	366.18	426.18	480.55	9	322.54	5
14FCS9RC	REDUCING CONNECTOR 14" TO 9"	356.70	366.18	426.18	480.55	9	322.54	5
14FCS10RC	REDUCING CONNECTOR 14" TO 10"	356.70	366.18	426.18	480.55	9	322.54	6
14FCS11RC	REDUCING CONNECTOR 14" TO 11"	356.70	366.18	426.18	480.55	9	322.54	6
14FCS12RC	REDUCING CONNECTOR 14" TO 12"	356.70	366.18	426.18	480.55	9	322.54	6
14FCS13RC	REDUCING CONNECTOR 14" TO 13"	356.70	366.18	426.18	480.55	8	322.54	5
14FCSCBA	BOILER ADAPTER	288.74	288.74	288.74	288.74	5		
14FCSCFA	FLANGE ADAPTER	294.67	304.92	323.24	332.37	12	235.25	8
14FCSCFC	FEMALE ADAPTER	325.14	333.78	388.49	438.05	10	241.46	5
14FCSLCA	LOCHINVAR CREST ADAPTER	328.85	328.85	328.85	328.85	3		
14FCSCMFC	MALE ADAPTER	319.25	327.73	381.43	430.10	9	240.94	5
14FCSSBA	SINGLE WALL BOILER ADAPTER	285.95	293.55	341.65	385.26	7	240.50	3

1" Air Insulated CorrGuard Suggested List Prices

14FCSSBAI	BOILER ADAPTER INNER COLLAR	294.08	301.91	351.37	396.23	7	253.6	4
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
16" DIAMETER		CA0	C30	C40	C60	WT		WT
PIPE LENGTHS								
16FCS9	9" STRAIGHT LENGTH	329.90	338.67	394.18	444.45	10	191.55	5
16FCS12	12" STRAIGHT LENGTH	374.14	384.08	447.03	504.06	13	225.50	6
16FCS18	18" STRAIGHT LENGTH	464.95	477.31	555.56	626.42	17	294.08	8
16FCS24	24" STRAIGHT LENGTH	700.69	719.31	837.21	944.02	22	495.12	10
16FCS36	36" STRAIGHT LENGTH	763.08	783.36	911.76	1028.08	31	497.90	14
VARIABLE LENGTHS								
16FCSVL22	VARIABLE LENGTH	686.00	704.24	819.65	924.21	24	488.17	12
FITTINGS								
16FCS15L	15 DEGREE ELBOW	460.45	487.00	609.25	708.24	15	276.39	7
16FCS30L	30 DEGREE ELBOW	534.50	566.33	710.54	827.57	18	334.57	8
16FCS45L	45 DEGREE ELBOW	546.66	561.19	653.16	736.50	22	334.76	10
16FCS45T	45 DEGREE TEE	3324.90	3414.09	3580.02	3745.60	63	2304.41	35
16FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	2380.65	2435.49	2440.83	2637.82	35	1436.02	19
16FCS45T9	45 DEGREE TEE WITH 9" REDUCED TAP	2440.83	2489.16	2536.65	2667.14	38	1459.08	21
16FCS45T10	45 DEGREE TEE WITH 10" REDUCED TAP	2463.27	2518.11	2619.21	2720.45	40	1513.53	22
16FCS45T12	45 DEGREE TEE WITH 12" REDUCED TAP	2585.94	2648.00	2762.77	2877.58	47	1619.68	26
16FCS45T14	45 DEGREE TEE WITH 14" REDUCED TAP	2699.07	2788.28	2954.20	3119.81	54	1682.17	30
16FCS90L	90 DEGREE ELBOW	825.51	847.42	986.34	1112.17	35	532.65	16
16FCSBT	BOOT TEE	1348.41	1410.19	1524.44	1638.91	45	1028.20	21
16FCSBT8	BOOT TEE WITH 8" REDUCED TAP	1044.93	1080.96	1145.68	1210.60	27	779.12	13
16FCSBT9	BOOT TEE WITH 9" REDUCED TAP	1067.65	1106.24	1231.74	1245.32	28	795.28	13
16FCSBT10	BOOT TEE WITH 10" REDUCED TAP	1117.24	1158.14	1284.50	1305.52	29	839.76	14
16FCSBT12	BOOT TEE WITH 12" REDUCED TAP	1154.37	1200.72	1368.40	1373.91	33	865.38	15
16FCSBT14	BOOT TEE WITH 14" REDUCED TAP	1226.59	1278.45	1469.49	1524.55	39	926.91	18
16FCSBTD	BOOT TEE W/DRAIN	1495.79	1564.48	1691.75	1818.96	49	1144.80	23
16FCSBTD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	1180.00	1223.12	1301.34	1379.72	30	888.41	15
16FCSBTD9	BOOT TEE W/DRAIN AND 9" REDUCED TAP	1207.82	1256.64	1345.44	1434.31	32	904.45	15
16FCSBTD10	BOOT TEE W/DRAIN AND 10" REDUCED TAP	1256.33	1307.09	1399.36	1491.72	33	948.79	16
16FCSBTD12	BOOT TEE W/DRAIN AND 12" REDUCED TAP	1289.15	1342.54	1439.52	1536.49	37	974.46	17
16FCSBTD14	BOOT TEE W/DRAIN AND 14" REDUCED TAP	1378.83	1440.54	1554.72	1668.85	42	1043.30	20
16FCSCEC	CASING END CLOSURE	100.85	103.54	120.51	135.90	4		
16FCSDFE	FEMALE TO FEMALE ADAPTER	336.38	358.17	381.14	395.27	10	154.91	4
16FCSDMA	MALE TO MALE ADAPTER	390.86	412.66	435.62	449.76	11	194.07	5
16FCSDS	DRAIN SECTION	505.40	518.83	603.87	680.91	16	229.15	9
16FCSSEI18	ECCENTRIC INCREASER 16" TO 18"	654.30	671.69	781.77	881.52	25	447.69	11
16FCSSEI20	ECCENTRIC INCREASER 16" TO 20"	758.24	778.39	905.97	1021.56	30	533.57	13
16FCSSEI22	ECCENTRIC INCREASER 16" TO 22"	1023.33	1050.53	1222.70	1378.70	38	726.31	17
16FCSSEI24	ECCENTRIC INCREASER 16" TO 24"	1062.57	1090.79	1269.57	1431.55	42	748.88	19
16FCSSEI26	ECCENTRIC INCREASER 16" TO 26"	1094.45	1123.51	1307.66	1474.49	62	771.34	28
16FCSER6	ECCENTRIC REDUCER	798.30	819.53	953.84	1075.56	26	560.58	12
16FCSER7	ECCENTRIC REDUCER	734.64	754.18	877.78	989.78	27	572.37	12
16FCSER8	ECCENTRIC REDUCER	587.07	602.67	701.44	790.93	22	440.28	10
16FCSER9	ECCENTRIC REDUCER	603.34	619.38	720.91	812.89	23	454.72	10
16FCSER10	ECCENTRIC REDUCER	619.71	636.16	740.44	834.90	24	468.29	11
16FCSER12	ECCENTRIC REDUCER	600.20	616.15	717.13	808.64	21	472.76	9
16FCSER14	ECCENTRIC REDUCER	584.58	600.12	698.48	787.61	21	403.42	9
16FCSR6	TAPERED REDUCER	636.30	653.22	760.26	857.26	19	425.61	8
16FCSR7	TAPERED REDUCER	594.59	610.39	710.42	801.07	20	443.06	9
16FCSR8	TAPERED REDUCER	750.60	770.53	896.84	1011.27	21	569.74	9
16FCSR9	TAPERED REDUCER	545.07	559.55	651.25	734.35	18	383.96	8
16FCSR10	TAPERED REDUCER	563.05	578.01	672.74	758.58	19	398.37	8
16FCSR12	TAPERED REDUCER	590.24	605.93	705.23	795.22	20	423.62	9
16FCSR14	TAPERED REDUCER	637.64	654.59	761.87	859.08	20	405.99	9
16FCST	90 DEG MANIFOLD TEE	969.63	995.40	1158.55	1306.35	35	626.28	16
16FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	768.54	788.96	918.29	1035.45	22	434.92	11
16FCST9	TEE WITH REDUCED TAP	777.11	797.75	928.50	1046.96	23	475.64	11
16FCST10	90 DEG MANIFOLD TEE WITH 10" REDUCED TAP	785.65	806.53	938.73	1058.47	24	516.33	12
16FCST12	90 DEG MANIFOLD TEE WITH 12" REDUCED TAP	813.10	834.72	971.52	1095.48	26	532.22	12
16FCST14	90 DEG MANIFOLD TEE WITH 14" REDUCED TAP	875.78	899.05	1046.41	1179.91	30	576.87	14
16FCSTC	TEE CAP	294.80	302.63	352.22	397.15	9	202.02	5
16FCSTCN	TEE CAP LESS DRAIN	350.47	359.78	418.74	472.20	9	186.99	4
16FCSTI18	TAPERED INCREASER 16" TO 18"	707.16	725.96	844.95	952.75	23	450.60	10
16FCSTI20	TAPERED INCREASER 16" TO 20"	754.06	774.10	900.95	1015.92	28	479.86	12
16FCSTI22	TAPERED INCREASER 16" TO 22"	889.91	913.54	1063.26	1198.93	32	566.23	14
16FCSTI24	TAPERED INCREASER 16" TO 24"	1159.69	1190.51	1385.64	1562.43	39	668.16	17
16FCSTI26	TAPERED INCREASER 16" TO 26"	1429.49	1467.48	1708.01	1925.95	64	788.43	30
TERMINATIONS								
16FCSC	CAP	702.36	721.01	839.19	946.26	15	578.46	10
16FCSCB	CAP WITH BIRD SCREEN	748.81	768.71	894.68	1008.83	21	578.46	16
16FCSCR	CLOSURE RING	183.00	183.00	183.00	183.00	6		
16FCSEC	EXIT CONE	682.38	682.38	682.38	682.38	11		
16FCSMCF	MITER CUT FEMALE TERMINATION	376.99	438.76	440.96	494.76	15	367.24	11
16FCSMCM	MITER CUT MALE TERMINATION	376.99	438.76	440.96	494.76	15	367.24	12
ROOF/WALL PENETRATIONS/ACCESSORIES								
16FCSF	FLASHING	213.87	219.58	255.56	288.17	18	213.71	18
16FCSFPP1	FIXED PITCH FLASHING 1-12 PITCH	396.46	427.06	461.44	520.32	13	386.20	13
16FCSFPP2	FIXED PITCH FLASHING 2-12 PITCH	396.46	427.06	461.44	520.32	13	386.20	13
16FCSFPP3	FIXED PITCH FLASHING 3-12 PITCH	396.46	427.06	461.44	520.32	14	386.20	14
16FCSFPP4	FIXED PITCH FLASHING 4-12 PITCH	396.46	427.06	461.44	520.32	15	386.20	15
16FCSFPP5	FIXED PITCH FLASHING 5-12 PITCH	396.46	427.06	461.44	520.32	16	386.20	16
16FCSFPP6	FIXED PITCH FLASHING 6-12 PITCH	396.46	427.06	461.44	520.32	17	386.20	17
16FCSFPP7	FIXED PITCH FLASHING 7-12 PITCH	396.46	427.06	461.44	520.32	18	386.20	18
16FCSFPP8	FIXED PITCH FLASHING 8-12 PITCH	396.46	427.06	461.44	520.32	18	386.20	18

1" Air Insulated CorrGuard Suggested List Prices

16FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	396.46	427.06	461.44	520.32	19	386.2	19
16FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	396.46	427.06	461.44	520.32	20	386.20	20
16FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	396.46	427.06	461.44	520.32	21	386.20	21
16FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	396.46	427.06	461.44	520.32	22	386.20	22
16FCSFS	FIRE STOP	116.39	119.50	139.10	156.83	7	127.43	6
16FCS SC	STORM COLLAR	149.85	153.81	179.04	201.87	9	149.85	8
16FCSWPK	WALL PENETRATION KIT	541.37	541.37	638.98	710.50	35	527.36	37
SUPPORTS/GUIDES								
16FCSGR	GUY RING	65.15	66.86	77.85	87.76	2	63.45	1
16FCSHAR	HALF ANGLE RING	35.95				1	34.45	1
16FCS SPS	PLATE SUPPORT	235.15	241.41	280.97	316.81	28	114.11	26
16FCS SSSA	STACK SUPPORT ASSEMBLY	579.56	571.15	588.28	614.42	23	444.57	16
16FCSWB	WALL BAND	101.37	104.07	121.13	136.57	2		
16FCSWS	WALL SUPPORT	391.56	401.96	467.86	527.53	28	364.27	27
APPLIANCE CONNECTORS								
16FCS10RC	REDUCING CONNECTOR 16" TO 10"	413.67	424.67	494.26	557.32	10	366.60	6
16FCS11RC	REDUCING CONNECTOR 16" TO 11"	413.67	424.67	494.26	557.32	11	366.60	6
16FCS12RC	REDUCING CONNECTOR 16" TO 12"	413.67	424.67	494.26	557.32	11	366.60	7
16FCS13RC	REDUCING CONNECTOR 16" TO 13"	413.67	424.67	494.26	557.32	11	366.60	7
16FCS14RC	REDUCING CONNECTOR 16" TO 14"	413.67	424.67	494.26	557.32	11	366.60	7
16FCS15RC	REDUCING CONNECTOR 16" TO 15"	413.67	424.67	494.26	557.32	10	366.60	6
16FCSBA	BOILER ADAPTER	269.54	269.54	269.54	269.54	4		
16FCSFFC	FEMALE ADAPTER	351.13	360.44	419.54	473.07	12	263.16	6
16FCSMFC	MALE ADAPTER	344.49	353.64	411.61	464.12	10	266.51	5
16FCS SBA	SINGLE WALL BOILER ADAPTER	307.68	315.85	367.63	414.51	8	261.00	4
16FCS SBAI	BOILER ADAPTER INNER COLLAR	332.17	340.98	396.88	447.50	9	286.15	4
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
18" DIAMETER								
PIPE LENGTHS								
		FCS AL294C/AZ CA0	FCS AL294C/430SS C30	FCS AL294C/304SS C40	FCS AL294C/316SS C60	FCS WT	FCSSW AL294C WT	FCSSW WT
18FCS9	9" STRAIGHT LENGTH	364.84	374.55	435.93	491.55	11	219.12	5
18FCS12	12" STRAIGHT LENGTH	409.67	420.55	489.49	551.93	14	259.25	6
18FCS18	18" STRAIGHT LENGTH	505.43	518.87	603.90	680.94	19	284.01	9
18FCS24	24" STRAIGHT LENGTH	773.31	793.85	923.95	1041.85	24	576.87	11
18FCS36	36" STRAIGHT LENGTH	843.66	866.08	1008.02	1136.65	35	580.05	16
VARIABLE LENGTHS								
18FCSVL22	VARIABLE LENGTH	761.51	781.75	909.88	1025.98	27	562.42	13
FITTINGS								
18FCS15L	15 DEGREE ELBOW	496.06	525.23	662.09	772.88	17	302.01	8
18FCS30L	30 DEGREE ELBOW	584.26	622.97	794.73	934.52	21	367.46	10
18FCS45L	45 DEGREE ELBOW	744.58	764.37	889.65	1003.17	26	498.00	12
18FCS45T	45 DEGREE TEE	3669.31	3799.94	4043.83	4287.11	76	2545.39	43
18FCS45T10	45 DEGREE TEE WITH 10" REDUCED TAP	2680.94	2752.77	2885.91	3019.01	44	1671.80	24
18FCS45T12	45 DEGREE TEE WITH 12" REDUCED TAP	2821.74	2900.78	3047.60	3194.21	51	1796.05	28
18FCS45T14	45 DEGREE TEE WITH 14" REDUCED TAP	2911.79	3015.25	3208.07	3400.47	57	1839.10	32
18FCS45T16	45 DEGREE TEE WITH 16" REDUCED TAP	3464.59	3578.91	3792.20	4004.93	65	2371.24	36
18FCS90L	90 DEGREE ELBOW	1129.15	1159.16	1349.13	1521.27	42	783.68	19
18FCSBT	BOOT TEE	1494.57	1570.59	1711.67	1852.57	54	1137.96	25
18FCSBT10	BOOT TEE WITH 10" REDUCED TAP	1196.79	1240.52	1319.58	1398.80	32	903.71	15
18FCSBT12	BOOT TEE WITH 12" REDUCED TAP	1236.71	1287.72	1380.14	1472.64	36	929.22	17
18FCSBT14	BOOT TEE WITH 14" REDUCED TAP	1319.08	1374.22	1475.99	1577.79	41	997.74	19
18FCSBT16	BOOT TEE WITH 16" REDUCED TAP	1440.11	1505.66	1627.12	1748.46	46	1098.59	22
18FCSBTD	BOOT TEE W/DRAIN	1683.69	1770.68	1932.54	2094.03	59	1291.28	28
18FCSBTD10	BOOT TEE W/DRAIN AND 10" REDUCED TAP	1380.62	1435.33	1535.09	1634.93	37	1058.13	18
18FCSBTD12	BOOT TEE W/DRAIN AND 12" REDUCED TAP	1412.73	1470.05	1574.46	1678.96	41	1083.15	19
18FCSBTD14	BOOT TEE W/DRAIN AND 14" REDUCED TAP	1501.17	1567.32	1689.81	1812.24	46	1150.14	22
18FCSBTD16	BOOT TEE W/DRAIN AND 16" REDUCED TAP	1608.71	1678.36	1807.38	1936.35	51	1248.94	24
18FCSCEC	CASING END CLOSURE	108.63	111.53	129.79	146.36	5		
18FCS DFA	FEMALE TO FEMALE ADAPTER	362.47	386.56	412.00	427.68	11	169.69	5
18FCS DMA	MALE TO MALE ADAPTER	422.72	446.82	472.26	487.92	12	212.81	5
18FCS DS	DRAIN SECTION	545.82	560.34	652.17	735.39	18	247.43	11
18FCS EI20	ECCENTRIC INCREASER 18" TO 20"	750.32	770.26	896.51	1010.89	28	509.88	13
18FCS EI22	ECCENTRIC INCREASER 18" TO 22"	871.61	894.77	1041.42	1174.28	35	593.33	15
18FCS EI24	ECCENTRIC INCREASER 18" TO 24"	1136.67	1166.87	1358.11	1531.40	43	802.66	19
18FCS EI26	ECCENTRIC INCREASER 18" TO 26"	1477.68	1516.94	1765.54	1990.80	59	963.19	29
18FCS EI28	ECCENTRIC INCREASER 18" TO 28"	1920.95	1972.01	2295.22	2588.05	67	1155.83	30
18FCS ER6	ECCENTRIC REDUCER	850.64	873.23	1016.36	1146.04	29	598.33	13
18FCS ER7	ECCENTRIC REDUCER	784.08	804.91	936.84	1056.39	50	611.26	34
18FCS ER8	ECCENTRIC REDUCER	801.27	822.55	957.37	1079.51	30	626.08	14
18FCS ER9	ECCENTRIC REDUCER	821.08	842.90	981.04	1106.22	31	482.00	14
18FCS ER10	ECCENTRIC REDUCER	780.68	801.41	932.77	1051.76	26	619.07	12
18FCS ER12	ECCENTRIC REDUCER	689.09	707.42	823.37	928.42	28	523.99	12
18FCS ER14	ECCENTRIC REDUCER	689.37	707.70	823.69	928.77	26	477.68	11
18FCS ER16	ECCENTRIC REDUCER	654.30	671.69	781.77	881.52	25	447.69	11
18FCS R6	TAPERED REDUCER	682.67	700.79	815.66	919.73	20	449.32	9
18FCS R7	TAPERED REDUCER	639.10	656.07	763.61	861.05	21	467.81	10
18FCS R8	TAPERED REDUCER	775.29	795.88	926.33	1044.50	23	605.16	10
18FCS R9	TAPERED REDUCER	669.22	687.02	799.62	901.65	24	495.72	11
18FCS R10	TAPERED REDUCER	688.95	707.24	823.18	928.19	24	508.08	11
18FCS R12	TAPERED REDUCER	704.95	723.68	842.29	949.75	22	508.57	10
18FCS R14	TAPERED REDUCER	673.89	691.80	805.19	907.94	24	429.70	11
18FCS R16	TAPERED REDUCER	707.16	725.96	844.95	952.75	23	450.60	10
18FCS T	90 DEG MANIFOLD TEE	1142.27	1172.63	1364.80	1538.93	41	734.56	20
18FCS T10	90 DEG MANIFOLD TEE WITH 10" REDUCED TAP	868.02	891.07	1037.12	1169.45	27	571.18	14
18FCS T12	90 DEG MANIFOLD TEE WITH 12" REDUCED TAP	892.93	916.66	1066.89	1203.03	29	587.07	14
18FCS T14	90 DEG MANIFOLD TEE WITH 14" REDUCED TAP	959.40	984.90	1146.33	1292.59	32	631.72	15
18FCS T16	90 DEG MANIFOLD TEE WITH 16" REDUCED TAP	983.20	1009.33	1174.76	1324.65	35	646.59	17
18FCS TC	TEE CAP	348.22	357.46	416.06	469.13	11	243.01	5

1" Air Insulated CorrGuard Suggested List Prices

18FCSTCN	TEE CAP LESS DRAIN	396.03	406.55	473.17	533.57	11	227.89	5
18FCSTI20	TAPERED INCREASER 18" TO 20"	825.98	847.93	986.90	1112.80	26	513.12	12
18FCSTI22	TAPERED INCREASER 18" TO 22"	965.72	991.37	1153.87	1301.08	32	608.18	14
18FCSTI24	TAPERED INCREASER 18" TO 24"	1037.39	1064.95	1239.50	1397.66	36	628.07	16
18FCSTI26	TAPERED INCREASER 18" TO 26"	1109.07	1138.53	1325.16	1494.21	59	741.13	27
18FCSTI28	TAPERED INCREASER 18" TO 28"	1180.75	1212.11	1410.80	1590.79	69	990.39	33
TERMINATIONS								
18FCSC	CAP	806.47	827.91	963.61	1086.56	17	680.22	12
18FCSCB	CAP WITH BIRD SCREEN	867.44	890.48	1036.43	1168.67	25	680.22	19
18FCSCR	CLOSURE RING	189.59	189.59	189.59	189.59	7		
18FCSEC	EXIT CONE	746.45	746.45	746.45	746.45	13		
18FCSMCF	MITER CUT FEMALE TERMINATION	528.27	536.56	614.85	693.29	18	514.61	14
18FCSMCM	MITER CUT MALE TERMINATION	528.27	536.56	614.85	693.29	18	514.61	14
ROOF/WALL PENETRATIONS/ACCESSORIES								
18FCSF	FLASHING	232.08	233.96	272.30	307.05	20	227.90	20
18FCSFPP1	FIXED PITCH FLASHING 1-12 PITCH	411.77	455.62	491.99	554.78	14	388.69	14
18FCSFPP2	FIXED PITCH FLASHING 2-12 PITCH	411.77	455.62	491.99	554.78	15	388.69	15
18FCSFPP3	FIXED PITCH FLASHING 3-12 PITCH	411.77	455.62	491.99	554.78	16	388.69	16
18FCSFPP4	FIXED PITCH FLASHING 4-12 PITCH	411.77	455.62	491.99	554.78	17	388.69	17
18FCSFPP5	FIXED PITCH FLASHING 5-12 PITCH	411.77	455.62	491.99	554.78	18	388.69	18
18FCSFPP6	FIXED PITCH FLASHING 6-12 PITCH	411.77	455.62	491.99	554.78	19	388.69	19
18FCSFPP7	FIXED PITCH FLASHING 7-12 PITCH	411.77	455.62	491.99	554.78	20	388.69	20
18FCSFPP8	FIXED PITCH FLASHING 8-12 PITCH	411.77	455.62	491.99	554.78	21	388.69	21
18FCSFPP9	FIXED PITCH FLASHING 9-12 PITCH	411.77	455.62	491.99	554.78	22	388.69	22
18FCSFPP10	FIXED PITCH FLASHING 10-12 PITCH	411.77	455.62	491.99	554.78	23	388.69	23
18FCSFPP11	FIXED PITCH FLASHING 11-12 PITCH	411.77	455.62	491.99	554.78	24	388.69	24
18FCSFPP12	FIXED PITCH FLASHING 12-12 PITCH	411.77	455.62	491.99	554.78	26	388.69	26
18FCSFS	FIRE STOP	124.64	127.94	148.91	167.91	7	138.38	7
18FCSSC	STORM COLLAR	156.06	160.20	186.45	210.25	10	156.06	9
18FCSWPK	WALL PENETRATION KIT	590.79	639.20	687.62	775.35	40	575.49	42
SUPPORTS/GUIDES								
18FCSGR	GUY RING	65.52	67.24	78.29	88.26	2	53.16	2
18FCSHAR	HALF ANGLE RING	39.00				1	36.13	1
18FCSPS	PLATE SUPPORT	242.78	249.23	290.07	327.08	33	99.53	30
18FCSSSA	STACK SUPPORT ASSEMBLY	693.38	683.34	703.84	735.08	26	455.89	19
18FCSWS	WALL SUPPORT	450.88	462.85	538.70	607.44	33	350.55	32
APPLIANCE CONNECTORS								
18FCS12RC	REDUCING CONNECTOR 18" TO 12"	432.03	465.61	541.89	611.05	12	343.40	7
18FCS13RC	REDUCING CONNECTOR 18" TO 13"	432.03	465.61	541.89	611.05	13	343.40	8
18FCS14RC	REDUCING CONNECTOR 18" TO 14"	432.03	465.61	541.89	611.05	13	343.40	8
18FCS15RC	REDUCING CONNECTOR 18" TO 15"	432.03	465.61	541.89	611.05	13	343.40	8
18FCS16RC	REDUCING CONNECTOR 18" TO 16"	432.03	465.61	541.89	611.05	13	343.40	8
18FCS17RC	REDUCING CONNECTOR 18" TO 17"	432.03	465.61	541.89	611.05	12	343.40	7
18FCSBA	BOILER ADAPTER	337.71	337.71	337.71	337.71	6		
18FCSFFC	FEMALE ADAPTER	386.24	396.51	461.49	520.38	13	294.14	6
18FCSMFC	MALE ADAPTER	378.87	388.93	452.68	510.44	12	295.51	6
18FCSSBA	SINGLE WALL BOILER ADAPTER	336.68	345.63	402.28	453.61	9	294.32	4
18FCSSBAI	BOILER ADAPTER INNER COLLAR	362.17	371.78	432.72	487.92	10	322.27	5
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
20" DIAMETER								
PIPE LENGTHS								
20FCS9	9" STRAIGHT LENGTH	430.96	442.43	514.92	580.64	12	246.71	6
20FCS12	12" STRAIGHT LENGTH	493.78	506.91	589.98	665.26	15	292.98	7
20FCS18	18" STRAIGHT LENGTH	618.91	635.34	739.48	833.83	21	384.71	10
20FCS24	24" STRAIGHT LENGTH	948.82	974.02	1133.67	1278.30	27	658.63	13
20FCS36	36" STRAIGHT LENGTH	1037.09	1064.65	1239.13	1397.24	38	662.19	18
VARIABLE LENGTHS								
20FCSVL22	VARIABLE LENGTH	1033.41	1060.88	1234.74	1392.28	30	636.69	15
FITTINGS								
20FCS15L	15 DEGREE ELBOW	686.11	738.20	925.39	1090.03	19	407.51	9
20FCS30L	30 DEGREE ELBOW	801.00	860.86	1077.02	1267.35	24	497.81	11
20FCS45L	45 DEGREE ELBOW	1027.79	1055.10	1228.03	1384.72	30	678.91	14
20FCS45T	45 DEGREE TEE	3909.24	4056.84	4332.77	4607.89	90	2736.71	51
20FCS45T12	45 DEGREE TEE WITH 12" REDUCED TAP	2931.56	3011.32	3159.49	3307.42	54	1887.33	30
20FCS45T14	45 DEGREE TEE WITH 14" REDUCED TAP	3038.87	3143.07	3337.22	3530.94	61	1948.49	34
20FCS45T16	45 DEGREE TEE WITH 16" REDUCED TAP	3260.05	3375.08	3589.70	3803.77	69	2148.15	39
20FCS45T18	45 DEGREE TEE WITH 18" REDUCED TAP	3707.16	3838.47	4083.74	4328.35	78	2564.69	44
20FCS90L	90 DEGREE ELBOW	1557.77	1599.16	1861.25	2098.74	49	1072.35	23
20FCSBT	BOOT TEE	2471.47	2554.64	2709.18	2863.47	76	2085.84	43
20FCSBT12	BOOT TEE WITH 12" REDUCED TAP	1742.21	1796.49	1895.17	1993.90	45	1485.25	25
20FCSBT14	BOOT TEE WITH 14" REDUCED TAP	1812.24	1870.69	1978.69	2086.71	52	1541.10	29
20FCSBT16	BOOT TEE WITH 16" REDUCED TAP	1978.69	2047.02	2173.56	2300.05	58	1694.77	32
20FCSBT18	BOOT TEE WITH 18" REDUCED TAP	2056.11	2130.50	2268.42	2406.18	65	1758.87	37
20FCSBTD	BOOT TEE W/DRAIN	2651.19	2746.49	2923.78	3100.73	80	2228.51	44
20FCSBTD12	BOOT TEE W/DRAIN AND 12" REDUCED TAP	1647.71	1709.01	1820.95	1932.88	49	1299.10	26
20FCSBTD14	BOOT TEE W/DRAIN AND 14" REDUCED TAP	1722.70	1793.27	1924.05	2054.70	56	1351.61	29
20FCSBTD16	BOOT TEE W/DRAIN AND 16" REDUCED TAP	2183.25	2256.06	2391.10	2525.99	62	1805.15	33
20FCSBTD18	BOOT TEE W/DRAIN AND 18" REDUCED TAP	2277.32	2363.78	2524.46	2684.93	69	1873.47	37
20FCSCEC	CASING END CLOSURE	141.03	144.76	168.49	189.99	6		
20FCSDDFA	FEMALE TO FEMALE ADAPTER	388.92	415.30	443.23	460.48	12	184.42	5
20FCSDDMA	MALE TO MALE ADAPTER	454.59	480.97	508.89	526.09	13	231.47	6
20FCSDDS	DRAIN SECTION	589.50	605.16	704.35	794.22	21	334.54	12
20FCSSEI22	ECCENTRIC INCREASER 20" TO 22"	935.19	960.05	1117.39	1259.96	32	699.75	14
20FCSSEI24	ECCENTRIC INCREASER 20" TO 24"	1058.95	1087.10	1265.26	1426.70	39	810.54	18
20FCSSEI26	ECCENTRIC INCREASER 20" TO 26"	1196.62			1612.17	52	915.90	27
20FCSSEI28	ECCENTRIC INCREASER 20" TO 28"	1352.19	1388.11	1615.61	1821.75	64	1034.97	33
20FCSSEI30	ECCENTRIC INCREASER 20" TO 30"	1527.96	1568.57	1825.64	2058.59	72	1169.52	33

1" Air Insulated CorrGuard Suggested List Prices

20FCSE8	ECCENTRIC REDUCER	849.35	871.93	1014.83	1144.3	33	665.83	15
20FCSE9	ECCENTRIC REDUCER	879.04	902.39	1050.30	1184.31	34	510.91	16
20FCSE10	ECCENTRIC REDUCER	871.80	894.97	1041.65	1174.55	35	698.60	15
20FCSE12	ECCENTRIC REDUCER	864.01	886.97	1032.32	1164.05	30	689.62	14
20FCSE14	ECCENTRIC REDUCER	931.60	956.37	1113.09	1255.13	33	656.63	15
20FCSE16	ECCENTRIC REDUCER	758.24	778.39	905.97	1021.56	30	533.57	13
20FCSE18	ECCENTRIC REDUCER	750.32	770.26	896.51	1010.89	28	509.88	13
20FCSR8	TAPERED REDUCER	810.16	831.67	968.01	1091.48	24	635.09	11
20FCSR9	TAPERED REDUCER	707.64	726.45	845.50	953.39	25	523.86	11
20FCSR10	TAPERED REDUCER	731.40	750.83	873.89	985.40	26	538.20	12
20FCSR12	TAPERED REDUCER	763.21	783.49	911.88	1028.27	28	566.25	13
20FCSR14	TAPERED REDUCER	778.49	799.19	930.16	1048.86	27	511.50	12
20FCSR16	TAPERED REDUCER	754.06	774.10	900.95	1015.92	28	479.86	12
20FCSR18	TAPERED REDUCER	825.98	847.93	986.90	1112.80	26	513.12	12
20FCST	90 DEG MANIFOLD TEE	1515.28	1555.54	1810.49	2041.49	48	1013.50	23
20FCST12	90 DEG MANIFOLD TEE WITH 12" REDUCED TAP	1208.94	1241.06	1444.47	1628.76	32	791.01	16
20FCST14	90 DEG MANIFOLD TEE WITH 14" REDUCED TAP	1279.66	1313.67	1528.97	1724.03	35	834.61	17
20FCST16	90 DEG MANIFOLD TEE WITH 16" REDUCED TAP	1327.92	1363.19	1586.63	1789.06	38	874.03	18
20FCST18	90 DEG MANIFOLD TEE WITH 18" REDUCED TAP	1420.42	1458.16	1697.17	1913.69	42	933.33	20
20FCSTC	TEE CAP	480.70	493.47	574.35	647.61	13	329.75	6
20FCSTCN	TEE CAP LESS DRAIN	457.45	469.61	546.57	616.32	12	309.75	6
20FCSTI22	TAPERED INCREASER 20" TO 22"	1034.91	1062.41	1236.53	1394.31	29	704.16	13
20FCSTI24	TAPERED INCREASER 20" TO 24"	1178.28	1209.59	1407.84	1587.47	36	830.67	16
20FCSTI26	TAPERED INCREASER 20" TO 26"	1465.01	1356.78	1579.13	1780.63	51	980.16	25
20FCSTI28	TAPERED INCREASER 20" TO 28"	1465.01	1503.97	1750.43	1973.81	64	1156.61	30
20FCSTI30	TAPERED INCREASER 20" TO 30"	1608.37	1651.26	1921.72	2166.99	75	1364.79	37
TERMINATIONS								
20FCSC	CAP	1273.28	1307.11	1521.37	1715.48	20	781.99	14
20FCSCB	CAP WITH BIRD SCREEN	1381.44	1418.15	1650.59	1861.19	30	781.99	24
20FCSCR	CLOSURE RING	204.15	204.15	204.15	204.15	8		
20FCSEC	EXIT CONE	899.69	899.69	899.69	899.69	16		
20FCSMCF	MITER CUT FEMALE TERMINATION	828.53	850.56	989.95	1116.26	21	739.20	16
20FCSMCM	MITER CUT MALE TERMINATION	828.53	850.56	989.95	1116.26	22	739.20	17
ROOF/WALL PENETRATIONS/ACCESSORIES								
20FCSF	FLASHING	239.96	250.28	279.29	314.94	22	233.74	22
20FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	436.71	484.16	508.27	573.11	16	425.41	16
20FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	436.71	484.16	508.27	573.11	17	425.41	17
20FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	436.71	484.16	508.27	573.11	18	425.41	18
20FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	436.71	484.16	508.27	573.11	19	425.41	19
20FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	436.71	484.16	508.27	573.11	20	425.41	20
20FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	436.71	484.16	508.27	573.11	22	425.41	22
20FCSPFF7	FIXED PITCH FLASHING 7-12 PITCH	436.71	484.16	508.27	573.11	23	425.41	23
20FCSPFF8	FIXED PITCH FLASHING 8-12 PITCH	436.71	484.16	508.27	573.11	24	425.41	24
20FCSPFF9	FIXED PITCH FLASHING 9-12 PITCH	436.71	484.16	508.27	573.11	25	425.41	25
20FCSPFF10	FIXED PITCH FLASHING 10-12 PITCH	436.71	484.16	508.27	573.11	27	425.41	27
20FCSPFF11	FIXED PITCH FLASHING 11-12 PITCH	436.71	484.16	508.27	573.11	28	425.41	28
20FCSPFF12	FIXED PITCH FLASHING 12-12 PITCH	436.71	484.16	508.27	573.11	29	425.41	29
20FCFSFS	FIRE STOP	135.50	139.10	161.90	182.57	8	149.34	7
20FCSSC	STORM COLLAR	158.87	163.08	189.81	214.04	12	158.87	10
20FCSWPK	WALL PENETRATION KIT	641.91	641.91	798.85	842.46	44	625.30	47
SUPPORTS/GUIDES								
20FCSGR	GUY RING	73.19	75.13	87.43	98.60	2	66.52	2
20FCSHAR	HALF ANGLE RING	42.04				1	37.80	1
20FCSPS	PLATE SUPPORT	368.64	378.44	440.46	378.44	41	187.06	38
20FCSSSA	STACK SUPPORT ASSEMBLY	836.68	824.54	849.28	887.00	30	619.37	22
20FCSSWS	WALL SUPPORT	563.55	578.53	673.34	759.26	38	483.36	37
APPLIANCE CONNECTORS								
20FCS14RC	REDUCING CONNECTOR 20" TO 14"	572.10	587.30	683.56	770.77	15	464.74	9
20FCS15RC	REDUCING CONNECTOR 20" TO 15"	572.10	587.30	683.56	770.77	15	464.74	9
20FCS16RC	REDUCING CONNECTOR 20" TO 16"	572.10	587.30	683.56	770.77	16	464.74	10
20FCS17RC	REDUCING CONNECTOR 20" TO 17"	572.10	587.30	683.56	770.77	16	464.74	10
20FCS18RC	REDUCING CONNECTOR 20" TO 18"	572.10	587.30	683.56	770.77	15	464.74	9
20FCS19RC	REDUCING CONNECTOR 20" TO 19"	572.10	587.30	683.56	770.77	14	464.74	8
20FCSFFC	FEMALE ADAPTER	460.48	472.72	550.20	620.40	14	325.09	7
20FCMFC	MALE ADAPTER	451.47	463.46	539.43	608.25	13	324.53	7
20FCSSBA	SINGLE WALL BOILER ADAPTER	425.86	437.17	508.82	573.75	11	327.63	5
20FCSSBAI	BOILER ADAPTER INNER COLLAR	457.95	470.12	547.17	616.98	12	358.37	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
22" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/904SS	AL294C/316SS		AL294C	
		CA0	C30	C40	C60	WT		WT
PIPE LENGTHS								
22FCS9	9" STRAIGHT LENGTH	462.37	474.65	552.47	622.92	14	279.76	6
22FCS12	12" STRAIGHT LENGTH	521.60	535.45	623.22	702.72	17	333.72	8
22FCS18	18" STRAIGHT LENGTH	668.15	685.90	798.33	900.19	23	441.02	11
22FCS24	24" STRAIGHT LENGTH	1030.03	1057.39	1230.71	1387.71	29	757.08	14
22FCS36	36" STRAIGHT LENGTH	1076.93	1105.55	1286.72	1450.91	42	760.86	20
VARIABLE LENGTHS								
22FCSVL22	VARIABLE LENGTH	1129.02	1159.01	1348.97	1521.09	33	755.74	16
FITTINGS								
22FCS15L	15 DEGREE ELBOW	726.76	814.53	1021.32	1205.42	21	468.59	10
22FCS30L	30 DEGREE ELBOW	847.95	949.33	1188.12	1400.94	27	573.34	13
22FCS45L	45 DEGREE ELBOW	1104.50	1133.83	1319.68	1488.04	34	782.44	16
22FCS45T	45 DEGREE TEE	4314.44	4462.76	4740.03	5016.47	105	2979.14	60
22FCS45T14	45 DEGREE TEE WITH 14" REDUCED TAP	3358.13	3463.04	3658.50	3853.56	65	2108.78	36
22FCS45T16	45 DEGREE TEE WITH 16" REDUCED TAP	3488.95	3604.72	3820.67	4036.01	73	2218.08	41
22FCS45T18	45 DEGREE TEE WITH 18" REDUCED TAP	3936.06	3994.82	4103.38	4211.97	82	2634.64	46
22FCS45T20	45 DEGREE TEE WITH 20" REDUCED TAP	4111.23	4243.30	4489.92	4735.77	91	2806.65	52
22FCS90L	90 DEGREE ELBOW	1675.72	1720.25	2002.19	2257.65	57	1238.22	27

1" Air Insulated CorrGuard Suggested List Prices

22FCSBT	BOOT TEE	2636.9	2742.85	2940.26	3137.26	88	2266.97	50
22FCSBT14	BOOT TEE WITH 14" REDUCED TAP	1924.66	1986.38	2100.64	2214.88	55	1636.74	30
22FCSBT16	BOOT TEE WITH 16" REDUCED TAP	2103.30	2176.10	2311.19	2446.14	61	1793.95	34
22FCSBT18	BOOT TEE WITH 18" REDUCED TAP	2174.59	2253.46	2399.88	2546.09	68	1857.18	38
22FCSBT20	BOOT TEE WITH 20" REDUCED TAP	2247.22	2332.21	2490.13	2647.74	76	1919.88	43
22FCSBTD	BOOT TEE W/DRAIN	2868.90	2984.91	3201.22	3417.06	93	2396.17	51
22FCSBTD14	BOOT TEE W/DRAIN AND 14" REDUCED TAP	1831.61	1911.77	2060.70	2209.42	60	1432.31	32
22FCSBTD16	BOOT TEE W/DRAIN AND 16" REDUCED TAP	2334.57	2417.50	2571.48	2725.29	66	1927.20	35
22FCSBTD18	BOOT TEE W/DRAIN AND 18" REDUCED TAP	2423.68	2520.96	2702.03	2882.79	73	1989.66	39
22FCSBTD20	BOOT TEE W/DRAIN AND 20" REDUCED TAP	2499.76	2603.16	2795.74	2987.87	81	2052.23	44
22FCSCEC	CASING END CLOSURE	149.75	153.72	178.91	201.75	7		
22FCSDFE	FEMALE TO FEMALE ADAPTER	418.49	447.16	477.55	496.35	13	199.13	6
22FCSDMA	MALE TO MALE ADAPTER	490.63	519.26	549.72	568.44	14	250.14	7
22FCSDS	DRAIN SECTION	636.66	653.56	760.69	857.76	23	377.93	14
22FCSIE24	ECCENTRIC INCREASER 22" TO 24"	1014.78	1041.75	1212.48	1367.18	36	797.16	16
22FCSIE26	ECCENTRIC INCREASER 22" TO 26"	1491.72	1531.35	1782.34	2009.75	45	924.82	25
22FCSIE28	ECCENTRIC INCREASER 22" TO 28"	1596.14	1638.55	1907.12	2150.45	57	987.14	30
22FCSIE30	ECCENTRIC INCREASER 22" TO 30"	1707.88	1753.24	2040.61	2300.96	63	1099.49	29
22FCSIE32	ECCENTRIC INCREASER 22" TO 32"	1827.42	1875.98	2183.45	2462.04	78	1301.69	36
22FCSER10	ECCENTRIC REDUCER	919.35	943.76	1098.47	1238.60	38	733.79	18
22FCSER12	ECCENTRIC REDUCER	955.69	981.08	1141.88	1287.54	40	764.67	18
22FCSER14	ECCENTRIC REDUCER	956.10	981.50	1142.36	1288.12	36	676.79	17
22FCSER16	ECCENTRIC REDUCER	1023.33	1050.53	1222.70	1378.70	37	726.31	17
22FCSER18	ECCENTRIC REDUCER	871.61	894.77	1041.42	1174.28	34	593.33	15
22FCSER20	ECCENTRIC REDUCER	935.19	960.05	1117.39	1259.96	32	699.75	14
22FCSR10	TAPERED REDUCER	781.82	802.59	934.15	1053.31	28	559.97	13
22FCSR12	TAPERED REDUCER	963.54	989.13	1151.26	1298.15	30	739.08	14
22FCSR14	TAPERED REDUCER	873.77	896.97	1043.99	1177.19	33	558.43	15
22FCSR16	TAPERED REDUCER	889.91	913.54	1063.26	1198.93	31	566.23	14
22FCSR18	TAPERED REDUCER	965.72	991.37	1153.87	1301.08	31	608.18	14
22FCSR20	TAPERED REDUCER	1034.91	1062.41	1236.53	1394.31	29	704.16	13
22FCST	90 DEG MANIFOLD TEE	1641.87	1685.50	1961.75	2212.04	56	1166.28	26
22FCST14	90 DEG MANIFOLD TEE WITH 14" REDUCED TAP	1369.00	1405.37	1635.72	1844.41	38	945.00	19
22FCST16	90 DEG MANIFOLD TEE WITH 16" REDUCED TAP	1421.45	1459.23	1698.39	1915.07	41	986.51	20
22FCST18	90 DEG MANIFOLD TEE WITH 18" REDUCED TAP	1470.63	1509.69	1757.13	1981.33	44	1006.43	21
22FCST20	90 DEG MANIFOLD TEE WITH 20" REDUCED TAP	1551.78	1593.01	1854.10	2090.66	49	1073.14	24
22FCSTC	TEE CAP	512.67	526.31	612.57	690.72	14	371.77	7
22FCSTCN	TEE CAP LESS DRAIN	488.05	501.00	583.12	657.53	14	349.73	7
22FCSTI24	TAPERED INCREASER 22" TO 24"	1128.06	1158.03	1347.83	1519.80	33	713.66	15
22FCSTI26	TAPERED INCREASER 22" TO 26"	1240.86	1273.84	1482.61	1671.78	45	816.12	23
22FCSTI28	TAPERED INCREASER 22" TO 28"	1364.96	1401.21	1630.88	1838.95	57	1135.19	27
22FCSTI30	TAPERED INCREASER 22" TO 30"	1501.45	1541.33	1793.98	2022.85	70	1250.18	33
22FCSTI32	TAPERED INCREASER 22" TO 32"	1651.59	1695.48	1973.36	2225.13	81	1437.57	40
TERMINATIONS								
22FCSC	CAP	1463.97	1502.88	1749.20	1972.36	25	1032.75	18
22FCSCB	CAP WITH BIRD SCREEN	1635.32	1678.77	1953.93	2203.23	37	1032.75	29
22FCSCR	CLOSURE RING	212.05	212.05	212.05	212.05	9		
22FCSEC	EXIT CONE	1004.34	1004.34	1004.34	1004.34	18		
22FCSMCF	MITER CUT FEMALE TERMINATION	926.42	951.05	1106.91	1248.12	25	847.35	19
22FCSMCM	MITER CUT MALE TERMINATION	926.42	951.05	1106.91	1248.12	26	847.35	20
ROOF/WALL PENETRATIONS/ACCESSORIES								
22FCSF	FLASHING	245.96	278.66	286.28	322.80	25	239.59	25
22FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	444.09	516.86	510.78	582.80	18	432.60	18
22FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	444.09	516.86	510.78	582.80	19	432.60	19
22FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	444.09	516.86	510.78	582.80	20	432.60	20
22FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	444.09	516.86	510.78	582.80	22	432.60	22
22FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	444.09	516.86	510.78	582.80	23	432.60	23
22FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	444.09	516.86	510.78	582.80	24	432.60	24
22FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	444.09	516.86	510.78	582.80	26	432.60	26
22FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	444.09	516.86	510.78	582.80	27	432.60	27
22FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	444.09	516.86	510.78	582.80	29	432.60	29
22FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	444.09	516.86	510.78	582.80	30	432.60	30
22FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	444.09	516.86	510.78	582.80	32	432.60	32
22FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	444.09	516.86	510.78	582.80	33	432.60	33
22FCSFS	FIRE STOP	144.53	148.37	172.69	194.71	10	170.56	8
22FCSSC	STORM COLLAR	161.67	165.97	193.17	217.82	13	161.67	12
22FCSWPK	WALL PENETRATION KIT	690.95	690.95	804.21	907.53	49	673.07	52
SUPPORTS/GUIDES								
22FCSGR	GUY RING	73.61	75.57	87.95	99.15	2	70.50	2
22FCSHAR	HALF ANGLE RING	42.98				1	41.12	1
22FCSPS	PLATE SUPPORT	369.24	379.05	441.17	379.05	46	199.02	43
22FCSSA	STACK SUPPORT ASSEMBLY	900.40	887.34	913.97	954.56	33	704.96	25
22FCSSWS	WALL SUPPORT	603.51	619.52	721.06	813.07	43	554.30	43
APPLIANCE CONNECTORS								
22FCS16RC	REDUCING CONNECTOR 22" TO 16"	662.10	679.69	791.09	834.18	17	588.11	10
22FCS17RC	REDUCING CONNECTOR 22" TO 17"	662.10	679.69	791.09	834.18	17	588.11	10
22FCS18RC	REDUCING CONNECTOR 22" TO 18"	662.10	679.69	791.09	834.18	18	588.11	11
22FCS19RC	REDUCING CONNECTOR 22" TO 19"	662.10	679.69	791.09	834.18	18	588.11	11
22FCS20RC	REDUCING CONNECTOR 22" TO 20"	662.10	679.69	791.09	834.18	18	588.11	11
22FCS21RC	REDUCING CONNECTOR 22" TO 21"	662.10	679.69	791.09	834.18	16	588.11	9
22FCSFFC	FEMALE ADAPTER	492.99	506.09	589.03	664.18	15	366.41	8
22FCMFC	MALE ADAPTER	483.16	495.99	577.30	650.94	14	365.67	7
22FCSSBA	SINGLE WALL BOILER ADAPTER	459.71	471.93	549.28	619.35	12	371.46	5
22FCSSBAI	BOILER ADAPTER INNER COLLAR	493.54	506.66	589.70	664.94	13	405.56	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	AL294C	AL294C	AL294C
		CA0	C30	C40	C60	WT	WT	WT
24" DIAMETER PIPE LENGTHS								

1" Air Insulated CorrGuard Suggested List Prices

24FCS9	9" STRAIGHT LENGTH	505.52	518.95	604.02	681.09	15	298.02	7
24FCS12	12" STRAIGHT LENGTH	571.47	586.67	682.82	769.93	18	358.16	8
24FCS18	18" STRAIGHT LENGTH	722.30	741.49	863.02	973.14	25	475.53	12
24FCS24	24" STRAIGHT LENGTH	1117.35	1147.03	1335.03	1505.36	32	819.51	15
24FCS36	36" STRAIGHT LENGTH	1223.09	1255.59	1461.38	1647.84	46	821.08	22
VARIABLE LENGTHS								
24FCSVL22	VARIABLE LENGTH	1224.62	1257.15	1463.21	1649.90	36	797.51	18
FITTINGS								
24FCS15L	15 DEGREE ELBOW	794.56	870.22	1090.62	1284.73	24	502.47	11
24FCS30L	30 DEGREE ELBOW	942.41	1039.20	1317.32	1562.22	31	616.74	15
24FCS45L	45 DEGREE ELBOW	1217.79	1250.13	1455.04	1640.68	39	844.61	18
24FCS45T	45 DEGREE TEE	5160.84	5313.42	5598.67	5883.00	115	3833.14	62
24FCS45T16	45 DEGREE TEE WITH 16" REDUCED TAP	4031.84	4134.68	4326.28	4517.52	78	2802.35	44
24FCS45T18	45 DEGREE TEE WITH 18" REDUCED TAP	4490.59	4609.71	4832.04	5053.74	86	3230.54	49
24FCS45T20	45 DEGREE TEE WITH 20" REDUCED TAP	4706.45	4825.55	5047.86	5269.56	96	3443.22	54
24FCS45T22	45 DEGREE TEE WITH 22" REDUCED TAP	4943.12	5074.21	5318.94	5562.99	107	3656.37	61
24FCS90L	90 DEGREE ELBOW	1870.85	1920.56	2235.33	2520.53	66	1340.50	31
24FCSBT	BOOT TEE	3381.99	3496.23	3709.32	3921.95	102	2978.19	58
24FCSBT16	BOOT TEE WITH 16" REDUCED TAP	2123.22	2199.50	2341.10	2482.49	64	1788.12	36
24FCSBT18	BOOT TEE WITH 18" REDUCED TAP	2302.03	2384.85	2538.70	2692.39	71	1955.67	40
24FCSBT20	BOOT TEE WITH 20" REDUCED TAP	2379.65	2467.47	2630.80	2793.86	79	2021.64	45
24FCSBT22	BOOT TEE WITH 22" REDUCED TAP	2745.27	2849.09	3042.52	3235.58	88	2364.50	50
24FCSBD	BOOT TEE W/DRAIN	3200.98	3335.17	3585.82	3835.82	108	2680.08	59
24FCSBD16	BOOT TEE W/DRAIN AND 16" REDUCED TAP	2439.85	2527.08	2689.25	2851.16	71	2015.40	38
24FCSBD18	BOOT TEE W/DRAIN AND 18" REDUCED TAP	2637.68	2740.49	2931.90	3122.96	78	2182.40	42
24FCSBD20	BOOT TEE W/DRAIN AND 20" REDUCED TAP	2716.80	2824.56	3025.44	3225.87	85	2248.79	46
24FCSBD22	BOOT TEE W/DRAIN AND 22" REDUCED TAP	3074.32	3189.10	3403.13	3616.59	94	2591.11	52
24FCSCEC	CASING END CLOSURE	161.62	165.92	193.08	217.74	8		
24FCSDF	FEMALE TO FEMALE ADAPTER	447.81	478.80	511.65	531.98	14	213.93	6
24FCSDMA	MALE TO MALE ADAPTER	525.03	555.95	588.88	609.19	15	268.87	7
24FCSDS	DRAIN SECTION	687.60	705.86	821.53	926.38	25	400.79	16
24FCSEI26	ECCENTRIC INCREASER 24" TO 26"	1025.20	1052.44	1224.94	1381.22	41	862.33	22
24FCSEI28	ECCENTRIC INCREASER 24" TO 28"	1611.98	1654.82	1926.04	2171.78	49	1039.08	28
24FCSEI30	ECCENTRIC INCREASER 24" TO 30"	1737.23	1783.38	2075.68	2340.50	62	1058.38	33
24FCSEI32	ECCENTRIC INCREASER 24" TO 32"	1814.57	1862.77	2168.09	2444.72	65	1164.00	29
24FCSEI34	ECCENTRIC INCREASER 24" TO 34"	2642.62	2712.84	3157.47	3560.32	84	1433.84	39
24FCSER12	ECCENTRIC REDUCER	1003.49	1030.14	1198.97	1351.95	43	798.57	20
24FCSER14	ECCENTRIC REDUCER	1071.86	1100.34	1280.67	1444.10	46	752.31	21
24FCSER16	ECCENTRIC REDUCER	1062.57	1090.79	1269.57	1431.55	41	748.88	19
24FCSER18	ECCENTRIC REDUCER	1136.67	1166.87	1358.11	1531.40	42	802.66	19
24FCSER20	ECCENTRIC REDUCER	1058.95	1087.10	1265.26	1426.70	39	810.54	18
24FCSER22	ECCENTRIC REDUCER	1014.78	1041.75	1212.48	1367.18	35	797.16	16
24FCSR12	TAPERED REDUCER	999.17	1025.71	1193.82	1346.14	32	761.69	15
24FCSR14	TAPERED REDUCER	1074.43	1102.98	1283.76	1447.56	36	728.29	16
24FCSR16	TAPERED REDUCER	1159.69	1190.51	1385.64	1562.43	38	668.16	17
24FCSR18	TAPERED REDUCER	1037.39	1064.95	1239.50	1397.66	35	628.07	16
24FCSR20	TAPERED REDUCER	1178.28	1209.59	1407.84	1587.47	36	830.67	16
24FCSR22	TAPERED REDUCER	1128.06	1158.03	1347.83	1519.80	32	713.66	14
24FCST	90 DEG MANIFOLD TEE	1803.38	1851.29	2154.73	2429.64	65	1260.91	31
24FCST16	90 DEG MANIFOLD TEE WITH 16" REDUCED TAP	1513.55	1553.79	1808.46	2039.19	44	1048.98	22
24FCST18	90 DEG MANIFOLD TEE WITH 18" REDUCED TAP	1559.03	1600.45	1862.76	2100.43	47	1068.91	23
24FCST20	90 DEG MANIFOLD TEE WITH 20" REDUCED TAP	1639.67	1683.26	1959.11	2209.08	51	1135.64	25
24FCST22	90 DEG MANIFOLD TEE WITH 22" REDUCED TAP	1675.87	1720.40	2002.37	2257.86	56	1159.87	27
24FCSTC	TEE CAP	628.37	645.08	750.81	846.59	16	474.60	8
24FCSTCN	TEE CAP LESS DRAIN	602.90	618.93	720.36	812.27	16	451.84	8
24FCSTI26	TAPERED INCREASER 24" TO 26"	1229.58	1262.26	1469.14	1656.57	37	723.16	19
24FCSTI28	TAPERED INCREASER 24" TO 28"	1352.54	1388.48	1616.06	1822.23	50	1149.14	26
24FCSTI30	TAPERED INCREASER 24" TO 30"	1487.79	1527.33	1777.66	2004.46	62	1290.18	31
24FCSTI32	TAPERED INCREASER 24" TO 32"	1636.57	1680.05	1955.44	2204.92	76	1343.77	37
24FCSTI34	TAPERED INCREASER 24" TO 34"	1800.23	1848.05	2150.97	2425.40	88	1510.32	44
TERMINATIONS								
24FCSC	CAP	1722.18	1767.95	2057.71	2320.24	29	1344.89	21
24FCSCB	CAP WITH BIRD SCREEN	1876.79	1926.66	2242.44	2528.55	43	1344.89	35
24FCSCR	CLOSURE RING	230.16	230.16	230.16	230.16	10		
24FCSCMCF	MITER CUT FEMALE TERMINATION	1047.57	1075.40	1251.66	1411.36	29	975.71	22
24FCSCMCM	MITER CUT MALE TERMINATION	1047.57	1075.40	1251.66	1411.36	30	975.71	23
ROOF/WALL PENETRATIONS/ACCESSORIES								
24FCSPF	FLASHING	259.72	293.99	302.27	340.85	27	252.99	27
24FCSPPF1	FIXED PITCH FLASHING 1-12 PITCH	491.38	547.88	555.08	644.88	20	478.66	20
24FCSPPF2	FIXED PITCH FLASHING 2-12 PITCH	491.38	547.88	555.08	644.88	21	478.66	21
24FCSPPF3	FIXED PITCH FLASHING 3-12 PITCH	491.38	547.88	555.08	644.88	23	478.66	23
24FCSPPF4	FIXED PITCH FLASHING 4-12 PITCH	491.38	547.88	555.08	644.88	24	478.66	24
24FCSPPF5	FIXED PITCH FLASHING 5-12 PITCH	491.38	547.88	555.08	644.88	26	478.66	26
24FCSPPF6	FIXED PITCH FLASHING 6-12 PITCH	491.38	547.88	555.08	644.88	27	478.66	27
24FCSPPF7	FIXED PITCH FLASHING 7-12 PITCH	491.38	547.88	555.08	644.88	29	478.66	29
24FCSPPF8	FIXED PITCH FLASHING 8-12 PITCH	491.38	547.88	555.08	644.88	31	478.66	31
24FCSPPF9	FIXED PITCH FLASHING 9-12 PITCH	491.38	547.88	555.08	644.88	33	478.66	33
24FCSPPF10	FIXED PITCH FLASHING 10-12 PITCH	491.38	547.88	555.08	644.88	34	478.66	34
24FCSPPF11	FIXED PITCH FLASHING 11-12 PITCH	491.38	547.88	555.08	644.88	36	478.66	36
24FCSPPF12	FIXED PITCH FLASHING 12-12 PITCH	491.38	547.88	555.08	644.88	38	478.66	38
24FCSPFS	FIRE STOP	152.37	156.41	182.05	205.28	11	180.06	10
24FCSSC	STORM COLLAR	176.54	181.22	210.93	237.84	15	176.54	13
24FCSPWK	WALL PENETRATION KIT	747.46	747.46	869.97	986.65	54	728.10	58
SUPPORTS/GUIDES								
24FCSGR	GUY RING	73.91	75.88	88.33	99.59	2	70.91	2
24FCSHAR	HALF ANGLE RING	44.28				1	42.04	1
24FCSPS	PLATE SUPPORT	387.19	397.47	462.62	397.47	53	210.29	50
24FCSSSA	STACK SUPPORT ASSEMBLY	1078.01	1062.39	1094.26	1142.83	38	863.90	29
24FCSPWS	WALL SUPPORT	734.55	754.07	877.65	989.64	49	667.91	48
APPLIANCE CONNECTORS								

1" Air Insulated CorrGuard Suggested List Prices

24FCS18RC	REDUCING CONNECTOR 24" TO 18"	755	775.06	902.09	1017.19	19	673.73	11
24FCS19RC	REDUCING CONNECTOR 24" TO 19"	755.00	775.06	902.09	1017.19	20	673.73	12
24FCS20RC	REDUCING CONNECTOR 24" TO 20"	755.00	775.06	902.09	1017.19	21	673.73	13
24FCS21RC	REDUCING CONNECTOR 24" TO 21"	755.00	775.06	902.09	1017.19	21	673.73	13
24FCS22RC	REDUCING CONNECTOR 24" TO 22"	755.00	775.06	902.09	1017.19	20	673.73	12
24FCS23RC	REDUCING CONNECTOR 24" TO 23"	755.00	775.06	902.09	1017.19	18	673.73	10
24FCSFFC	FEMALE ADAPTER	526.03	540.00	628.52	708.71	17	390.97	8
24FCSMFC	MALE ADAPTER	515.40	529.10	615.83	694.39	15	390.97	8
24FCS5BA	SINGLE WALL BOILER ADAPTER	497.84	511.06	594.80	670.72	13	398.57	5
24FCS5BAI	BOILER ADAPTER INNER COLLAR	533.41	547.60	637.33	718.65	15	434.43	7
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
26" DIAMETER								
PIPE LENGTHS								
26FCS9	9" STRAIGHT LENGTH	725.07	744.32	866.33	976.86	20	398.40	10
26FCS12	12" STRAIGHT LENGTH	842.69	865.07	1006.87	1135.32	25	478.86	13
26FCS18	18" STRAIGHT LENGTH	1079.96	1108.66	1290.37	1455.00	36	637.84	18
26FCS24	24" STRAIGHT LENGTH	1323.38	1358.53	1581.21	1782.94	47	889.37	23
26FCS36	36" STRAIGHT LENGTH	1780.34	1827.63	2127.18	2398.59	68	1108.39	33
VARIABLE LENGTHS								
26FCSVL10	VARIABLE LENGTH	941.79	966.82	1125.26	1268.85	33	664.01	17
26FCSVL22	VARIABLE LENGTH	1517.52	1557.84	1813.19	2044.52	54	979.66	27
FITTINGS								
26FCS15L	15 DEGREE ELBOW	1677.00	1662.23	1829.36	1989.50	43	897.40	21
26FCS30L	30 DEGREE ELBOW	2058.64	2040.52	2245.70	2442.28	49	1173.82	24
26FCS45L	45 DEGREE ELBOW	2098.31	2154.06	2507.12	2826.99	68	1295.46	33
26FCS45T	45 DEGREE TEE	5236.84	5375.98	6257.11	7055.43	163	4364.72	81
26FCS45T18	45 DEGREE TEE WITH 18" REDUCED TAP	4155.03	4644.54	5138.45	5453.04	105	3243.28	52
26FCS45T20	45 DEGREE TEE WITH 20" REDUCED TAP	4292.75	4836.04	5138.58	5794.20	116	3436.52	58
26FCS45T22	45 DEGREE TEE WITH 22" REDUCED TAP	4414.98	4850.28	5360.66	6044.60	129	3629.72	64
26FCS45T24	45 DEGREE TEE WITH 24" REDUCED TAP	4605.76	4799.14	5585.72	6298.37	142	3822.95	71
26FCS90L	90 DEGREE ELBOW	3528.55	3622.30	4215.99	4753.90	109	2116.24	53
26FCS90Y	90 DEGREE WYE	4916.93	5047.57	5874.88	6624.42	95	3445.79	47
26FCSCEC	CASING END CLOSURE	381.19	391.31	455.47	513.57	16		
26FCSDL18	DOUBLE LATERAL TEE WITH 18" TAPS	5469.72	5615.04	6535.35	7369.16	137	4820.61	68
26FCSDL20	DOUBLE LATERAL TEE WITH 20" TAPS	5789.30	5943.14	6917.22	7799.74	154	5072.92	77
26FCSDL22	DOUBLE LATERAL TEE WITH 22" TAPS	5983.35	6142.34	7149.07	8061.20	174	5251.86	86
26FCSDL24	DOUBLE LATERAL TEE WITH 24" TAPS	6183.82	6348.12	7388.59	8331.26	196	5430.82	98
26FCSDS	DRAIN SECTION	1090.17	1119.14	1302.58	1468.75	41	676.03	23
26FCSSEI28	ECCENTRIC INCREASER 26" TO 28"	1457.16	1495.88	1741.05	1963.19	46	917.27	25
26FCSSEI30	ECCENTRIC INCREASER 26" TO 30"	1715.96	1761.55	2050.28	2311.88	55	1078.63	32
26FCSSEI32	ECCENTRIC INCREASER 26" TO 32"	1916.16	1967.06	2289.46	2581.55	68	1229.66	38
26FCSSEI34	ECCENTRIC INCREASER 32" TO 34"	1916.16	1967.06	2289.46	2581.55	70	1229.66	31
26FCSSEI36	ECCENTRIC INCREASER 32" TO 36"	2763.97	2837.39	3302.45	3723.79	90	1509.86	42
26FCST	90 DEG MANIFOLD TEE	2608.15	2677.45	3116.27	3513.87	102	2081.89	51
26FCST18	90 DEG MANIFOLD TEE WITH 18" REDUCED TAP	1980.87	2033.48	2366.76	2668.74	66	1556.39	33
26FCST20	90 DEG MANIFOLD TEE WITH 20" REDUCED TAP					66	1577.16	36
26FCST22	90 DEG MANIFOLD TEE WITH 22" REDUCED TAP	2134.49	2191.22	2550.37	2875.76	79	1647.93	40
26FCST24	90 DEG MANIFOLD TEE WITH 24" REDUCED TAP	2284.39	2345.09	2729.43	3077.68	87	1793.44	44
26FCSTC	TEE CAP	1033.55	1061.00	1234.89	1392.47	30	531.64	13
26FCSTCN	TEE CAP LESS DRAIN	966.62	992.30	1154.96	1302.29	28	542.54	13
26FCSTI28	TAPERED INCREASER 26" TO 28"	1380.53	1417.21	1649.49	1859.95	42	776.09	22
26FCSTI30	TAPERED INCREASER 26" TO 30"	1962.92	2015.08	2345.32	2644.58	55	1262.57	29
26FCSTI32	TAPERED INCREASER 26" TO 32"	2129.58	2186.15	2544.45	2869.09	68	1345.75	34
26FCSTI34	TAPERED INCREASER 32" TO 34"	2357.96	2420.61	2817.34	3176.79	83	1596.54	41
26FCSTI36	TAPERED INCREASER 32" TO 36"	2997.70	3077.35	3581.73	4038.73	85	1899.89	38
TERMINATIONS								
26FCSC	CAP	2481.06	2546.97	2964.41	3342.63	62	2220.95	49
26FCSCR	CLOSURE RING	307.47				9		
26FCSCMF	MITER CUT FEMALE TERMINATION	1435.82	1473.97	1715.54	1934.43	50	1230.30	34
26FCSCMCM	MITER CUT MALE TERMINATION	1435.82	1473.97	1715.54	1934.43	51	1230.30	35
ROOF/WALL PENETRATIONS/ACCESSORIES								
26FCSPF	FLASHING	422.24	433.45	504.49	568.86	43	330.66	43
26FCSPPF1	FIXED PITCH FLASHING 1-12 PITCH	537.62	551.90	642.35	724.32	21	527.08	21
26FCSPPF2	FIXED PITCH FLASHING 2-12 PITCH	537.62	551.90	642.35	724.32	23	527.08	23
26FCSPPF3	FIXED PITCH FLASHING 3-12 PITCH	537.62	551.90	642.35	724.32	25	527.08	25
26FCSPPF4	FIXED PITCH FLASHING 4-12 PITCH	537.62	551.90	642.35	724.32	27	527.08	27
26FCSPPF5	FIXED PITCH FLASHING 5-12 PITCH	537.62	551.90	642.35	724.32	28	527.08	28
26FCSPPF6	FIXED PITCH FLASHING 6-12 PITCH	537.62	551.90	642.35	724.32	30	527.08	30
26FCSPPF7	FIXED PITCH FLASHING 7-12 PITCH	537.62	551.90	642.35	724.32	32	527.08	32
26FCSPPF8	FIXED PITCH FLASHING 8-12 PITCH	537.62	551.90	642.35	724.32	34	527.08	34
26FCSPPF9	FIXED PITCH FLASHING 9-12 PITCH	537.62	551.90	642.35	724.32	36	527.08	36
26FCSPPF10	FIXED PITCH FLASHING 10-12 PITCH	537.62	551.90	642.35	724.32	38	527.08	38
26FCSPPF11	FIXED PITCH FLASHING 11-12 PITCH	537.62	551.90	642.35	724.32	40	527.08	40
26FCSPPF12	FIXED PITCH FLASHING 12-12 PITCH	537.62	551.90	642.35	724.32	42	527.08	42
26FCSPFS	FIRE STOP	266.28	273.34	318.16	358.75	12	184.15	11
26FCSSC	STORM COLLAR	282.28	289.79	337.29	380.32	23	282.28	15
26FCSWPK	WALL PENETRATION KIT	1190.49	1353.09	1385.63	1562.40	72	1159.69	84
SUPPORTS/GUIDES								
26FCSFAR	FULL ANGLE RING	439.54					424.22	
26FCSGR	GUY RING	1217.06	1249.41	1454.16	1639.71	142	595.98	115
26FCSHAR	HALF ANGLE RING	256.37					236.19	
26FCSPS	PLATE SUPPORT	828.81	850.83	990.29	850.83	156	796.13	152
26FCSSSA	STACK SUPPORT ASSEMBLY	1400.22	1379.92	1421.32	1484.44	111	1261.53	99
26FCSSWS	WALL SUPPORT	1351.33	1387.24	1614.60	1820.60	177	1354.41	175
APPLIANCE CONNECTORS								
26FCSSBA4	SINGLE WALL BOILER ADAPTER	660.81	678.36	789.54	890.26	21	301.19	5
SEALANT								

1" Air Insulated CorrGuard Suggested List Prices

P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38	26.38	26.38	
28" DIAMETER	PIPE LENGTHS	FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	AL294C		
		CA0	C30	C40	C60	WT	WT	
28FCS9	9" STRAIGHT LENGTH	752.92	772.94	899.61	1014.39	22	420.19	11
28FCS12	12" STRAIGHT LENGTH	895.71	919.52	1070.23	1206.79	27	508.73	14
28FCS18	18" STRAIGHT LENGTH	1150.95	1181.53	1375.20	1550.64	39	679.37	19
28FCS24	24" STRAIGHT LENGTH	1409.63	1447.06	1684.24	1899.12	50	960.40	25
28FCS36	36" STRAIGHT LENGTH	1894.05	1944.38	2263.05	2551.79	73	1184.11	36
VARIABLE LENGTHS								
28FCSVL10	VARIABLE LENGTH	994.48	1020.89	1188.21	1339.82	35	699.95	18
28FCSVL22	VARIABLE LENGTH	1815.64	1863.89	2169.39	2446.16	58	1044.62	29
FITTINGS								
28FCS15L	15 DEGREE ELBOW	1742.73	1754.36	1920.59	2099.78	46	952.01	23
28FCS30L	30 DEGREE ELBOW	2145.94	2160.28	2364.99	2585.60	54	1248.16	26
28FCS45L	45 DEGREE ELBOW	2581.93	2650.54	3084.96	3478.53	74	1665.92	36
28FCS45T	45 DEGREE TEE	5811.10	5965.51	6943.26	7829.12	185	4794.41	90
28FCS45T20	45 DEGREE TEE WITH 20" REDUCED TAP	4534.07	4654.56	5417.42	6108.61	122	3639.92	61
28FCS45T22	45 DEGREE TEE WITH 22" REDUCED TAP	4776.69	4903.62	5707.32	6435.47	134	3839.97	67
28FCS45T24	45 DEGREE TEE WITH 24" REDUCED TAP	4971.25	5103.33	5939.77	6697.59	147	4040.00	73
28FCS45T26	45 DEGREE TEE WITH 26" REDUCED TAP	5309.76	5450.83	6344.23	7153.66	162	4331.36	80
28FCS90L	90 DEGREE ELBOW	3758.63	3858.52	4490.92	5063.90	124	2262.61	60
28FCS90Y	90 DEGREE WYE	5232.32	5371.34	6251.71	7049.33	107	3675.65	53
28FCSCEC	CASING END CLOSURE	395.72	406.22	472.79	533.13	18		
28FCSDL20	DOUBLE LATERAL TEE WITH 20" TAPS	6049.46	6210.19	7228.03	8150.24	160	5281.38	80
28FCSDL22	DOUBLE LATERAL TEE WITH 22" TAPS	6321.92	6489.90	7553.60	8517.32	113	5545.62	89
28FCSDL24	DOUBLE LATERAL TEE WITH 24" TAPS	6522.34	6695.64	7793.05	8787.33	200	5724.58	100
28FCSDL26	DOUBLE LATERAL TEE WITH 26" TAPS	7112.10	7301.06	8497.72	9581.90	224	6332.60	111
28FCSDS	DRAIN SECTION	1169.51	1200.58	1397.34	1575.62	44	729.29	24
28FCS30I	ECCENTRIC INCREASER 26" TO 30"	1557.99	1599.38	1861.50	2099.01	50	946.37	28
28FCS32I	ECCENTRIC INCREASER 26" TO 32"	1558.75	1600.15	1862.43	2099.99	60	983.54	35
28FCS34I	ECCENTRIC INCREASER 32" TO 34"	1829.79	1878.43	2186.29	2465.24	59	1178.48	27
28FCS36I	ECCENTRIC INCREASER 32" TO 36"	1891.39	1941.65	2259.89	2548.21	75	1173.67	34
28FCS2T	90 DEG MANIFOLD TEE	2862.72	2938.78	3420.44	3856.84	115	2285.22	58
28FCS2T20	90 DEG MANIFOLD TEE WITH 20" REDUCED TAP	2251.24	2311.06	2689.85	3033.01	76	1731.58	38
28FCS2T22	90 DEG MANIFOLD TEE WITH 22" REDUCED TAP	2282.15	2342.78	2726.77	3074.69	83	1751.67	41
28FCS2T24	90 DEG MANIFOLD TEE WITH 24" REDUCED TAP	2432.75	2497.38	2906.70	3277.56	90	1897.91	45
28FCS2T26	90 DEG MANIFOLD TEE WITH 26" REDUCED TAP	2614.67	2684.15	3124.05	3522.66	100	2068.38	50
28FCS2TC	TEE CAP	1090.67	1119.65	1303.14	1469.41	33	562.55	15
28FCS2CN	TEE CAP LESS DRAIN	1039.98	1067.60	1242.59	1401.14	31	586.81	14
28FCS2I30	TAPERED INCREASER 26" TO 30"	1467.82	1506.81	1753.78	1977.54	46	813.27	25
28FCS2I32	TAPERED INCREASER 26" TO 32"	2092.16	2147.75	2499.77	2818.71	60	1284.42	32
28FCS2I34	TAPERED INCREASER 32" TO 34"	2255.73	2315.66	2695.19	3039.08	74	1383.89	38
28FCS2I36	TAPERED INCREASER 32" TO 36"	2713.02	2785.09	3241.57	3655.14	89	1494.61	44
TERMINATIONS								
28FCS2C	CAP	2986.34	3065.67	3568.14	4023.38	72	2772.09	57
28FCS2CR	CLOSURE RING	316.95				10		
28FCS2MC	MITER CUT					10		
28FCS2MCF	MITER CUT FEMALE TERMINATION	1529.30	1569.95	1827.27	2060.42	57	1318.40	39
28FCS2MCM	MITER CUT MALE TERMINATION	1529.30	1569.95	1827.27	2060.42	58	1318.40	40
ROOF/WALL PENETRATIONS/ACCESSORIES								
28FCS2F	FLASHING	474.95	487.54	567.46	639.87	47	347.74	47
28FCS2FPF1	FIXED PITCH FLASHING 1-12 PITCH	540.36	554.73	645.63	728.03	23	539.29	23
28FCS2FPF2	FIXED PITCH FLASHING 2-12 PITCH	540.36	554.73	645.63	728.03	25	539.29	25
28FCS2FPF3	FIXED PITCH FLASHING 3-12 PITCH	540.36	554.73	645.63	728.03	27	539.29	27
28FCS2FPF4	FIXED PITCH FLASHING 4-12 PITCH	540.36	554.73	645.63	728.03	29	539.29	29
28FCS2FPF5	FIXED PITCH FLASHING 5-12 PITCH	540.36	554.73	645.63	728.03	31	539.29	31
28FCS2FPF6	FIXED PITCH FLASHING 6-12 PITCH	540.36	554.73	645.63	728.03	34	539.29	34
28FCS2FPF7	FIXED PITCH FLASHING 7-12 PITCH	540.36	554.73	645.63	728.03	36	539.29	36
28FCS2FPF8	FIXED PITCH FLASHING 8-12 PITCH	540.36	554.73	645.63	728.03	38	539.29	38
28FCS2FPF9	FIXED PITCH FLASHING 9-12 PITCH	540.36	554.73	645.63	728.03	40	539.29	40
28FCS2FPF10	FIXED PITCH FLASHING 10-12 PITCH	540.36	554.73	645.63	728.03	43	539.29	43
28FCS2FPF11	FIXED PITCH FLASHING 11-12 PITCH	540.36	554.73	645.63	728.03	45	539.29	45
28FCS2FPF12	FIXED PITCH FLASHING 12-12 PITCH	540.36	554.73	645.63	728.03	47	539.29	47
28FCS2FS	FIRE STOP	290.73	298.45	347.37	391.68	13	198.70	12
28FCS2SC	STORM COLLAR	308.76	316.97	368.92	415.99	25	308.76	23
28FCS2WPK	WALL PENETRATION KIT	1266.52	1424.39	1474.12	1662.19	78	1233.73	92
SUPPORTS/GUIDES								
28FCS2FAR	FULL ANGLE RING	474.53					434.13	
28FCS2GR	GUY RING	1243.18	1276.20	1485.37	1674.89	159	600.61	130
28FCS2SHAR	HALF ANGLE RING	263.61					244.92	
28FCS2SPS	PLATE SUPPORT	886.57	910.11	1059.29	910.11	176	849.33	172
28FCS2SSA	STACK SUPPORT ASSEMBLY	1466.14	1444.89	1488.24	1554.33	124	1316.46	111
28FCS2SWS	WALL SUPPORT	1527.24	1567.81	1824.77	2057.58	199	1493.95	195
APPLIANCE CONNECTORS								
28FCS2SBA4	SINGLE WALL BOILER ADAPTER	672.64	690.51	803.68	906.22	24	303.75	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
30" DIAMETER	PIPE LENGTHS	FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	AL294C		
		CA0	C30	C40	C60	WT	WT	
30FCS9	9" STRAIGHT LENGTH	866.17	889.18	1034.91	1166.95	23	443.74	11
30FCS12	12" STRAIGHT LENGTH	1002.38	1029.01	1197.67	1350.45	29	536.59	14
30FCS18	18" STRAIGHT LENGTH	1274.57	1308.45	1522.90	1717.18	41	719.36	20
30FCS24	24" STRAIGHT LENGTH	1553.61	1594.90	1856.30	2093.13	53	1037.36	26
30FCS36	36" STRAIGHT LENGTH	2063.95	2118.78	2466.05	2780.67	78	1261.29	38
VARIABLE LENGTHS								
30FCSVL10	VARIABLE LENGTH	1065.73	1094.06	1273.38	1435.82	38	753.05	20

1" Air Insulated CorrGuard Suggested List Prices

30FCSVL22	VARIABLE LENGTH	1936.07	1987.52	2313.28	2608.42	62	1119.56	32
FITTINGS								
30FCS15L	15 DEGREE ELBOW	1960.37	1973.46	2175.71	2358.15	50	1061.69	25
30FCS30L	30 DEGREE ELBOW	2334.28	2349.86	2590.69	2807.93	59	1328.44	29
30FCS45L	45 DEGREE ELBOW	2783.30	2857.25	3325.55	3749.83	81	1773.65	40
30FCS45T	45 DEGREE TEE	6398.35	6568.35	7644.90	8620.29	208	5305.85	103
30FCS45T22	45 DEGREE TEE WITH 22" REDUCED TAP	5140.30	5276.88	6141.74	6925.36	140	4114.17	70
30FCS45T24	45 DEGREE TEE WITH 24" REDUCED TAP	5347.22	5489.30	6389.01	7204.13	153	4327.84	76
30FCS45T26	45 DEGREE TEE WITH 26" REDUCED TAP	5604.82	5753.75	6696.78	7551.21	169	4537.51	82
30FCS45T28	45 DEGREE TEE WITH 28" REDUCED TAP	5926.69	6084.18	7081.37	7984.85	184	4861.14	91
30FCS90L	90 DEGREE ELBOW	4445.05	4563.15	5311.06	5988.68	141	2720.68	70
30FCS90Y	90 DEGREE WYE	5648.85	5798.94	6749.39	7610.54	119	3901.86	59
30FCSCEC	CASING END CLOSURE	411.02	421.93	491.10	553.74	20		
30FCSDL22	DOUBLE LATERAL TEE WITH 22" TAPS	6556.44	6730.65	7833.79	8833.27	185	5658.36	92
30FCSDL24	DOUBLE LATERAL TEE WITH 24" TAPS	6849.38	7031.36	8183.82	9227.95	205	5934.46	102
30FCSDL26	DOUBLE LATERAL TEE WITH 26" TAPS	7160.79	7351.05	8555.88	9647.49	229	6236.31	115
30FCSDL28	DOUBLE LATERAL TEE WITH 28" TAPS	7657.04	7860.49	9148.82	10316.07	255	6740.61	127
30FCSDS	DRAIN SECTION	1277.19	1311.14	1526.05	1720.73	47	760.18	26
30FCSSEI32	ECCENTRIC INCREASER 26" TO 32"	1635.69	1679.16	1954.39	2203.71	54	997.77	31
30FCSSEI34	ECCENTRIC INCREASER 32" TO 34"	1650.42	1694.29	1971.98	2223.57	49	1042.94	22
30FCSSEI36	ECCENTRIC INCREASER 32" TO 36"	1666.95	1711.23	1991.71	2245.81	63	1053.38	29
30FCST	90 DEG MANIFOLD TEE	3468.80	3560.98	4144.61	4673.41	129	2654.67	65
30FCST22	90 DEG MANIFOLD TEE WITH 22" REDUCED TAP	2696.03	2767.65	3221.27	3632.24	87	1929.02	43
30FCST24	90 DEG MANIFOLD TEE WITH 24" REDUCED TAP	2722.13	2794.46	3252.48	3667.44	94	1949.80	47
30FCST26	90 DEG MANIFOLD TEE WITH 26" REDUCED TAP	3094.68	3176.90	3697.60	4169.37	103	2322.56	52
30FCST28	90 DEG MANIFOLD TEE WITH 28" REDUCED TAP	3198.98	3283.96	3822.21	4309.88	113	2413.35	57
30FCSTC	TEE CAP	1150.11	1180.68	1374.17	1549.50	37	593.58	16
30FCSTCN	TEE CAP LESS DRAIN	1103.03	1132.32	1317.90	1486.05	34	618.61	16
30FCSTI32	TAPERED INCREASER 26" TO 32"	1550.35	1591.54	1852.39	2088.71	51	850.46	28
30FCSTI34	TAPERED INCREASER 32" TO 34"	2202.86	2261.39	2632.02	2967.83	66	1306.24	36
30FCSTI36	TAPERED INCREASER 32" TO 36"	2367.62	2430.55	2828.91	3189.82	76	1422.04	41
TERMINATIONS								
30FCSC	CAP	3262.40	3349.09	3898.00	4395.34	83	2981.29	66
30FCSCR	CLOSURE RING	331.92				11		
30FCSCMF	MITER CUT FEMALE TERMINATION	1622.68	1665.79	1938.81	2186.18	58	1406.93	39
30FCSCMCM	MITER CUT MALE TERMINATION	1622.68	1665.79	1938.81	2186.18	59	1406.93	40
ROOF/WALL PENETRATIONS/ACCESSORIES								
30FCSF	FLASHING	607.03	623.15	725.30	817.83	40	364.85	40
30FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	546.90	561.44	653.47	736.83	25	545.82	25
30FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	546.90	561.44	653.47	736.83	28	545.82	28
30FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	546.90	561.44	653.47	736.83	30	545.82	30
30FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	546.90	561.44	653.47	736.83	32	545.82	32
30FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	546.90	561.44	653.47	736.83	35	545.82	35
30FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	546.90	561.44	653.47	736.83	37	545.82	37
30FCSPFF7	FIXED PITCH FLASHING 7-12 PITCH	546.90	561.44	653.47	736.83	39	545.82	39
30FCSPFF8	FIXED PITCH FLASHING 8-12 PITCH	546.90	561.44	653.47	736.83	42	545.82	42
30FCSPFF9	FIXED PITCH FLASHING 9-12 PITCH	546.90	561.44	653.47	736.83	45	545.82	45
30FCSPFF10	FIXED PITCH FLASHING 10-12 PITCH	546.90	561.44	653.47	736.83	47	545.82	47
30FCSPFF11	FIXED PITCH FLASHING 11-12 PITCH	546.90	561.44	653.47	736.83	50	545.82	50
30FCSPFF12	FIXED PITCH FLASHING 12-12 PITCH	546.90	561.44	653.47	736.83	52	545.82	52
30FCFSFS	FIRE STOP	311.87	320.15	372.61	420.17	14	217.65	13
30FCSSC	STORM COLLAR	388.34	398.66	464.00	523.20	28	388.34	25
30FCSWPK	WALL PENETRATION KIT	1394.22	1499.13	1622.74	1829.79	85	1358.14	100
SUPPORTS/GUIDES								
30FCSFAR	FULL ANGLE RING	485.95					468.98	
30FCSGR	GUY RING	1342.53	1378.21	1604.09	1808.73	177	605.21	145
30FCSHAR	HALF ANGLE RING	274.04					262.33	
30FCSPS	PLATE SUPPORT	964.51	1033.41	1202.81	1356.25	197	857.08	193
30FCSSSA	STACK SUPPORT ASSEMBLY	1598.24	1575.07	1622.33	1694.36	138	1382.91	124
30FCSSWS	WALL SUPPORT	1532.79	1573.51	1831.41	2065.07	218	1515.48	216
APPLIANCE CONNECTORS								
30FCSSBA4	SINGLE WALL BOILER ADAPTER	719.97	739.12	860.27	970.01	26	333.88	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
32" DIAMETER								
		FCS AL294C/AZ C40	FCS AL294C/430SS C30	FCS AL294C/304SS C40	FCS AL294C/316SS C60	FCS WT	FCSSW AL294C	FCSSW WT
PIPE LENGTHS								
32FCS9	9" STRAIGHT LENGTH	923.80	948.34	1103.79	1244.61	25	467.47	12
32FCS12	12" STRAIGHT LENGTH	1067.10	1095.44	1274.98	1437.66	31	564.77	15
32FCS18	18" STRAIGHT LENGTH	1355.77	1391.81	1619.93	1826.61	44	760.44	22
32FCS24	24" STRAIGHT LENGTH	1648.20	1691.99	1969.31	2220.58	57	1120.35	28
32FCS36	36" STRAIGHT LENGTH	2211.56	2270.33	2642.43	2979.56	83	1338.02	41
VARIABLE LENGTHS								
32FCSVL10	VARIABLE LENGTH	1128.46	1158.43	1348.31	1520.33	40	797.46	21
32FCSVL22	VARIABLE LENGTH	2071.62	2126.64	2475.22	2791.02	66	1191.07	34
FITTINGS								
32FCS15L	15 DEGREE ELBOW	2002.69	1988.86	2204.20	2407.71	54	1071.04	27
32FCS30L	30 DEGREE ELBOW	2484.72	2467.58	2734.77	2987.27	64	1409.35	31
32FCS45L	45 DEGREE ELBOW	2956.45	3035.00	3532.45	3983.14	88	1862.86	43
32FCS45T	45 DEGREE TEE	8214.06	8432.30	9814.35	11066.53	233	6496.88	116
32FCS45T24	45 DEGREE TEE WITH 24" REDUCED TAP	6062.02	6223.10	7243.07	8167.18	160	4401.08	80
32FCS45T26	45 DEGREE TEE WITH 26" REDUCED TAP	6323.26	6491.27	7555.19	8519.11	175	4620.69	87
32FCS45T28	45 DEGREE TEE WITH 28" REDUCED TAP	6692.02	6869.82	7995.77	9015.94	189	4933.79	93
32FCS45T30	45 DEGREE TEE WITH 30" REDUCED TAP	7001.52	7187.55	8365.59	9432.92	207	5196.56	102
32FCS90L	90 DEGREE ELBOW	4853.98	4982.94	5799.65	6539.63	155	2914.08	76
32FCS90Y	90 DEGREE WYE	5977.83	6136.65	7142.45	8053.73	134	4132.26	65
32FCSCEC	CASING END CLOSURE	436.53	448.13	521.58	588.13	22		
32FCSDL24	DOUBLE LATERAL TEE WITH 24" TAPS	6190.47	7373.15	8581.60	9676.50	212		
32FCSDL26	DOUBLE LATERAL TEE WITH 26" TAPS	7334.75	8490.81	9882.47	11143.32	235		

1" Air Insulated CorrGuard Suggested List Prices

32FCSDL28	DOUBLE LATERAL TEE WITH 28" TAPS	7872.35	9031.89	10512.20	11853.42	258		
32FCSDL30	DOUBLE LATERAL TEE WITH 30" TAPS	8308.90	9571.52	11140.30	12561.62	287		
32FCSDS	DRAIN SECTION	1379.45	1416.09	1648.19	1858.47	50	813.58	28
32FCSEI34	ECCENTRIC INCREASER 32" TO 34"	1740.14	1786.39	2079.17	2344.45	59	1100.81	34
32FCSEI36	ECCENTRIC INCREASER 32" TO 36"	1844.57	1893.57	2203.93	2485.11	52	1166.87	24
32FCST	90 DEG MANIFOLD TEE	3721.48	3820.38	4446.54	5013.87	144	2811.39	72
32FCST24	90 DEG MANIFOLD TEE WITH 24" REDUCED TAP	2884.59	2961.23	3446.57	3886.31	98	2061.64	49
32FCST26	90 DEG MANIFOLD TEE WITH 26" REDUCED TAP	3201.57	3286.64	3825.31	4313.38	106	2378.48	54
32FCST28	90 DEG MANIFOLD TEE WITH 28" REDUCED TAP	3295.28	3382.85	3937.31	4439.62	115	2469.27	58
32FCST30	90 DEG MANIFOLD TEE WITH 30" REDUCED TAP	3435.96	3527.24	4105.36	4629.16	127	2560.06	64
32FCSTC	TEE CAP	1223.09	1255.60	1461.38	1647.83	41	625.09	18
32FCSTCN	TEE CAP LESS DRAIN	1161.87	1192.74	1388.23	1565.34	38	643.65	18
32FCSTI34	TAPERED INCREASER 32" TO 34"	1988.67	2041.50	2376.11	2679.26	55	1179.28	31
32FCSTI36	TAPERED INCREASER 32" TO 36"	2312.96	2374.41	2763.58	3116.19	71	1375.89	39
TERMINATIONS								
32FCSC	CAP	3965.15	4070.51	4737.66	5342.12	94	3603.89	76
32FCSCR	CLOSURE RING	350.83				13		
32FCSMCF	MITER CUT FEMALE TERMINATION	1726.78	1772.67	2063.22	2326.46	66	1502.51	44
32FCSMCM	MITER CUT MALE TERMINATION	1726.78	1772.67	2063.22	2326.46	67	1502.51	45
ROOF/WALL PENETRATIONS/ACCESSORIES								
32FCSF	FLASHING	739.13	758.76	883.13	995.80	56	572.65	56
32FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	557.21	572.00	665.76	750.72	28	556.09	28
32FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	557.21	572.00	665.76	750.72	30	556.09	30
32FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	557.21	572.00	665.76	750.72	33	556.09	33
32FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	557.21	572.00	665.76	750.72	35	556.09	35
32FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	557.21	572.00	665.76	750.72	38	556.09	38
32FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	557.21	572.00	665.76	750.72	41	556.09	41
32FCSPFF7	FIXED PITCH FLASHING 7-12 PITCH	557.21	572.00	665.76	750.72	43	556.09	43
32FCSPFF8	FIXED PITCH FLASHING 8-12 PITCH	557.21	572.00	665.76	750.72	46	556.09	46
32FCSPFF9	FIXED PITCH FLASHING 9-12 PITCH	557.21	572.00	665.76	750.72	49	556.09	49
32FCSPFF10	FIXED PITCH FLASHING 10-12 PITCH	557.21	572.00	665.76	750.72	52	556.09	52
32FCSPFF11	FIXED PITCH FLASHING 11-12 PITCH	557.21	572.00	665.76	750.72	55	556.09	55
32FCSPFF12	FIXED PITCH FLASHING 12-12 PITCH	557.21	572.00	665.76	750.72	58	556.09	58
32FCSFS	FIRE STOP	331.09	339.89	395.59	446.07	16	233.89	14
32FCSSC	STORM COLLAR	467.92	480.35	559.09	630.42	22	467.92	28
32FCSWPK	WALL PENETRATION KIT	1479.53	1590.32	1722.02	1941.74	91	1441.25	108
SUPPORTS/GUIDES								
32FCSFAR	FULL ANGLE RING	504.87					480.44	
32FCSGR	GUY RING	1539.97	1580.88	1839.99	2074.76	187	609.88	161
32FCSHAR	HALF ANGLE RING	279.55					270.76	
32FCSPS	PLATE SUPPORT	1006.68	1051.43	1223.75	1212.84	219	865.16	215
32FCSSA	STACK SUPPORT ASSEMBLY	1700.79	1676.13	1726.41	1803.08	175	1453.70	161
32FCSSWS	WALL SUPPORT	1567.59	1609.23	1872.98	2111.95	243	1549.79	241
APPLIANCE CONNECTORS								
32FCSSBA4	SINGLE WALL BOILER ADAPTER	751.89	771.87	898.37	1012.99	28	350.98	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
34" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/904SS	AL294C/316SS		AL294C	
		CA0	C30	C40	C60	WT		WT
PIPE LENGTHS								
34FCS9	9" STRAIGHT LENGTH	973.10	998.94	1162.68	1311.02	26	490.95	13
34FCS12	12" STRAIGHT LENGTH	1126.08	1156.00	1345.46	1517.13	33	593.68	16
34FCS18	18" STRAIGHT LENGTH	1428.61	1466.55	1706.92	1924.71	47	801.21	23
34FCS24	24" STRAIGHT LENGTH	1738.73	1784.92	2077.47	2342.51	60	1209.98	30
34FCS36	36" STRAIGHT LENGTH	2328.20	2390.05	2781.79	3136.69	88	1414.00	43
VARIABLE LENGTHS								
34FCSVL10	VARIABLE LENGTH	1182.03	1213.44	1412.33	1592.51	43	836.18	22
34FCSVL22	VARIABLE LENGTH	2216.62	2275.52	2648.48	2986.37	70	1257.52	36
FITTINGS								
34FCS15L	15 DEGREE ELBOW	2178.77	2167.92	2394.27	2611.75	58	1155.49	29
34FCS30L	30 DEGREE ELBOW	2685.87	2672.47	2951.53	3219.63	69	1514.89	34
34FCS45L	45 DEGREE ELBOW	3190.71	3275.48	3812.33	4298.73	94	1974.26	40
34FCS45T	45 DEGREE TEE	8251.34	8470.58	9858.92	11116.77	259	7062.20	129
34FCS45T26	45 DEGREE TEE WITH 26" REDUCED TAP	6110.73	6273.08	7301.26	8232.78	181	4914.83	90
34FCS45T28	45 DEGREE TEE WITH 28" REDUCED TAP	6450.22	6621.62	7706.91	8690.19	195	5208.13	96
34FCS45T30	45 DEGREE TEE WITH 30" REDUCED TAP	6751.16	6930.55	8066.47	9095.65	212	5460.71	104
34FCS45T32	45 DEGREE TEE WITH 32" REDUCED TAP	7757.37	7963.48	9268.71	10451.24	231	6533.58	114
34FCS90L	90 DEGREE ELBOW	5054.00	5188.28	6038.66	6809.07	172	3110.01	84
34FCS90Y	90 DEGREE WYE	6267.83	6434.38	7488.96	8444.45	147	4347.38	72
34FCSECE	CASING END CLOSURE	451.71	463.70	539.71	608.56	24		
34FCSDL26	DOUBLE LATERAL TEE WITH 26" TAPS	8363.43	8585.65	9992.83	11267.79	241	7424.72	121
34FCSDL28	DOUBLE LATERAL TEE WITH 28" TAPS	8829.86	9064.45	10550.12	11896.16	262	7896.64	130
34FCSDL30	DOUBLE LATERAL TEE WITH 30" TAPS	9312.73	9560.19	11127.09	12546.74	289	8286.64	143
34FCSDL32	DOUBLE LATERAL TEE WITH 32" TAPS	11205.87	11503.61	13389.05	15097.30	321	10291.05	160
34FCSDS	DRAIN SECTION	1447.76	1486.22	1729.81	1950.51	53	850.05	30
34FCSEI36	ECCENTRIC INCREASER 32" TO 36"	2278.33	2338.88	2722.21	3069.52	63	1505.94	37
34FCST	90 DEG MANIFOLD TEE	4082.19	4190.68	4877.51	5499.81	160	3132.66	80
34FCST26	90 DEG MANIFOLD TEE WITH 26" REDUCED TAP	3293.54	3381.05	3935.20	4437.28	110	2436.81	56
34FCST28	90 DEG MANIFOLD TEE WITH 28" REDUCED TAP	3528.29	3622.05	4215.71	4753.55	119	2669.73	60
34FCST30	90 DEG MANIFOLD TEE WITH 30" REDUCED TAP	3677.69	3775.40	4394.20	4954.83	129	2767.18	65
34FCST32	90 DEG MANIFOLD TEE WITH 32" REDUCED TAP	3780.59	3881.04	4517.14	5093.46	140	2864.64	71
34FCSTC	TEE CAP	1448.50	1486.99	1730.69	1951.51	46	778.98	20
34FCSTCN	TEE CAP LESS DRAIN	1223.65	1256.17	1462.05	1648.57	41	667.26	19
34FCSTI36	TAPERED INCREASER 32" TO 36"	2131.08	2187.72	2546.28	2871.14	60	1243.85	34
TERMINATIONS								
34FCSC	CAP	4214.83	4326.81	5035.98	5678.49	106	3839.51	86
34FCSCR	CLOSURE RING	361.32				14		
34FCSMCF	MITER CUT FEMALE TERMINATION	1922.82	1973.91	2297.43	2590.54	73	1686.52	49
34FCSMCM	MITER CUT MALE TERMINATION	1922.82	1973.91	2297.43	2590.54	75	1686.52	51

1" Air Insulated CorrGuard Suggested List Prices

ROOF/WALL PENETRATIONS/ACCESSORIES								
34FCSF	FLASHING	812.41	833.99	970.67	1094.53	61	628.31	61
34FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	588.89	604.52	703.59	793.38	30	587.72	30
34FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	588.89	604.52	703.59	793.38	33	587.72	33
34FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	588.89	604.52	703.59	793.38	35	587.72	35
34FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	588.89	604.52	703.59	793.38	38	587.72	38
34FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	588.89	604.52	703.59	793.38	41	587.72	41
34FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	588.89	604.52	703.59	793.38	44	587.72	44
34FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	588.89	604.52	703.59	793.38	47	587.72	47
34FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	588.89	604.52	703.59	793.38	51	587.72	51
34FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	588.89	604.52	703.59	793.38	54	587.72	54
34FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	588.89	604.52	703.59	793.38	57	587.72	57
34FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	588.89	604.52	703.59	793.38	60	587.72	60
34FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	588.89	604.52	703.59	793.38	64	587.72	64
34FCSFS	FIRE STOP	348.77	358.04	416.72	469.89	17	248.58	16
34FCSSC	STORM COLLAR	495.65	508.83	592.22	667.78	23	495.65	22
34FCSWPK	WALL PENETRATION KIT	1551.41	1683.12	1805.69	2036.07	98	1511.27	116
SUPPORTS/GUIDES								
34FCSFAR	FULL ANGLE RING	513.59					499.09	
34FCSGR	GUY RING	1642.45	1686.08	1962.42	2212.80	206	768.78	178
34FCSHAR	HALF ANGLE RING	285.10					277.39	
34FCSPS	PLATE SUPPORT	1041.76	1069.44	1244.71	1069.44	242	946.44	238
34FCSSA	STACK SUPPORT ASSEMBLY	1910.42	1882.73	1939.20	2025.32	167	1676.66	151
34FCSSWS	WALL SUPPORT	1699.51	1744.67	2030.62	2289.69	266	1691.78	264
APPLIANCE CONNECTORS								
34FCSSBA4	SINGLE WALL BOILER ADAPTER	790.13	811.11	944.06	1064.50	31	366.74	7
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
36" DIAMETER								
PIPE LENGTHS								
		FCS AL294C/AZ CA0	FCS AL294C/430SS C30	FCS AL294C/304SS C40	FCS AL294C/316SS C60	FCS WT	FCSSW AL294C	FCSSW WT
36FCS9	9" STRAIGHT LENGTH	1021.45	1048.58	1220.46	1376.16	28	514.76	14
36FCS12	12" STRAIGHT LENGTH	1209.85	1242.01	1445.58	1630.03	35	641.73	17
36FCS18	18" STRAIGHT LENGTH	1552.41	1593.65	1854.86	2091.51	49	859.82	24
36FCS24	24" STRAIGHT LENGTH	1878.43	1928.33	2244.38	2530.74	64	1306.79	32
36FCS36	36" STRAIGHT LENGTH	2449.68	2514.77	2926.94	3300.36	93	1490.81	46
VARIABLE LENGTHS								
36FCSVL10	VARIABLE LENGTH	1251.43	1284.71	1495.25	1686.03	45	884.38	24
36FCSVL22	VARIABLE LENGTH	2371.78	2434.81	2833.87	3195.41	74	1333.45	38
FITTINGS								
36FCS15L	15 DEGREE ELBOW	2338.64	2354.26	2586.44	2790.14	61	1214.60	31
36FCS30L	30 DEGREE ELBOW	2861.42	2880.53	3164.61	3413.83	74	1595.09	36
36FCS45L	45 DEGREE ELBOW	3312.15	3400.16	3957.45	4462.36	103	2095.87	50
36FCS45T	45 DEGREE TEE	8669.22	8899.57	10358.20	11679.76	287	7388.18	143
36FCS45T28	45 DEGREE TEE WITH 28" REDUCED TAP	6455.56	6627.08	7713.25	8697.36	201	5236.00	99
36FCS45T30	45 DEGREE TEE WITH 30" REDUCED TAP					201	5475.03	107
36FCS45T32	45 DEGREE TEE WITH 32" REDUCED TAP	7706.52	7911.29	9207.94	10382.76	236	6490.34	116
36FCS45T34	45 DEGREE TEE WITH 34" REDUCED TAP	8062.17	8276.37	9632.86	10861.89	256	6854.49	127
36FCS90L	90 DEGREE ELBOW	5278.50	5418.76	6306.90	7111.56	190	3311.48	93
36FCS90Y	90 DEGREE WYE	7851.73	8060.37	9381.46	10578.40	161	5863.23	79
36FCSECC	CASING END CLOSURE	475.15	487.78	567.70	640.16	26		
36FCSDL28	DOUBLE LATERAL TEE WITH 28" TAPS	9111.68	9353.79	10886.87	12275.90	268	8108.96	132
36FCSDL30	DOUBLE LATERAL TEE WITH 30" TAPS	9400.58	9650.34	11232.04	12665.07	293	8301.48	145
36FCSDL32	DOUBLE LATERAL TEE WITH 32" TAPS	11127.19	11422.85	13295.05	14991.29	323	10137.86	160
36FCSDL34	DOUBLE LATERAL TEE WITH 34" TAPS	11803.16	12116.77	14102.71	15902.01	358	10845.22	179
36FCSDS	DRAIN SECTION	1490.61	1530.22	1781.02	2008.27	56	884.31	31
36FCST	90 DEG MANIFOLD TEE	4244.00	4356.77	5070.84	5717.82	176	3283.28	89
36FCST28	90 DEG MANIFOLD TEE WITH 28" REDUCED TAP	3609.73	3705.65	4312.99	4863.29	123	2712.86	62
36FCST30	90 DEG MANIFOLD TEE WITH 30" REDUCED TAP	3750.19	3849.84	4480.82	5052.54	132	2810.33	67
36FCST32	90 DEG MANIFOLD TEE WITH 32" REDUCED TAP	3864.39	3967.05	4617.25	5206.35	143	2907.79	72
36FCST34	90 DEG MANIFOLD TEE WITH 34" REDUCED TAP	3965.01	4070.36	4737.50	5341.91	155	3005.27	78
36FCSTC	TEE CAP	1544.68	1585.71	1845.62	2081.08	50	827.45	22
36FCSTCN	TEE CAP LESS DRAIN	1478.65	1517.94	1766.73	1992.13	45	818.51	21
TERMINATIONS								
36FCSC	CAP	4774.67	4901.53	5704.89	6432.73	118	4509.10	97
36FCSCR	CLOSURE RING	398.62				15		
36FCSMCF	MITER CUT FEMALE TERMINATION	2044.64	2098.98	2443.00	2754.70	81	1800.08	55
36FCSMCM	MITER CUT MALE TERMINATION	2044.64	2098.98	2443.00	2754.70	83	1800.08	57
ROOF/WALL PENETRATIONS/ACCESSORIES								
36FCSF	FLASHING	845.27	867.74	1009.96	1138.82	65	653.57	65
36FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	671.72	689.57	802.59	905.01	32	670.39	32
36FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	671.72	689.57	802.59	905.01	35	670.39	35
36FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	671.72	689.57	802.59	905.01	38	670.39	38
36FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	671.72	689.57	802.59	905.01	42	670.39	42
36FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	671.72	689.57	802.59	905.01	45	670.39	45
36FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	671.72	689.57	802.59	905.01	48	670.39	48
36FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	671.72	689.57	802.59	905.01	52	670.39	52
36FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	671.72	689.57	802.59	905.01	55	670.39	55
36FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	671.72	689.57	802.59	905.01	59	670.39	59
36FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	671.72	689.57	802.59	905.01	62	670.39	62
36FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	671.72	689.57	802.59	905.01	66	670.39	66
36FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	671.72	689.57	802.59	905.01	70	670.39	70
36FCSFS	FIRE STOP	386.75	397.02	462.08	521.04	18	261.30	17
36FCSSC	STORM COLLAR	534.46	548.66	638.59	720.06	26	534.46	23
36FCSWPK	WALL PENETRATION KIT	1723.84	1847.78	2006.38	2262.36	105	1679.21	125
SUPPORTS/GUIDES								
36FCSFAR	FULL ANGLE RING	531.62					507.76	
36FCSGR	GUY RING	1769.70	1816.72	2114.46	2384.25	227	773.40	196
36FCSHAR	HALF ANGLE RING	296.88					281.72	

1" Air Insulated CorrGuard Suggested List Prices

36FCSPS	PLATE SUPPORT	1230.02	1262.71	1469.65	1262.71	267	1054.69	262
36FCSSSA	STACK SUPPORT ASSEMBLY	2140.38	2109.36	2172.64	2269.12	178	1891.87	166
36FCSWS	WALL SUPPORT	1719.87	1765.56	2054.93	2317.12	291	1705.77	288
APPLIANCE CONNECTORS								
36FCSSBA4	SINGLE WALL BOILER ADAPTER	825.48	847.41	986.33	1112.15	33	384.93	7
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

6" DIAMETER	PIPE LENGTHS	FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	WT	AL294C	WT
		CA1	C31	C41	C61			
6FCS9	9" STRAIGHT LENGTH	186.57	191.53	222.93	251.37	5	77.86	1
6FCS12	12" STRAIGHT LENGTH	201.43	206.79	240.69	271.37	6	84.70	2
6FCS18	18" STRAIGHT LENGTH	224.49	230.44	268.24	302.45	7	98.70	2
6FCS24	24" STRAIGHT LENGTH	282.47	289.97	337.48	380.55	9	136.20	3
6FCS36	36" STRAIGHT LENGTH	308.92	317.12	369.10	416.18	13	138.66	4
VARIABLE LENGTHS								
6FCSVL22	VARIABLE LENGTH	276.64	284.01	330.55	372.73	9	151.08	3
FITTINGS								
6FCS15L	15 DEGREE ELBOW	225.45	238.48	290.28	336.77	6	96.86	2
6FCS30L	30 DEGREE ELBOW	231.97	245.04	297.70	345.01	6	101.82	2
6FCS45L	45 DEGREE ELBOW	238.58	244.91	285.08	321.43	7	105.00	2
6FCS45T	45 DEGREE TEE	1414.67	1442.71	1490.77	1539.89	19	636.57	8
6FCS90L	90 DEGREE ELBOW	297.51	305.41	355.45	400.82	9	137.81	3
6FCSBT	BOOT TEE	478.09	504.45	542.08	580.83	12	247.39	4
6FCSBTD	BOOT TEE W/DRAIN	580.08	610.25	653.61	698.09	12	325.36	4
6FCSCEC	CASING END CLOSURE	69.28	71.14	82.78	93.35	2		
6FCSDFMA	FEMALE TO FEMALE ADAPTER	224.53	231.45	251.06	258.71	5	67.79	1
6FCSDMA	MALE TO MALE ADAPTER	255.82	262.67	282.28	289.94	5	86.42	2
6FCSDS	DRAIN SECTION	336.19	345.10	401.67	452.94	6	147.14	2
6FCSEI7	ECCENTRIC INCREASER 6" TO 7"	323.04	331.62	385.98	435.24	8	185.21	3
6FCSEI8	ECCENTRIC INCREASER 6" TO 8"	366.60	376.31	438.00	493.88	10	193.79	3
6FCSEI9	ECCENTRIC INCREASER 6" TO 9"	397.76	408.32	475.25	535.87	11	224.48	3
6FCSEI10	ECCENTRIC INCREASER 6" TO 10"	410.11	421.00	490.00	552.50	11	230.56	4
6FCSEI12	ECCENTRIC INCREASER 6" TO 12"	525.72	539.71	628.15	708.31	16	291.03	5
6FCSEI14	ECCENTRIC INCREASER 6" TO 14"	659.28	676.79	787.71	888.24	22	393.56	8
6FCSEI16	ECCENTRIC INCREASER 6" TO 16"	910.08	934.26	1087.38	1226.13	31	560.58	12
6FCSEI18	ECCENTRIC INCREASER 6" TO 18"	969.73	995.47	1158.64	1306.49	34	598.33	13
6FCST	90 DEG MANIFOLD TEE	409.82	420.70	489.67	552.12	10	142.86	3
6FCSTC	TEE CAP	169.39	173.89	202.39	228.20	3	84.54	1
6FCSTCN	TEE CAP LESS DRAIN	166.79	171.22	199.27	224.70	3	72.82	1
6FCSTI7	TAPERED INCREASER 6" TO 7"	349.95	359.25	418.13	471.47	8	184.17	2
6FCSTI8	TAPERED INCREASER 6" TO 8"	399.75	410.35	477.59	538.56	9	193.00	3
6FCSTI9	TAPERED INCREASER 6" TO 9"	399.75	410.36	477.60	538.57	10	201.80	3
6FCSTI10	TAPERED INCREASER 6" TO 10"	439.60	451.27	525.23	592.23	11	232.59	3
6FCSTI12	TAPERED INCREASER 6" TO 12"	482.04	494.85	575.95	649.44	12	250.47	4
6FCSTI14	TAPERED INCREASER 6" TO 14"	680.72	698.82	813.35	917.11	21	399.78	8
6FCSTI16	TAPERED INCREASER 6" TO 16"	725.38	744.67	866.70	977.29	23	425.61	9
6FCSTI18	TAPERED INCREASER 6" TO 18"	778.24	798.90	929.85	1048.49	25	449.32	9
TERMINATIONS								
6FCSC	CAP	301.64	309.67	360.41	406.39	4	197.97	2
6FCSCB	CAP WITH BIRD SCREEN	315.59	323.99	377.10	425.19	4	197.97	3
6FCSCR	CLOSURE RING	138.72	138.72	138.72	138.72			
6FCSEC	EXIT CONE	369.73	369.73	369.73	369.73			
6FCSMCF	MITER CUT FEMALE TERMINATION	133.75	155.66	161.67	175.53	3	114.29	2
6FCSMCM	MITER CUT MALE TERMINATION	133.75	155.66	161.67	175.53	3	114.29	2
ROOF/WALL PENETRATIONS/ACCESSORIES								
6FCSF	FLASHING	135.09	139.05	157.24	177.29	9	115.44	9
6FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	347.49	396.95	404.43	456.06	6	296.93	6
6FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	347.49	396.95	404.43	456.06	6	296.93	6
6FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	347.49	396.95	404.43	456.06	6	296.93	6
6FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	347.49	396.95	404.43	456.06	6	296.93	6
6FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	347.49	396.95	404.43	456.06	6	296.93	6
6FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	347.49	396.95	404.43	456.06	7	296.93	7
6FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	347.49	396.95	404.43	456.06	7	296.93	7
6FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	347.49	396.95	404.43	456.06	7	296.93	7
6FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	347.49	396.95	404.43	456.06	7	296.93	7
6FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	347.49	396.95	404.43	456.06	7	296.93	7
6FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	347.49	396.95	404.43	456.06	8	296.93	8
6FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	347.49	396.95	404.43	456.06	8	296.93	8
6FCSSFS	FIRE STOP	93.03	95.51	111.16	125.36	3	92.25	2
6FCSSC	STORM COLLAR	105.29	108.10	125.80	141.86	4	92.36	3
6FCSSWP	WALL PENETRATION KIT	331.67	355.12	386.03	435.29	15	283.42	14
SUPPORTS/GUIDES								
6FCSSGR	GUY RING	72.57	74.69	86.90	98.01	1	58.54	1
6FCSSAR	HALF ANGLE RING	14.96					10.47	
6FCSSPS	PLATE SUPPORT	177.83	192.22	223.70	252.25	7	40.34	5
6FCSSSA	STACK SUPPORT ASSEMBLY	379.54	374.05	385.27	402.37	8	198.74	5
6FCSSWB	WALL BAND	91.62	94.07	109.48	123.44	1	86.98	1
6FCSSWS	WALL SUPPORT	191.43	196.51	228.72	257.90	7	154.82	6
APPLIANCE CONNECTORS								
6FCSS3RC	REDUCING CONNECTOR 6" TO 3"	160.59	164.86	191.89	216.34	3	131.64	1
6FCSS4RC	REDUCING CONNECTOR 6" TO 4"	160.59	164.86	191.89	216.34	3	131.64	1
6FCSS5RC	REDUCING CONNECTOR 6" TO 5"	160.59	164.86	191.89	216.34	3	131.64	1
6FCSSBA	BOILER ADAPTER	165.11	165.11	165.11	165.11	2		
6FCSSFA	FLANGE ADAPTER	127.05	130.43	151.81	171.18	4	84.97	2
6FCSSFFC	FEMALE ADAPTER	256.42	258.07	306.39	284.73	5	138.54	2
6FCSSLXL	Appliance Adapter	104.27	104.27	104.27	104.27	1		
6FCSSMFC	MALE ADAPTER	257.83	264.68	308.05	347.38	5	129.80	2
6FCSSPVA	PVC ADAPTER	192.31	192.31	192.31	192.31	2		
6FCSSSBA	SINGLE WALL BOILER ADAPTER	161.40	165.68	192.83	217.43	3	130.53	1
6FCSSBAI	BOILER ADAPTER INNER COLLAR	164.05	168.41	196.00	221.03	3	134.49	1
6FCSSBAI2	BOILER ADAPTER INNER COLLAR	193.60	198.71	231.27	260.79			
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

7" DIAMETER	PIPE LENGTHS	FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	WT	AL294C	WT
		CA1	C31	C41	C61	WT	WT	WT
7FCS9	9" STRAIGHT LENGTH	232.72	238.91	278.06	313.52	5	81.96	2
7FCS12	12" STRAIGHT LENGTH	255.57	262.37	305.36	344.33	6	89.94	2
7FCS18	18" STRAIGHT LENGTH	285.16	292.73	340.70	384.20	8	105.18	2
7FCS24	24" STRAIGHT LENGTH	363.88	373.55	434.78	490.22	10	148.73	3
7FCS36	36" STRAIGHT LENGTH	400.32	410.97	478.32	539.36	15	151.21	4
VARIABLE LENGTHS								
7FCSVL22	VARIABLE LENGTH	360.62	370.20	430.88	485.86	11	163.31	4
FITTINGS								
7FCS15L	15 DEGREE ELBOW	285.68	290.83	338.13	431.79	6	120.82	2
7FCS30L	30 DEGREE ELBOW	294.78	299.67	347.59	443.34	7	127.56	2
7FCS45L	45 DEGREE ELBOW	311.33	319.63	371.98	419.45	8	137.56	2
7FCS45T	45 DEGREE TEE	1777.93	1806.09	1854.50	1903.87	23	712.70	10
7FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1752.36	1778.67	1823.57	1869.55	20	694.74	9
7FCS90L	90 DEGREE ELBOW	391.42	401.82	467.66	527.35	10	181.36	3
7FCSBT	BOOT TEE	537.45	573.09	624.88	677.64	14	282.03	4
7FCSBT6	BOOT TEE WITH 6" REDUCED TAP	499.08	527.50	568.40	610.39	13	257.93	4
7FCSBTD	BOOT TEE	647.19	682.21	733.03	784.96	14	355.52	5
7FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	608.66	639.88	684.97	731.10	13	328.26	4
7FCSCEC	CASING END CLOSURE	71.28	73.16	85.16	96.03	2		
7FCSDFM	FEMALE TO FEMALE ADAPTER	246.70	254.08	276.03	284.56	5	74.69	1
7FCSDMA	MALE TO MALE ADAPTER	280.88	288.26	310.15	318.68	5	95.25	2
7FCSDS	DRAIN SECTION	363.07	372.72	433.81	489.17	7	153.99	3
7FCSIE8	ECCENTRIC INCREASER 7" TO 8"	325.71	334.36	389.18	438.83	9	198.19	3
7FCSIE9	ECCENTRIC INCREASER 7" TO 9"	365.57	375.28	436.80	492.52	11	230.78	3
7FCSIE10	ECCENTRIC INCREASER 7" TO 10"	378.14	388.17	451.79	509.45	12	267.70	4
7FCSIE12	ECCENTRIC INCREASER 7" TO 12"	482.56	495.37	576.57	650.12	16	310.52	5
7FCSIE14	ECCENTRIC INCREASER 7" TO 14"	611.82	628.07	731.02	824.28	23	404.83	9
7FCSIE16	ECCENTRIC INCREASER 7" TO 16"	837.50	859.76	1000.67	1128.34	32	572.37	12
7FCSIE18	ECCENTRIC INCREASER 7" TO 18"	893.84	917.60	1068.00	1204.28	56	611.26	35
7FCSER6	ECCENTRIC REDUCER	323.04	331.62	385.98	435.24	8	185.21	2
7FCSR6	TAPERED REDUCER	349.95	359.25	418.13	471.47	8	184.17	2
7FCST	90 DEG MANIFOLD TEE	528.69	542.71	631.66	712.25	11	179.51	4
7FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	480.20	492.95	573.73	646.95	10	153.79	3
7FCSTC	TEE CAP	200.27	205.57	239.27	269.79	3	94.44	1
7FCSTCN	TEE CAP LESS DRAIN	199.96	205.29	238.93	269.42	3	82.98	1
7FCSTI8	TAPERED INCREASER 7" TO 8"	353.93	363.34	422.91	476.87	9	198.39	3
7FCSTI9	TAPERED INCREASER 7" TO 9"	366.96	376.70	438.45	494.39	10	207.99	3
7FCSTI10	TAPERED INCREASER 7" TO 10"	405.46	416.23	484.43	546.26	11	240.26	3
7FCSTI12	TAPERED INCREASER 7" TO 12"	442.79	454.56	529.05	596.54	13	268.29	4
7FCSTI14	TAPERED INCREASER 7" TO 14"	633.68	650.53	757.13	853.73	21	413.91	8
7FCSTI16	TAPERED INCREASER 7" TO 16"	677.84	695.84	809.89	913.22	24	443.06	9
7FCSTI18	TAPERED INCREASER 7" TO 18"	728.58	747.93	870.52	981.60	26	467.81	10
TERMINATIONS								
7FCSC	CAP	360.68	370.25	430.92	485.93	5	246.10	3
7FCSCB	CAP WITH BIRD SCREEN	363.80	373.46	434.69	490.13	6	246.10	4
7FCSCR	CLOSURE RING	140.62		140.62	140.62			
7FCSEC	EXIT CONE	385.56	385.56	385.56	385.56			
7FCSMCF	MITER CUT FEMALE TERMINATION	142.24	165.55	170.36	186.68	3	121.55	2
7FCSMCM	MITER CUT MALE TERMINATION	142.24	165.55	170.36	186.68	3	121.55	2
ROOF/WALL PENETRATIONS/ACCESSORIES								
7FCSF	FLASHING	174.43	175.08	203.02	228.92	9	149.05	9
7FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	357.26	405.32	415.81	468.86	6	305.27	6
7FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	357.26	405.32	415.81	468.86	7	305.27	7
7FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	357.26	405.32	415.81	468.86	7	305.27	7
7FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	357.26	405.32	415.81	468.86	7	305.27	7
7FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	357.26	405.32	415.81	468.86	7	305.27	7
7FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	357.26	405.32	415.81	468.86	7	305.27	7
7FCSPFF7	FIXED PITCH FLASHING 7-12 PITCH	357.26	405.32	415.81	468.86	8	305.27	8
7FCSPFF8	FIXED PITCH FLASHING 8-12 PITCH	357.26	405.32	415.81	468.86	8	305.27	8
7FCSPFF9	FIXED PITCH FLASHING 9-12 PITCH	357.26	405.32	415.81	468.86	8	305.27	8
7FCSPFF10	FIXED PITCH FLASHING 10-12 PITCH	357.26	405.32	415.81	468.86	8	305.27	8
7FCSPFF11	FIXED PITCH FLASHING 11-12 PITCH	357.26	405.32	415.81	468.86	9	305.27	9
7FCSPFF12	FIXED PITCH FLASHING 12-12 PITCH	357.26	405.32	415.81	468.86	9	305.27	9
7FCSFS	FIRE STOP	98.81	101.44	118.05	133.12	3	94.71	3
7FCSSC	STORM COLLAR	106.20	109.03	126.90	143.10	4	93.16	3
7FCSWPK	WALL PENETRATION KIT	358.16	381.73	416.84	470.04	17	306.02	15
SUPPORTS/GUIDES								
7FCSGR	GUY RING	72.73	74.92	87.19	98.32	1	58.70	1
7FCSHAR	HALF ANGLE RING	16.17					10.80	
7FCSPS	PLATE SUPPORT	190.00	212.23	247.00	278.52	8	48.37	5
7FCSSA	STACK SUPPORT ASSEMBLY	403.57	397.72	409.65	427.84	10	209.79	6
7FCSWB	WALL BAND	92.33	94.78	110.32	124.40	1	87.36	1
7FCWS	WALL SUPPORT	194.89	200.06	232.86	262.56	8	157.58	7
APPLIANCE CONNECTORS								
7FCS3RC	REDUCING CONNECTOR 7" TO 3"	178.30	183.03	207.81	240.21	3	143.28	2
7FCS4RC	REDUCING CONNECTOR 7" TO 4"	178.30	183.03	207.81	240.21	3	143.28	2
7FCS5RC	REDUCING CONNECTOR 7" TO 5"	178.30	183.03	207.81	240.21	3	143.28	2
7FCS6RC	REDUCING CONNECTOR 7" TO 6"	178.30	183.03	207.81	240.21	3	143.28	2
7FCSLCA	LOCHINVAR CREST ADAPTER	173.79	173.79	173.79	173.79	1		
7FCSSBA	SINGLE WALL BOILER ADAPTER	172.54	177.11	206.14	232.45	3	137.16	1
7FCSSBAI	BOILER ADAPTER INNER COLLAR	178.83	183.58	213.66	240.94	3	141.31	1
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	AL294C		
8" DIAMETER		CA1	C31	C41	C61	WT	WT	WT

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

PIPE LENGTHS							
8FCS9	9" STRAIGHT LENGTH	243.39	249.87	290.80	327.92	6	86.09 2
8FCS12	12" STRAIGHT LENGTH	268.82	275.97	321.17	362.18	7	94.76 2
8FCS18	18" STRAIGHT LENGTH	302.34	310.39	361.26	407.35	9	112.04 3
8FCS24	24" STRAIGHT LENGTH	389.13	399.48	464.95	524.28	12	162.11 3
8FCS36	36" STRAIGHT LENGTH	428.96	440.36	512.54	577.94	16	164.10 5
VARIABLE LENGTHS							
8FCSVL22	VARIABLE LENGTH	391.23	401.63	467.46	527.10	12	175.59 4
FITTINGS							
8FCS15L	15 DEGREE ELBOW	272.66	283.82	355.24	415.74	7	134.22 2
8FCS30L	30 DEGREE ELBOW	318.32	330.87	377.63	484.82	8	134.22 2
8FCS45L	45 DEGREE ELBOW	325.63	334.26	389.06	438.70	9	145.60 3
8FCS45T	45 DEGREE TEE	1873.61	1908.65	1972.44	2048.27	27	897.34 12
8FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1615.55	1650.72	1714.80	1778.94	22	728.37 10
8FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	1825.98	1873.48	1960.92	2036.33	24	769.27 11
8FCS90L	90 DEGREE ELBOW	426.62	437.94	509.72	574.76	12	203.46 4
8FCSBT	BOOT TEE	592.44	629.58	686.13	742.83	16	315.23 5
8FCSBT6	BOOT TEE WITH 6" REDUCED TAP	548.72	577.30	620.74	664.39	14	288.16 4
8FCSBT7	BOOT TEE WITH 7" REDUCED TAP	580.08	612.59	662.18	711.82	15	308.03 5
8FCSBTD	BOOT TEE W/DRAIN	707.54	746.34	805.47	864.58	17	394.17 6
8FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	667.92	701.21	783.15	814.49	14	366.79 5
8FCSBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	694.56	729.71	802.64	836.76	15	385.13 5
8FCSCEC	CASING END CLOSURE	73.25	75.20	87.53	98.70	2	
8FCSDFM	FEMALE TO FEMALE ADAPTER	260.79	268.72	292.90	303.50	6	80.09 2
8FCSDMA	MALE TO MALE ADAPTER	297.86	305.78	329.96	339.35	6	102.61 2
8FCSDS	DRAIN SECTION	392.12	402.53	468.51	528.30	8	159.98 3
8FCS90L	ECCENTRIC INCREASER 8" TO 9"	347.21	356.43	414.87	467.78	11	212.91 3
8FCS90L	ECCENTRIC INCREASER 8" TO 10"	389.94	400.31	465.94	525.37	12	245.35 4
8FCS90L	ECCENTRIC INCREASER 8" TO 12"	419.15	430.29	500.81	564.71	14	261.98 4
8FCS90L	ECCENTRIC INCREASER 8" TO 14"	628.95	645.67	751.47	847.37	24	415.80 9
8FCS90L	ECCENTRIC INCREASER 8" TO 16"	669.27	687.04	799.65	901.67	27	440.28 10
8FCS90L	ECCENTRIC INCREASER 8" TO 18"	913.45	937.71	1091.40	1230.64	36	626.08 14
8FCS90L	ECCENTRIC INCREASER 8" TO 20"	968.26	994.00	1156.91	1304.49	39	665.83 15
8FCSER6	ECCENTRIC REDUCER	366.60	376.31	438.00	493.88	9	193.79 3
8FCSER7	ECCENTRIC REDUCER	325.71	334.36	389.18	438.83	9	198.19 3
8FCSR6	TAPERED REDUCER	399.75	410.35	477.59	538.56	9	193.00 3
8FCSR7	TAPERED REDUCER	353.93	363.34	422.91	476.87	9	198.39 3
8FCST	90 DEG MANIFOLD TEE	586.34	601.91	700.57	789.96	13	204.23 4
8FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	535.68	549.91	640.07	721.71	11	180.78 4
8FCST7	TEE WITH REDUCED TAP	561.02	575.91	670.31	755.83	12	192.51 4
8FCSTC	TEE CAP	214.21	219.91	255.93	288.60	4	99.84 2
8FCSTCN	TEE CAP LESS DRAIN	210.67	216.26	251.72	283.83	3	87.21 1
8FCSTI9	TAPERED INCREASER 8" TO 9"	374.36	384.31	447.29	504.35	10	213.12 3
8FCSTI10	TAPERED INCREASER 8" TO 10"	389.73	400.07	465.65	525.07	11	220.06 4
8FCSTI12	TAPERED INCREASER 8" TO 12"	463.32	475.63	553.60	624.23	13	268.82 4
8FCSTI14	TAPERED INCREASER 8" TO 14"	590.84	606.54	705.96	796.03	18	354.53 7
8FCSTI16	TAPERED INCREASER 8" TO 16"	855.69	878.42	1022.40	1152.85	25	569.74 9
8FCSTI18	TAPERED INCREASER 8" TO 18"	883.83	907.31	1056.02	1190.73	27	605.16 10
8FCSTI20	TAPERED INCREASER 8" TO 20"	923.58	948.12	1103.52	1244.28	29	635.09 11
TERMINATIONS							
8FCSC	CAP	365.01	374.71	436.14	491.78	5	249.09 3
8FCSCB	CAP WITH BIRD SCREEN	394.00	404.48	470.75	530.84	6	249.09 4
8FCSCR	CLOSURE RING	148.51	148.51	148.51	148.51		
8FCSEC	EXIT CONE	408.60	408.60	408.60	408.60		
8FCSMCF	MITER CUT FEMALE TERMINATION	168.62	196.26	202.36	221.32	5	144.08 3
8FCSMCM	MITER CUT MALE TERMINATION	168.62	196.26	202.36	221.32	5	144.08 3
ROOF/WALL PENETRATIONS/ACCESSORIES							
8FCSF	FLASHING	177.01	187.33	206.02	232.32	10	151.24 10
8FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	369.17	415.60	429.67	484.51	7	315.44 7
8FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	369.17	415.60	429.67	484.51	7	315.44 7
8FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	369.17	415.60	429.67	484.51	7	315.44 7
8FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	369.17	415.60	429.67	484.51	8	315.44 8
8FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	369.17	415.60	429.67	484.51	8	315.44 8
8FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	369.17	415.60	429.67	484.51	8	315.44 8
8FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	369.17	415.60	429.67	484.51	9	315.44 9
8FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	369.17	415.60	429.67	484.51	9	315.44 9
8FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	369.17	415.60	429.67	484.51	9	315.44 9
8FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	369.17	415.60	429.67	484.51	10	315.44 10
8FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	369.17	415.60	429.67	484.51	10	315.44 10
8FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	369.17	415.60	429.67	484.51	10	315.44 10
8FCSFS	FIRE STOP	102.20	104.92	122.12	137.71	3	96.63 3
8FCSSC	STORM COLLAR	113.48	116.50	135.58	152.86	5	99.55 4
8FCSWPK	WALL PENETRATION KIT	389.56	405.53	453.42	511.27	19	332.88 17
SUPPORTS/GUIDES							
8FCSGR	GUY RING	72.99	74.98	87.27	98.43	1	58.91 1
8FCSHAR	HALF ANGLE RING	17.45					10.97
8FCSPS	PLATE SUPPORT	206.73	220.46	256.57	289.32	9	50.21 6
8FCSSSA	STACK SUPPORT ASSEMBLY	415.73	409.72	422.01	440.74	11	221.95 6
8FCSWB	WALL BAND	92.90	95.38	111.03	125.18	1	87.65 1
8FCWS	WALL SUPPORT	196.62	201.85	234.95	264.90	9	160.31 9
APPLIANCE CONNECTORS							
8FCS4RC	REDUCING CONNECTOR 8" TO 4"	188.32	193.31	224.98	253.69	4	148.73 2
8FCS5RC	REDUCING CONNECTOR 8" TO 5"	188.32	193.31	224.98	253.69	4	148.73 2
8FCS6RC	REDUCING CONNECTOR 8" TO 6"	188.32	193.31	224.98	253.69	4	148.73 2
8FCS7RC	REDUCING CONNECTOR 8" TO 7"	188.32	193.31	224.98	253.69	4	148.73 2
8FCSFA	FLANGE ADAPTER	150.58	154.59	179.92	202.89	5	100.01 3
8FCSFFC	FEMALE ADAPTER	259.36	266.25	309.89	349.44	6	144.76 2
8FCSLCA	LOCHINVAR CREST ADAPTER	185.36	185.36	185.36	185.36	3	
8FCSMFC	MALE ADAPTER	275.89	283.21	329.62	371.70	6	144.76 2
8FCSPKA	APPLIANCE ADAPTER	160.68	160.68	160.68	160.68	1	

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

8FCSSBA	SINGLE WALL BOILER ADAPTER	184.28	189.19	220.19	248.27	4	144.18	1
8FCSSBAI	BOILER ADAPTER INNER COLLAR	193.61	198.74	231.30	260.86	4	154.78	2
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
9" DIAMETER		CA1	C31	C41	C61	WT		WT
PIPE LENGTHS								
9FCS9	9" STRAIGHT LENGTH	253.65	260.41	303.06	341.74	6	119.79	2
9FCS12	12" STRAIGHT LENGTH	276.38	283.71	330.23	372.34	8	133.34	2
9FCS18	18" STRAIGHT LENGTH	316.73	325.16	378.45	426.71	10	159.05	3
9FCS24	24" STRAIGHT LENGTH	410.29	421.19	490.23	552.76	13	233.53	4
9FCS36	36" STRAIGHT LENGTH	443.82	455.63	530.32	597.96	18	240.57	5
VARIABLE LENGTHS								
9FCSVL22	VARIABLE LENGTH	421.17	432.32	503.21	567.44	13	250.18	5
FITTINGS								
9FCS15L	15 DEGREE ELBOW	324.53	344.47	431.42	503.79	8	140.91	2
9FCS30L	30 DEGREE ELBOW	341.86	362.03	451.65	526.31	9	153.87	3
9FCS45L	45 DEGREE ELBOW	345.58	354.75	412.88	465.56	10	153.95	3
9FCS45T	45 DEGREE TEE	2232.53	2276.36	2354.10	2432.77	32	1054.12	14
9FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1944.56	1982.80	2050.14	2115.13	23	814.51	10
9FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	1980.51	2010.49	2062.29	2118.43	26	854.15	12
9FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	2093.35	2132.59	2201.77	2271.87	29	941.85	13
9FCS90L	90 DEGREE ELBOW	453.74	465.78	542.12	611.29	14	217.69	5
9FCSBT	BOOT TEE	674.11	715.07	775.29	836.41	19	370.18	6
9FCSBT6	BOOT TEE WITH 6" REDUCED TAP	583.32	614.38	659.55	705.81	15	306.88	5
9FCSBT7	BOOT TEE WITH 7" REDUCED TAP	609.89	643.80	693.19	743.65	16	324.92	5
9FCSBT8	BOOT TEE WITH 8" REDUCED TAP	626.12	664.60	721.01	778.47	17	333.90	6
9FCSBTD	BOOT TEE W/DRAIN	806.43	833.29	872.04	911.88	19	601.15	6
9FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	715.71	735.38	763.35	792.48	15	537.43	5
9FCSBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	741.17	762.80	793.60	825.50	16	555.35	5
9FCSBTD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	757.33	782.62	819.06	856.58	18	563.36	6
9FCSCEC	CASING END CLOSURE	75.96	77.98	90.76	102.35	2		
9FCSDFM	FEMALE TO FEMALE ADAPTER	275.37	283.83	310.28	320.55	6	84.64	2
9FCSDMA	MALE TO MALE ADAPTER	315.32	323.78	350.24	360.51	7	109.15	2
9FCSDS	DRAIN SECTION	423.50	434.74	505.98	570.57	9	166.60	3
9FCSSE10	ECCENTRIC INCREASER 9" TO 10"	372.47	382.38	445.02	501.80	11	226.39	4
9FCSSE12	ECCENTRIC INCREASER 9" TO 12"	433.27	444.78	517.68	583.74	14	271.82	5
9FCSSE14	ECCENTRIC INCREASER 9" TO 14"	644.41	661.53	769.94	868.19	24	428.04	9
9FCSSE16	ECCENTRIC INCREASER 9" TO 16"	687.80	706.09	821.82	926.69	27	454.72	10
9FCSSE18	ECCENTRIC INCREASER 9" TO 18"	936.03	960.90	1118.38	1261.08	37	482.00	14
9FCSSE20	ECCENTRIC INCREASER 9" TO 20"	1002.11	1028.73	1197.35	1350.10	40	510.91	16
9FCSSE22	ECCENTRIC INCREASER 9" TO 22"	1053.68	1081.68	1258.96	1419.59	44	541.56	17
9FCSER6	ECCENTRIC REDUCER	397.76	408.32	475.25	535.87	10	224.48	3
9FCSER7	ECCENTRIC REDUCER	365.57	375.28	436.80	492.52	10	230.78	3
9FCSER8	ECCENTRIC REDUCER	347.21	356.43	414.87	467.78	10	212.91	3
9FCSR6	TAPERED REDUCER	399.75	410.36	477.60	538.57	10	201.80	3
9FCSR7	TAPERED REDUCER	366.96	376.70	438.45	494.39	10	207.99	3
9FCSR8	TAPERED REDUCER	374.36	384.31	447.29	504.35	10	213.12	3
9FCST	90 DEG MANIFOLD TEE	762.85	783.12	911.46	1027.76	15	237.11	5
9FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	671.79	689.65	802.66	905.09	12	206.15	4
9FCST7	TEE WITH REDUCED TAP	693.79	712.24	828.99	934.74	13	213.17	4
9FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	715.82	734.83	855.27	964.41	14	220.19	4
9FCSTC	TEE CAP	268.28	275.40	320.54	361.45	4	115.90	2
9FCSTCN	TEE CAP LESS DRAIN	269.43	276.59	321.91	363.00	4	105.32	2
9FCSTI10	TAPERED INCREASER 9" TO 10"	402.73	413.44	481.22	542.61	11	226.62	4
9FCSTI12	TAPERED INCREASER 9" TO 12"	464.13	476.46	554.57	625.32	14	277.68	4
9FCSTI14	TAPERED INCREASER 9" TO 14"	589.72	605.39	704.62	794.51	19	367.50	7
9FCSTI16	TAPERED INCREASER 9" TO 16"	621.37	637.89	742.41	837.17	21	383.96	8
9FCSTI18	TAPERED INCREASER 9" TO 18"	762.92	783.20	911.57	1027.88	28	495.72	11
9FCSTI20	TAPERED INCREASER 9" TO 20"	806.70	828.17	963.88	1086.87	30	523.86	12
9FCSTI22	TAPERED INCREASER 9" TO 22"	859.75	882.60	1027.24	1158.33	32	555.28	12
TERMINATIONS								
9FCSC	CAP	411.68	422.63	491.89	554.67	7	290.79	4
9FCSCB	CAP WITH BIRD SCREEN	419.20	430.35	500.89	564.80	9	290.79	7
9FCSCR	CLOSURE RING	154.54	154.54	154.54	154.54			
9FCSEC	EXIT CONE	426.93	426.93	426.93	426.93			
9FCSMCF	MITER CUT FEMALE TERMINATION	176.61	205.56	213.97	231.80	5	150.94	3
9FCSMCM	MITER CUT MALE TERMINATION	176.61	205.56	213.97	231.80	6	150.94	4
ROOF/WALL PENETRATIONS/ACCESSORIES								
9FCSF	FLASHING	189.85	191.52	220.96	249.17	11	162.23	11
9FCSFPP1	FIXED PITCH FLASHING 1-12 PITCH	373.65	419.50	434.90	490.37	8	319.29	8
9FCSFPP2	FIXED PITCH FLASHING 2-12 PITCH	373.65	419.50	434.90	490.37	8	319.29	8
9FCSFPP3	FIXED PITCH FLASHING 3-12 PITCH	373.65	419.50	434.90	490.37	8	319.29	8
9FCSFPP4	FIXED PITCH FLASHING 4-12 PITCH	373.65	419.50	434.90	490.37	9	319.29	9
9FCSFPP5	FIXED PITCH FLASHING 5-12 PITCH	373.65	419.50	434.90	490.37	9	319.29	9
9FCSFPP6	FIXED PITCH FLASHING 6-12 PITCH	373.65	419.50	434.90	490.37	9	319.29	9
9FCSFPP7	FIXED PITCH FLASHING 7-12 PITCH	373.65	419.50	434.90	490.37	10	319.29	10
9FCSFPP8	FIXED PITCH FLASHING 8-12 PITCH	373.65	419.50	434.90	490.37	10	319.29	10
9FCSFPP9	FIXED PITCH FLASHING 9-12 PITCH	373.65	419.50	434.90	490.37	10	319.29	10
9FCSFPP10	FIXED PITCH FLASHING 10-12 PITCH	373.65	419.50	434.90	490.37	11	319.29	11
9FCSFPP11	FIXED PITCH FLASHING 11-12 PITCH	373.65	419.50	434.90	490.37	11	319.29	6
9FCSFPP12	FIXED PITCH FLASHING 12-12 PITCH	373.65	419.50	434.90	490.37	11	319.29	11
9FCSFS	FIRE STOP	103.67	106.43	123.87	139.67	4	101.81	3
9FCSSC	STORM COLLAR	115.35	118.43	137.84	155.42	4	101.19	4
9FCSWPK	WALL PENETRATION KIT	410.61	432.35	477.90	538.87	21	350.86	19
SUPPORTS/GUIDES								
9FCSGR	GUY RING	73.06	75.30	87.62	98.79	1	62.13	1
9FCSHAR	HALF ANGLE RING	18.85					11.94	
9FCSPS	PLATE SUPPORT	214.74	227.21	264.46	298.20	10	52.99	7

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

9FCSSA	STACK SUPPORT ASSEMBLY	446.72	440.25	453.46	473.59	12	256.13	7
9FCSWB	WALL BAND	93.75	96.55	112.37	126.70	1	92.59	1
9FCSWS	WALL SUPPORT	207.04	212.57	247.40	278.97	10	171.42	10
APPLIANCE CONNECTORS								
9FCS3RC	REDUCING CONNECTOR 9" TO 3"	206.64	212.14	246.92	278.42	4	167.84	2
9FCS4RC	REDUCING CONNECTOR 9" TO 4"	206.64	212.14	246.92	278.42	4	167.84	2
9FCS5RC	REDUCING CONNECTOR 9" TO 5"	206.64	212.14	246.92	278.42	4	167.84	2
9FCS6RC	REDUCING CONNECTOR 9" TO 6"	206.64	212.14	246.92	278.42	4	167.84	2
9FCS7RC	REDUCING CONNECTOR 9" TO 7"	206.64	212.14	246.92	278.42	5	167.84	2
9FCS8RC	REDUCING CONNECTOR 9" TO 8"	206.64	212.14	246.92	278.42	4	167.84	2
9FCSLCA	LOCHINVAR CREST ADAPTER	195.47	195.47	195.47	195.47	1		
9FCS5BA	SINGLE WALL BOILER ADAPTER	193.77	198.92	231.55	261.07	4	159.09	2
9FCS5BAI	BOILER ADAPTER INNER COLLAR	206.85	212.34	247.13	278.69	4	170.82	2
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
		FCS	FCS	FCS	FCS	FCS	FCS	FCS
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	FCS5W
10" DIAMETER		CA1	C31	C41	C61	WT		WT
PIPE LENGTHS								
10FCS9	9" STRAIGHT LENGTH	267.35	274.44	319.43	360.19	7	126.20	2
10FCS12	12" STRAIGHT LENGTH	296.98	304.85	354.83	400.09	8	140.47	3
10FCS18	18" STRAIGHT LENGTH	311.50	319.77	372.18	419.66	11	169.70	3
10FCS24	24" STRAIGHT LENGTH	421.81	433.02	503.98	568.30	14	252.17	4
10FCS36	36" STRAIGHT LENGTH	488.63	476.51	554.63	625.39	19	255.19	6
VARIABLE LENGTHS								
10FCSVL22	VARIABLE LENGTH	451.09	463.08	538.98	607.76	15	255.30	5
FITTINGS								
10FCS15L	15 DEGREE ELBOW	319.88	329.13	420.18	494.72	8	148.11	3
10FCS30L	30 DEGREE ELBOW	361.46	375.96	457.56	541.81	10	161.64	3
10FCS45L	45 DEGREE ELBOW	368.57	378.36	440.36	496.56	11	180.34	4
10FCS45T	45 DEGREE TEE	2367.49	2414.83	2487.27	2561.88	37	1109.39	17
10FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1785.41	1821.12	1875.76	1932.03	25	883.96	11
10FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	1910.23	1948.44	2006.91	2067.11	27	874.65	12
10FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	1981.96	2021.60	2082.24	2144.72	30	971.92	14
10FCS45T9	45 DEGREE TEE WITH 9" REDUCED TAP	2169.34	2213.39	2279.09	2347.46	33	1015.83	15
10FCS90L	90 DEGREE ELBOW	484.65	497.52	579.06	652.95	16	249.72	5
10FCSBT	BOOT TEE	696.50	745.93	822.26	898.28	21	397.99	7
10FCSBT6	BOOT TEE WITH 6" REDUCED TAP	576.07	606.72	654.44	702.10	15	319.53	5
10FCSBT7	BOOT TEE WITH 7" REDUCED TAP	612.59	650.02	708.10	765.96	16	343.21	5
10FCSBT8	BOOT TEE WITH 8" REDUCED TAP	631.18	673.50	739.03	804.29	18	352.97	6
10FCSBT9	BOOT TEE WITH 9" REDUCED TAP	682.48	728.19	798.91	869.35	19	390.35	6
10FCSBD	BOOT TEE W/DRAIN	833.16	865.54	915.88	966.18	22	495.10	7
10FCSBD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	718.81	756.38	814.58	872.67	16	415.30	6
10FCSBD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	749.87	789.24	850.28	911.19	17	438.99	6
10FCSBD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	766.74	809.82	876.46	934.88	19	448.69	6
10FCSBD9	BOOT TEE W/DRAIN AND 9" REDUCED TAP	816.80	845.45	890.20	942.96	20	486.42	7
10FCSCEC	CASING END CLOSURE	83.38	85.60	99.62	112.33	3		
10FCSDF	FEMALE TO FEMALE ADAPTER	283.63	292.34	319.59	330.16	6	87.47	2
10FCSDMA	MALE TO MALE ADAPTER	331.08	339.96	367.75	378.54	7	114.32	2
10FCSDS	DRAIN SECTION	457.37	469.53	546.48	616.21	9	172.04	4
10FCSSEI12	ECCENTRIC INCREASER 10" TO 12"	448.06	459.97	535.37	603.66	14	281.39	5
10FCSSEI14	ECCENTRIC INCREASER 10" TO 14"	557.63	572.44	666.25	751.29	21	369.81	8
10FCSSEI16	ECCENTRIC INCREASER 10" TO 16"	706.47	725.24	844.11	951.78	28	468.29	11
10FCSSEI18	ECCENTRIC INCREASER 10" TO 18"	889.97	913.61	1063.36	1199.01	31	619.07	12
10FCSSEI20	ECCENTRIC INCREASER 10" TO 20"	993.87	1020.26	1187.48	1338.99	41	698.60	16
10FCSSEI22	ECCENTRIC INCREASER 10" TO 22"	1048.05	1075.89	1252.25	1412.01	45	733.79	18
10FCSER6	ECCENTRIC REDUCER	410.11	421.00	490.00	552.50	11	230.56	3
10FCSER7	ECCENTRIC REDUCER	378.14	388.17	451.79	509.45	11	267.70	4
10FCSER8	ECCENTRIC REDUCER	389.94	400.31	465.94	525.37	12	245.35	4
10FCSER9	ECCENTRIC REDUCER	372.47	382.38	445.02	501.80	11	226.39	4
10FCSR6	TAPERED REDUCER	439.60	451.27	525.23	592.23	11	232.59	3
10FCSR7	TAPERED REDUCER	405.46	416.23	484.43	546.26	11	240.26	3
10FCSR8	TAPERED REDUCER	389.73	400.07	465.65	525.07	11	220.06	3
10FCSR9	TAPERED REDUCER	402.73	413.44	481.22	542.61	11	353.27	3
10FCST	90 DEG MANIFOLD TEE	779.47	800.17	931.32	1050.14	17	254.88	6
10FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	653.36	670.73	780.65	880.27	13	214.18	4
10FCST7	TEE WITH REDUCED TAP	671.27	689.07	802.04	904.35	14	219.91	5
10FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	689.13	707.44	823.39	928.45	14	225.65	5
10FCST9	TEE WITH REDUCED TAP	734.31	753.81	877.37	989.31	15	240.26	5
10FCSTC	TEE CAP	280.63	288.08	335.29	378.09	5	122.57	2
10FCSTCN	TEE CAP LESS DRAIN	276.42	283.75	330.26	372.39	4	108.57	2
10FCSTI12	TAPERED INCREASER 10" TO 12"	492.94	506.04	588.98	664.13	13	284.52	4
10FCSTI14	TAPERED INCREASER 10" TO 14"	609.12	625.29	727.79	820.65	19	377.95	7
10FCSTI16	TAPERED INCREASER 10" TO 16"	641.89	658.94	766.92	864.78	22	398.37	8
10FCSTI18	TAPERED INCREASER 10" TO 18"	785.40	806.24	938.43	1058.14	29	508.08	11
10FCSTI20	TAPERED INCREASER 10" TO 20"	833.79	855.95	996.24	1123.35	31	538.20	12
10FCSTI22	TAPERED INCREASER 10" TO 22"	891.27	914.95	1064.93	1200.77	33	559.97	13
TERMINATIONS								
10FCSC	CAP	489.57	502.59	584.98	659.60	7	308.97	4
10FCSCB	CAP WITH BIRD SCREEN	440.09	451.77	525.81	592.90	9	308.97	7
10FCSCR	CLOSURE RING	160.97	160.97	160.97	160.97			
10FCSEC	EXIT CONE	463.37	463.37	463.37	463.37			
10FCSMCF	MITER CUT FEMALE TERMINATION	195.02	226.99	231.55	255.95	6	166.64	4
10FCSMCM	MITER CUT MALE TERMINATION	195.02	226.99	231.55	255.95	6	166.64	4
ROOF/WALL PENETRATIONS/ACCESSORIES								
10FCSPF	FLASHING	199.24	202.68	235.91	266.01	12	173.21	12
10FCSPFP1	FIXED PITCH FLASHING 1-12 PITCH	378.14	423.37	440.12	496.25	8	323.12	8
10FCSPFP2	FIXED PITCH FLASHING 2-12 PITCH	378.14	423.37	440.12	496.25	9	323.12	9
10FCSPFP3	FIXED PITCH FLASHING 3-12 PITCH	378.14	423.37	440.12	496.25	9	323.12	9
10FCSPFP4	FIXED PITCH FLASHING 4-12 PITCH	378.14	423.37	440.12	496.25	9	323.12	9

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

10FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	378.14	423.37	440.12	496.25	10	323.12	10
10FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	378.14	423.37	440.12	496.25	10	323.12	10
10FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	378.14	423.37	440.12	496.25	11	323.12	11
10FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	378.14	423.37	440.12	496.25	11	323.12	11
10FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	378.14	423.37	440.12	496.25	11	323.12	11
10FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	378.14	423.37	440.12	496.25	12	323.12	12
10FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	378.14	423.37	440.12	496.25	12	323.12	12
10FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	378.14	423.37	440.12	496.25	13	323.12	13
10FCSFS	FIRE STOP	107.12	109.98	128.00	144.34	4	104.98	3
10FCSSC	STORM COLLAR	129.48	132.92	154.71	174.45	6	113.58	5
10FCSWPK	WALL PENETRATION KIT	424.53	465.73	494.12	557.17	22	362.76	21
SUPPORTS/GUIDES								
10FCSGR	GUY RING	73.40	75.34	87.69	98.88	1	62.32	1
10FCSHAR	HALF ANGLE RING	20.36					12.13	
10FCSPS	PLATE SUPPORT	221.34	227.91	265.28	299.12	10	62.12	8
10FCSSSA	STACK SUPPORT ASSEMBLY	478.62	471.69	485.86	507.41	13	278.83	8
10FCSWB	WALL BAND	94.62	97.13	113.05	127.48	2	92.90	1
10FCSSWS	WALL SUPPORT	211.63	217.23	252.86	285.11	12	177.32	11
APPLIANCE CONNECTORS								
10FCS4RC	REDUCING CONNECTOR 10" TO 4"	222.55	228.44	265.88	299.81	5	181.99	2
10FCS5RC	REDUCING CONNECTOR 10" TO 5"	222.55	228.44	265.88	299.81	5	181.99	2
10FCS6RC	REDUCING CONNECTOR 10" TO 6"	222.55	228.44	265.88	299.81	5	181.99	2
10FCS7RC	REDUCING CONNECTOR 10" TO 7"	222.55	228.44	265.88	299.81	5	181.99	3
10FCS8RC	REDUCING CONNECTOR 10" TO 8"	222.55	228.44	265.88	299.81	5	181.99	2
10FCS9RC	REDUCING CONNECTOR 10" TO 9"	222.55	228.44	265.88	299.81	5	181.99	2
10FCSFFC	FEMALE ADAPTER	268.83	275.97	321.21	362.18	7	159.35	3
10FCSLCA	LOCHINVAR CREST ADAPTER	241.83						
10FCSMFC	MALE ADAPTER	295.20	303.03	352.68	397.72	6	158.67	3
10FCSPKA	APPLIANCE ADAPTER	308.16	308.16	308.16	308.16	2		
10FCSPKA2	APPLIANCE ADAPTER	308.16	308.16	308.16	308.16	2		
10FCSSBA	SINGLE WALL BOILER ADAPTER	210.27	215.85	251.23	283.30	5	165.99	2
10FCSSBAI	BOILER ADAPTER INNER COLLAR	217.15	222.94	259.46	292.60	5	176.07	2
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
12" DIAMETER								
PIPE LENGTHS								
12FCS9	9" STRAIGHT LENGTH	281.04	288.51	335.81	378.64	8	136.08	3
12FCS12	12" STRAIGHT LENGTH	317.55	326.00	379.44	427.84	9	153.06	3
12FCS18	18" STRAIGHT LENGTH	374.56	384.51	447.54	504.63	13	187.68	4
12FCS24	24" STRAIGHT LENGTH	522.76	536.66	624.59	704.30	16	286.26	5
12FCS36	36" STRAIGHT LENGTH	583.45	598.96	697.14	786.07	23	289.30	7
VARIABLE LENGTHS								
12FCSVL22	VARIABLE LENGTH	516.40	530.12	617.02	695.75	17	288.46	6
FITTINGS								
12FCS15L	15 DEGREE ELBOW	365.21	370.27	489.52	569.96	10	170.94	3
12FCS30L	30 DEGREE ELBOW	381.09	389.88	521.46	611.37	12	179.54	4
12FCS45L	45 DEGREE ELBOW	422.69	433.91	505.04	569.47	13	207.97	5
12FCS45T	45 DEGREE TEE	2502.41	2574.05	2708.32	2841.86	48	1368.97	22
12FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	1959.51	1997.10	2067.20	2137.07	28	955.32	13
12FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	2246.74	2291.66	2360.41	2431.23	31	1143.44	14
12FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	2333.48	2380.14	2393.13	2464.93	33	1184.26	15
12FCS45T9	45 DEGREE TEE WITH 9" REDUCED TAP	2342.31	2389.15	2416.10	2488.58	36	1208.10	17
12FCS45T10	45 DEGREE TEE WITH 10" REDUCED TAP	2416.10	2464.42	2488.70	2583.66	40	1262.99	18
12FCS90L	90 DEGREE ELBOW	598.17	614.06	714.68	805.90	20	315.24	7
12FCSBT	BOOT TEE	917.48	957.81	1025.47	1119.33	27	598.53	9
12FCSBT6	BOOT TEE WITH 6" REDUCED TAP	660.10	697.25	750.37	803.26	18	371.99	6
12FCSBT7	BOOT TEE WITH 7" REDUCED TAP	663.42	698.23	757.89	817.27	19	376.29	6
12FCSBT8	BOOT TEE WITH 8" REDUCED TAP	695.04	740.55	811.40	881.99	20	395.61	7
12FCSBT9	BOOT TEE WITH 9" REDUCED TAP	733.92	782.13	857.12	931.70	21	425.80	7
12FCSBT10	BOOT TEE WITH 10" REDUCED TAP	870.31	931.22	1020.72	1083.36	23	529.73	8
12FCSBTD	BOOT TEE W/DRAIN	1088.19	1102.20	1204.96	1307.21	28	908.51	10
12FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	841.38	893.24	904.76	967.97	19	702.44	7
12FCSBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	869.47	913.35	937.58	986.04	20	724.35	7
12FCSBTD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	881.64	922.02	938.54	1005.39	21	734.17	7
12FCSBTD9	BOOT TEE W/DRAIN AND 9" REDUCED TAP	890.88	935.36	951.17	1020.37	22	754.99	8
12FCSBTD10	BOOT TEE W/DRAIN AND 10" REDUCED TAP	929.76	969.62	979.62	1029.21	24	787.78	8
12FCSCEC	CASING END CLOSURE	93.91	96.41	112.21	126.55	3		
12FCSDFA	FEMALE TO FEMALE ADAPTER	314.81	324.49	354.73	366.49	7	96.89	2
12FCSDMA	MALE TO MALE ADAPTER	370.81	380.77	411.88	423.96	8	127.75	3
12FCSDS	DRAIN SECTION	493.96	507.08	590.19	665.51	11	184.72	5
12FCSEI14	ECCENTRIC INCREASER 12" TO 14"	576.00	591.30	688.21	776.03	20	393.83	8
12FCSEI16	ECCENTRIC INCREASER 12" TO 16"	684.22	702.41	817.53	921.85	24	472.76	9
12FCSEI18	ECCENTRIC INCREASER 12" TO 18"	785.58	806.45	938.64	1058.40	32	523.99	13
12FCSEI20	ECCENTRIC INCREASER 12" TO 20"	984.97	1011.14	1176.85	1327.02	36	689.62	14
12FCSEI22	ECCENTRIC INCREASER 12" TO 22"	1089.48	1118.43	1301.73	1467.81	47	764.67	19
12FCSEI24	ECCENTRIC INCREASER 12" TO 24"	1143.96	1174.37	1366.83	1541.23	51	798.57	20
12FCSER6	ECCENTRIC REDUCER	525.72	539.71	628.15	708.31	15	291.03	5
12FCSER7	ECCENTRIC REDUCER	482.56	495.37	576.57	650.12	16	310.52	5
12FCSER8	ECCENTRIC REDUCER	419.15	430.29	500.81	564.71	13	261.98	4
12FCSER9	ECCENTRIC REDUCER	433.27	444.78	517.68	583.74	14	271.82	5
12FCSER10	ECCENTRIC REDUCER	448.06	459.97	535.37	603.66	14	281.39	4
12FCSR6	TAPERED REDUCER	482.04	494.85	575.95	649.44	12	250.47	4
12FCSR7	TAPERED REDUCER	442.79	454.56	529.05	596.54	12	268.29	4
12FCSR8	TAPERED REDUCER	463.32	475.63	553.60	624.23	14	268.82	4
12FCSR9	TAPERED REDUCER	464.13	476.46	554.57	625.32	13	277.68	4
12FCSR10	TAPERED REDUCER	492.94	506.04	588.98	664.13	13	284.52	4
12FCST	90 DEG MANIFOLD TEE	863.61	886.55	1031.87	1163.53	21	302.24	7
12FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	616.27	632.64	736.33	830.28	15	246.30	5

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

12FCST7	TEE WITH REDUCED TAP	669.21	686.99	799.59	901.61	16	250.83	6
12FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	722.15	741.35	862.86	972.93	16	255.35	6
12FCST9	TEE WITH REDUCED TAP	747.79	767.64	893.47	1007.43	17	261.21	6
12FCST10	90 DEG MANIFOLD TEE WITH 10" REDUCED TAP	773.39	793.94	924.06	1041.96	18	267.05	6
12FCSTC	TEE CAP	315.13	323.51	376.52	424.56	6	142.52	2
12FCSTCN	TEE CAP LESS DRAIN	312.89	321.22	373.84	421.56	6	128.18	2
12FCSTI14	TAPERED INCREASER 12" TO 14"	635.25	652.12	759.00	855.84	19	396.43	7
12FCSTI16	TAPERED INCREASER 12" TO 16"	672.87	690.75	803.96	906.55	23	423.62	9
12FCSTI18	TAPERED INCREASER 12" TO 18"	803.65	825.00	960.21	1082.71	26	508.57	10
12FCSTI20	TAPERED INCREASER 12" TO 20"	870.06	893.18	1039.55	1172.22	33	566.25	13
12FCSTI22	TAPERED INCREASER 12" TO 22"	1098.45	1127.61	1312.44	1479.89	36	739.08	14
12FCSTI24	TAPERED INCREASER 12" TO 24"	1139.05	1169.31	1360.95	1534.60	38	761.69	15
TERMINATIONS								
12FCSC	CAP	567.48	582.55	678.03	764.56	9	419.39	6
12FCSCB	CAP WITH BIRD SCREEN	602.16	618.16	719.46	811.27	12	419.39	9
12FCSCR	CLOSURE RING	169.31	169.31	169.31	169.31	4		
12FCSEC	EXIT CONE	500.99	500.99	500.99	500.99			
12FCSMCF	MITER CUT FEMALE TERMINATION	270.71	315.07	307.38	355.27	8	231.32	5
12FCSMCM	MITER CUT MALE TERMINATION	270.71	315.07	307.38	355.27	8	231.32	5
ROOF/WALL PENETRATIONS/ACCESSORIES								
12FCSF	FLASHING	214.67	219.17	255.09	287.63	14	187.28	14
12FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	392.96	436.15	457.38	515.76	10	335.80	10
12FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	392.96	436.15	457.38	515.76	10	335.80	10
12FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	392.96	436.15	457.38	515.76	11	335.80	11
12FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	392.96	436.15	457.38	515.76	11	335.80	11
12FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	392.96	436.15	457.38	515.76	12	335.80	12
12FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	392.96	436.15	457.38	515.76	12	335.80	12
12FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	392.96	436.15	457.38	515.76	13	335.80	13
12FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	392.96	436.15	457.38	515.76	13	335.80	13
12FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	392.96	436.15	457.38	515.76	14	335.80	14
12FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	392.96	436.15	457.38	515.76	14	335.80	14
12FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	392.96	436.15	457.38	515.76	15	335.80	15
12FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	392.96	436.15	457.38	515.76	16	335.80	16
12FCFSFS	FIRE STOP	113.56	116.57	135.67	153.00	5	109.99	4
12FCSSC	STORM COLLAR	145.85	149.73	174.28	196.53	7	127.94	6
12FCSWPK	WALL PENETRATION KIT	444.78	511.77	517.68	583.74	26	380.06	24
SUPPORTS/GUIDES								
12FCSGR	GUY RING	73.63	75.59	87.97	99.19	1	62.70	1
12FCSHAR	HALF ANGLE RING	21.99				1	15.47	
12FCSPS	PLATE SUPPORT	222.69	228.61	266.08	300.04	12	83.50	10
12FCSSSA	STACK SUPPORT ASSEMBLY	510.51	503.12	518.21	541.21	16	330.63	10
12FCSWB	WALL BAND	97.16	99.73	116.09	130.88	2	93.61	2
12FCSWWS	WALL SUPPORT	252.41	259.11	301.58	340.05	15	198.85	14
APPLIANCE CONNECTORS								
12FCS6RC	REDUCING CONNECTOR 12" TO 6"	266.11	273.19	317.95	358.51	6	208.02	3
12FCS7RC	REDUCING CONNECTOR 12" TO 7"	266.11	273.19	317.95	358.51	6	208.02	3
12FCS8RC	REDUCING CONNECTOR 12" TO 8"	266.11	273.19	317.95	358.51	6	208.02	3
12FCS9RC	REDUCING CONNECTOR 12" TO 9"	266.11	273.19	317.95	358.51	6	208.02	3
12FCS10RC	REDUCING CONNECTOR 12" TO 10"	266.11	273.19	317.95	358.51	6	208.02	3
12FCS11RC	REDUCING CONNECTOR 12" TO 11"	266.11	273.19	317.95	358.51	6	208.02	3
12FCSFFC	FEMALE ADAPTER	278.28	285.66	332.48	374.90	9	176.68	3
12FCSLCA	LOCHINVAR CREST ADAPTER	236.63	236.63	236.63	236.63	2		
12FCSMFC	MALE ADAPTER	315.84	324.26	377.37	425.57	7	176.21	3
12FCSSBA	SINGLE WALL BOILER ADAPTER	234.57	240.80	280.28	316.02	6	180.76	2
12FCSSBAI	BOILER ADAPTER INNER COLLAR	241.49	247.89	288.52	325.34	6	191.69	2
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
14" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	WT	AL294C	WT
		CA1	C31	C41	C61			
PIPE LENGTHS								
14FCS9	9" STRAIGHT LENGTH	357.97	367.48	427.69	482.23	11	176.17	4
14FCS12	12" STRAIGHT LENGTH	368.25	378.03	439.98	496.15	13	205.96	5
14FCS18	18" STRAIGHT LENGTH	502.03	515.37	599.83	676.35	18	266.28	7
14FCS24	24" STRAIGHT LENGTH	721.84	741.02	862.46	972.51	23	442.00	9
14FCS36	36" STRAIGHT LENGTH	786.17	807.04	939.34	1059.19	33	445.19	13
VARIABLE LENGTHS								
14FCSVL22	VARIABLE LENGTH	700.40	719.00	836.85	943.61	25	435.37	11
FITTINGS								
14FCS15L	15 DEGREE ELBOW	480.36	505.79	618.63	748.24	14	250.15	6
14FCS30L	30 DEGREE ELBOW	486.33	515.98	639.45	779.40	17	250.15	7
14FCS45L	45 DEGREE ELBOW	562.94	577.90	672.62	758.45	21	301.41	8
14FCS45T	45 DEGREE TEE	3100.47	3201.37	3388.99	3576.27	60	1768.03	28
14FCS45T6	45 DEGREE TEE WITH 6" REDUCED TAP	2168.21	2213.39	2296.11	2379.04	31	1050.03	14
14FCS45T7	45 DEGREE TEE WITH 7" REDUCED TAP	2277.00	2325.45	2414.34	2503.35	34	1056.00	16
14FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	2494.88	2556.59	2633.28	2784.18	37	1309.09	17
14FCS45T9	45 DEGREE TEE WITH 9" REDUCED TAP	2524.45	2586.15	2601.65	2837.29	40	1332.94	19
14FCS45T10	45 DEGREE TEE WITH 10" REDUCED TAP	2554.04	2615.70	2729.50	2843.38	44	1356.51	20
14FCS45T12	45 DEGREE TEE WITH 12" REDUCED TAP	2730.13	2800.08	2929.41	3058.68	51	1493.80	24
14FCS90L	90 DEGREE ELBOW	835.39	857.56	998.12	1125.47	32	476.53	13
14FCSBT	BOOT TEE	1358.46	1416.82	1524.42	1632.05	43	911.53	17
14FCSBT6	BOOT TEE WITH 6" REDUCED TAP	889.37	921.75	979.35	1037.28	25	538.93	10
14FCSBT7	BOOT TEE WITH 7" REDUCED TAP	929.49	967.69	1036.19	1104.95	26	564.08	11
14FCSBT8	BOOT TEE WITH 8" REDUCED TAP	933.99	975.14	1048.90	1122.86	28	574.13	11
14FCSBT9	BOOT TEE WITH 9" REDUCED TAP	944.61	984.33	1055.43	1126.93	29	575.77	11
14FCSBT10	BOOT TEE WITH 10" REDUCED TAP	988.46	1031.76	1109.51	1187.48	31	619.80	12
14FCSBT12	BOOT TEE WITH 12" REDUCED TAP	1197.22	1250.80	1347.69	1444.72	36	784.69	14
14FCSBTD	BOOT TEE W/DRAIN	1543.59	1610.03	1732.80	1855.60	45	1030.38	19
14FCSBTD6	BOOT TEE W/DRAIN AND 6" REDUCED TAP	1038.24	1077.55	1148.32	1219.39	27	643.20	12
14FCSBTD7	BOOT TEE W/DRAIN AND 7" REDUCED TAP	1071.76	1113.03	1187.40	1262.02	29	668.14	12

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

14FCSBTD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	1088.13	1131.53	1209.79	1288.3	30	678.2	12
14FCSBTD9	BOOT TEE W/DRAIN AND 9" REDUCED TAP	1118.64	1167.81	1256.73	1345.83	32	694.26	13
14FCSBTD10	BOOT TEE W/DRAIN AND 10" REDUCED TAP	1175.06	1225.68	1318.61	1411.71	34	738.53	13
14FCSBTD12	BOOT TEE W/DRAIN AND 12" REDUCED TAP	1434.43	1491.75	1595.75	1699.88	38	955.40	15
14FCSCEC	CASING END CLOSURE	105.53	108.32	126.07	142.18	4		
14FCSDFE	FEMALE TO FEMALE ADAPTER	353.12	375.34	398.64	413.02	10	140.18	4
14FCSDMA	MALE TO MALE ADAPTER	389.11	411.40	434.70	449.06	11	174.99	4
14FCSDS	DRAIN SECTION	533.48	547.65	637.40	718.76	16	211.97	8
14FCSEI16	ECCENTRIC INCREASER 14" TO 16"	666.42	684.14	796.27	897.88	24	403.42	9
14FCSEI18	ECCENTRIC INCREASER 14" TO 18"	785.88	806.78	939.02	1058.79	29	477.68	12
14FCSEI20	ECCENTRIC INCREASER 14" TO 20"	1062.03	1090.27	1268.93	1430.84	38	656.63	15
14FCSEI22	ECCENTRIC INCREASER 14" TO 22"	1089.96	1118.91	1302.29	1468.46	42	676.79	17
14FCSEI24	ECCENTRIC INCREASER 14" TO 24"	1221.93	1254.38	1459.97	1646.26	53	752.31	22
14FCSEI6	ECCENTRIC REDUCER	659.28	676.79	787.71	888.24	21	393.56	8
14FCSEI7	ECCENTRIC REDUCER	611.82	628.07	731.02	824.28	22	404.83	9
14FCSEI8	ECCENTRIC REDUCER	628.95	645.67	751.47	847.37	23	415.80	9
14FCSEI9	ECCENTRIC REDUCER	644.41	661.53	769.94	868.19	23	428.04	9
14FCSEI10	ECCENTRIC REDUCER	557.63	572.44	666.25	751.29	20	369.81	8
14FCSEI12	ECCENTRIC REDUCER	576.00	591.30	688.21	776.03	20	393.83	7
14FCSEI6	TAPERED REDUCER	680.72	698.82	813.35	917.11	20	399.78	8
14FCSEI7	TAPERED REDUCER	633.68	650.53	757.13	853.73	21	413.91	8
14FCSEI8	TAPERED REDUCER	590.84	606.54	705.96	796.03	18	354.53	7
14FCSEI9	TAPERED REDUCER	589.72	605.39	704.62	794.51	19	367.50	7
14FCSEI10	TAPERED REDUCER	609.12	625.29	727.79	820.65	19	377.95	7
14FCSEI12	TAPERED REDUCER	635.25	652.12	759.00	855.84	19	396.43	7
14FCST	90 DEG MANIFOLD TEE	957.39	982.83	1143.90	1289.86	34	557.91	13
14FCST6	90 DEG MANIFOLD TEE WITH 6" REDUCED TAP	656.11	673.55	783.95	883.96	21	345.41	9
14FCST7	TEE WITH REDUCED TAP	663.30	680.93	792.51	893.63	22	351.55	9
14FCST8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	670.47	688.26	801.09	903.28	23	357.66	10
14FCST9	TEE WITH REDUCED TAP	683.64	701.81	816.83	921.04	24	365.00	10
14FCST10	90 DEG MANIFOLD TEE WITH 10" REDUCED TAP	696.80	715.33	832.57	938.78	25	372.32	10
14FCST12	90 DEG MANIFOLD TEE WITH 12" REDUCED TAP	739.08	758.72	883.09	995.76	28	396.62	11
14FCSTC	TEE CAP	325.62	334.25	389.04	438.66	9	184.84	4
14FCSTCN	TEE CAP LESS DRAIN	353.56	362.96	422.50	476.37	9	170.27	4
14FCSTI16	TAPERED INCREASER 14" TO 16"	726.92	746.22	868.53	979.35	23	405.99	9
14FCSTI18	TAPERED INCREASER 14" TO 18"	768.24	788.66	917.92	1035.04	28	429.70	11
14FCSTI20	TAPERED INCREASER 14" TO 20"	887.48	911.07	1060.38	1195.70	31	511.50	12
14FCSTI22	TAPERED INCREASER 14" TO 22"	996.09	1022.55	1190.16	1341.99	39	558.43	15
14FCSTI24	TAPERED INCREASER 14" TO 24"	1224.86	1257.41	1463.50	1650.23	42	728.29	17
TERMINATIONS								
14FCSC	CAP	727.81	747.13	869.58	980.53	12	516.34	8
14FCSCB	CAP WITH BIRD SCREEN	766.34	786.71	915.64	1032.47	16	516.34	12
14FCSCR	CLOSURE RING	191.55	191.55	191.55	191.55	5		
14FCSEC	EXIT CONE	649.55	649.55	649.55	649.55			
14FCSMCF	MITER CUT FEMALE TERMINATION	376.73	438.48	439.53	494.42	13	321.92	9
14FCSMCM	MITER CUT MALE TERMINATION	376.73	438.48	439.53	494.42	13	321.92	9
ROOF/WALL PENETRATIONS/ACCESSORIES								
14FCSF	FLASHING	228.17	233.90	272.23	306.97	16	199.87	16
14FCSPF1	FIXED PITCH FLASHING 1-12 PITCH	417.60	457.32	486.03	548.04	11	356.83	11
14FCSPF2	FIXED PITCH FLASHING 2-12 PITCH	417.60	457.32	486.03	548.04	12	356.83	12
14FCSPF3	FIXED PITCH FLASHING 3-12 PITCH	417.60	457.32	486.03	548.04	12	356.83	12
14FCSPF4	FIXED PITCH FLASHING 4-12 PITCH	417.60	457.32	486.03	548.04	13	356.83	13
14FCSPF5	FIXED PITCH FLASHING 5-12 PITCH	417.60	457.32	486.03	548.04	14	356.83	14
14FCSPF6	FIXED PITCH FLASHING 6-12 PITCH	417.60	457.32	486.03	548.04	14	356.83	14
14FCSPF7	FIXED PITCH FLASHING 7-12 PITCH	417.60	457.32	486.03	548.04	15	356.83	15
14FCSPF8	FIXED PITCH FLASHING 8-12 PITCH	417.60	457.32	486.03	548.04	16	356.83	16
14FCSPF9	FIXED PITCH FLASHING 9-12 PITCH	417.60	457.32	486.03	548.04	16	356.83	16
14FCSPF10	FIXED PITCH FLASHING 10-12 PITCH	417.60	457.32	486.03	548.04	17	356.83	17
14FCSPF11	FIXED PITCH FLASHING 11-12 PITCH	417.60	457.32	486.03	548.04	18	356.83	18
14FCSPF12	FIXED PITCH FLASHING 12-12 PITCH	417.60	457.32	486.03	548.04	18	356.83	18
14FCSF5	FIRE STOP	126.15	129.49	150.72	169.95	6	115.72	5
14FCSSC	STORM COLLAR	163.73	168.08	195.63	220.58	8	143.62	7
14FCSWPK	WALL PENETRATION KIT	566.45	566.45	665.55	743.42	34	484.03	32
SUPPORTS/GUIDES								
14FCSGR	GUY RING	73.84	75.79	88.21	99.49	1	63.06	1
14FCSHAR	HALF ANGLE RING	39.47				1	16.20	1
14FCSPS	PLATE SUPPORT	232.41	238.57	277.68	313.11	24	104.49	21
14FCSSA	STACK SUPPORT ASSEMBLY	605.08	596.32	614.21	641.49	21	404.49	14
14FCSWB	WALL BAND	114.28	117.31	136.54	153.97	2		
14FCSW5	WALL SUPPORT	332.37	341.19	397.12	447.78	23	264.54	23
APPLIANCE CONNECTORS								
14FCS8RC	REDUCING CONNECTOR 14" TO 8"	406.62	417.45	485.86	547.84	9	322.54	5
14FCS9RC	REDUCING CONNECTOR 14" TO 9"	406.62	417.45	485.86	547.84	9	322.54	5
14FCS10RC	REDUCING CONNECTOR 14" TO 10"	406.62	417.45	485.86	547.84	10	322.54	6
14FCS11RC	REDUCING CONNECTOR 14" TO 11"	406.62	417.45	485.86	547.84	10	322.54	6
14FCS12RC	REDUCING CONNECTOR 14" TO 12"	406.62	417.45	485.86	547.84	10	322.54	6
14FCS13RC	REDUCING CONNECTOR 14" TO 13"	406.62	417.45	485.86	547.84	9	322.54	5
14FCSBA	BOILER ADAPTER	288.74	288.74	288.74	288.74	5		
14FCSEFC	FEMALE ADAPTER	370.67	380.51	442.88	499.37	12	241.46	5
14FCSLCA	LOCHINVAR CREST ADAPTER	328.85	328.85	328.85	328.85	3		
14FCSEMA	MALE ADAPTER	363.95	373.62	434.84	490.32	10	240.94	5
14FCSSBA	SINGLE WALL BOILER ADAPTER	325.98	334.65	389.49	439.19	8	240.50	3
14FCSSBAI	BOILER ADAPTER INNER COLLAR	335.25	344.18	400.56	451.71	8	253.60	4
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
16" DIAMETER								
PIPE LENGTHS								
16FCS9	9" STRAIGHT LENGTH	376.10	386.07	449.37	506.68	12	191.55	5

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

16FCS12	12" STRAIGHT LENGTH	426.52	437.85	509.62	574.63	14	225.5	6
16FCS18	18" STRAIGHT LENGTH	530.05	544.13	633.34	714.12	20	294.08	8
16FCS24	24" STRAIGHT LENGTH	798.78	820.02	954.41	1076.19	26	495.12	10
16FCS36	36" STRAIGHT LENGTH	869.90	893.04	1039.40	1172.00	38	497.90	14
VARIABLE LENGTHS								
16FCSVL22	VARIABLE LENGTH	782.04	802.83	934.41	1053.60	29	488.17	12
FITTINGS								
16FCS15L	15 DEGREE ELBOW	524.91	555.19	694.54	807.39	17	276.39	7
16FCS30L	30 DEGREE ELBOW	609.34	645.62	810.00	943.44	20	334.57	8
16FCS45L	45 DEGREE ELBOW	623.21	639.75	744.60	839.60	25	334.76	10
16FCS45T	45 DEGREE TEE	3790.38	3892.06	4081.22	4269.99	74	2304.41	35
16FCS45T8	45 DEGREE TEE WITH 8" REDUCED TAP	2713.95	2776.45	2782.54	3007.12	41	1436.02	19
16FCS45T9	45 DEGREE TEE WITH 9" REDUCED TAP	2782.54	2837.64	2891.78	3040.53	44	1459.08	21
16FCS45T10	45 DEGREE TEE WITH 10" REDUCED TAP	2808.12	2870.64	2985.91	3101.31	48	1513.53	22
16FCS45T12	45 DEGREE TEE WITH 12" REDUCED TAP	2947.97	3018.72	3149.56	3280.43	55	1619.68	26
16FCS45T14	45 DEGREE TEE WITH 14" REDUCED TAP	3076.93	3178.63	3367.78	3556.59	63	1682.17	30
16FCS90L	90 DEGREE ELBOW	941.07	966.06	1124.42	1267.88	39	532.65	16
16FCSBT	BOOT TEE	1537.19	1607.61	1737.87	1868.37	52	1028.20	21
16FCSBT8	BOOT TEE WITH 8" REDUCED TAP	1191.20	1232.29	1306.06	1380.09	31	779.12	13
16FCSBT9	BOOT TEE WITH 9" REDUCED TAP	1217.12	1261.11	1404.20	1419.66	33	795.28	13
16FCSBT10	BOOT TEE WITH 10" REDUCED TAP	1273.66	1320.28	1464.33	1488.29	34	839.76	14
16FCSBT12	BOOT TEE WITH 12" REDUCED TAP	1315.99	1368.82	1559.99	1566.25	38	865.38	15
16FCSBT14	BOOT TEE WITH 14" REDUCED TAP	1398.32	1457.43	1675.21	1737.99	45	926.91	18
16FCSBD	BOOT TEE W/DRAIN	1705.20	1783.50	1928.59	2073.61	55	1144.80	23
16FCSBD8	BOOT TEE W/DRAIN AND 8" REDUCED TAP	1345.20	1394.37	1483.52	1572.88	34	888.41	15
16FCSBD9	BOOT TEE W/DRAIN AND 9" REDUCED TAP	1376.92	1432.58	1533.80	1635.11	36	904.45	15
16FCSBD10	BOOT TEE W/DRAIN AND 10" REDUCED TAP	1432.21	1490.09	1595.25	1700.57	38	948.79	16
16FCSBD12	BOOT TEE W/DRAIN AND 12" REDUCED TAP	1469.63	1530.49	1641.05	1751.60	42	974.46	17
16FCSBD14	BOOT TEE W/DRAIN AND 14" REDUCED TAP	1571.86	1642.20	1772.38	1902.50	48	1043.30	20
16FCSCEC	CASING END CLOSURE	114.98	118.03	137.38	154.92	5		
16FCSDF	FEMALE TO FEMALE ADAPTER	383.48	408.31	434.50	450.62	11	154.91	4
16FCSDMA	MALE TO MALE ADAPTER	445.58	470.42	496.61	512.73	12	194.07	5
16FCSDS	DRAIN SECTION	576.15	591.48	688.41	776.24	18	229.15	9
16FCS18E	ECCENTRIC INCREASER 16" TO 18"	745.89	765.72	891.22	1004.93	28	447.69	11
16FCS20E	ECCENTRIC INCREASER 16" TO 20"	864.39	887.36	1032.80	1164.58	34	533.57	13
16FCS22E	ECCENTRIC INCREASER 16" TO 22"	1166.60	1197.60	1393.89	1571.72	43	726.31	17
16FCS24E	ECCENTRIC INCREASER 16" TO 24"	1211.33	1243.49	1447.32	1631.96	47	748.88	19
16FCS26E	ECCENTRIC INCREASER 16" TO 26"	1247.67	1280.81		1680.92	70	771.34	28
16FCS6R	ECCENTRIC REDUCER	910.08	934.26	1087.38	1226.13	30	560.58	12
16FCS7R	ECCENTRIC REDUCER	837.50	859.76	1000.67	1128.34	31	572.37	12
16FCS8R	ECCENTRIC REDUCER	669.27	687.04	799.65	901.67	25	440.28	10
16FCS9R	ECCENTRIC REDUCER	687.80	706.09	821.82	926.69	26	454.72	10
16FCS10R	ECCENTRIC REDUCER	706.47	725.24	844.11	951.78	27	468.29	11
16FCS12R	ECCENTRIC REDUCER	684.22	702.41	817.53	921.85	24	472.76	9
16FCS14R	ECCENTRIC REDUCER	666.42	684.14	796.27	897.88	24	403.42	9
16FCS6T	TAPERED REDUCER	725.38	744.67	866.70	977.29	22	425.61	8
16FCS7T	TAPERED REDUCER	677.84	695.84	809.89	913.22	23	443.06	9
16FCS8T	TAPERED REDUCER	855.69	878.42	1022.40	1152.85	24	569.74	9
16FCS9T	TAPERED REDUCER	621.37	637.89	742.41	837.17	20	383.96	8
16FCS10T	TAPERED REDUCER	641.89	658.94	766.92	864.78	21	398.37	8
16FCS12T	TAPERED REDUCER	672.87	690.75	803.96	906.55	22	423.62	9
16FCS14T	TAPERED REDUCER	726.92	746.22	868.53	979.35	23	405.99	9
16FCS10M	90 DEG MANIFOLD TEE	1105.38	1134.77	1320.74	1489.24	41	626.28	16
16FCS8T8	90 DEG MANIFOLD TEE WITH 8" REDUCED TAP	876.13	899.42	1046.85	1180.41	26	434.92	11
16FCS9T8	TEE WITH REDUCED TAP	885.90	909.44	1058.49	1193.54	27	475.64	11
16FCS10T10	90 DEG MANIFOLD TEE WITH 10" REDUCED TAP	895.64	919.44	1070.15	1206.66	29	516.33	12
16FCS12T12	90 DEG MANIFOLD TEE WITH 12" REDUCED TAP	926.93	951.57	1107.53	1248.85	31	532.22	12
16FCS14T14	90 DEG MANIFOLD TEE WITH 14" REDUCED TAP	998.39	1024.92	1192.92	1345.09	35	576.87	14
16FCS10C	TEE CAP	336.06	345.00	401.54	452.75	11	202.02	5
16FCS10CN	TEE CAP LESS DRAIN	399.53	410.15	477.36	538.30	11	186.99	4
16FCS18TI	TAPERED INCREASER 16" TO 18"	806.17	827.59	963.24	1086.14	26	450.60	10
16FCS20TI	TAPERED INCREASER 16" TO 20"	859.62	882.46	1027.09	1158.15	31	479.86	12
16FCS22TI	TAPERED INCREASER 16" TO 22"	1014.49	1041.44	1212.12	1366.79	35	566.23	14
16FCS24TI	TAPERED INCREASER 16" TO 24"	1322.06	1357.18	1579.63	1781.17	43	668.16	17
16FCS26TI	TAPERED INCREASER 16" TO 26"	1629.62	1672.93	1947.13	2195.58	72	788.43	30
TERMINATIONS								
16FCS10C	CAP	800.69	821.96	956.68	1078.74	15	578.46	10
16FCS10CB	CAP WITH BIRD SCREEN	853.64	876.32	1019.94	1150.08	21	578.46	16
16FCS10CR	CLOSURE RING	208.62	208.62	208.62	208.62			
16FCS10C	EXIT CONE	777.90	777.90	777.90	777.90			
16FCS10MCF	MITER CUT FEMALE TERMINATION	429.77	500.19	502.69	564.03	15	367.24	11
16FCS10MCM	MITER CUT MALE TERMINATION	429.77	500.19	502.69	564.03	16	367.24	12
ROOF/WALL PENETRATIONS/ACCESSORIES								
16FCS10F	FLASHING	243.82	250.32	291.33	328.50	18	213.71	18
16FCS10FPF1	FIXED PITCH FLASHING 1-12 PITCH	451.97	486.84	526.05	593.17	13	386.20	13
16FCS10FPF2	FIXED PITCH FLASHING 2-12 PITCH	451.97	486.84	526.05	593.17	13	386.20	13
16FCS10FPF3	FIXED PITCH FLASHING 3-12 PITCH	451.97	486.84	526.05	593.17	14	386.20	14
16FCS10FPF4	FIXED PITCH FLASHING 4-12 PITCH	451.97	486.84	526.05	593.17	15	386.20	15
16FCS10FPF5	FIXED PITCH FLASHING 5-12 PITCH	451.97	486.84	526.05	593.17	16	386.20	16
16FCS10FPF6	FIXED PITCH FLASHING 6-12 PITCH	451.97	486.84	526.05	593.17	17	386.20	17
16FCS10FPF7	FIXED PITCH FLASHING 7-12 PITCH	451.97	486.84	526.05	593.17	18	386.20	18
16FCS10FPF8	FIXED PITCH FLASHING 8-12 PITCH	451.97	486.84	526.05	593.17	18	386.20	18
16FCS10FPF9	FIXED PITCH FLASHING 9-12 PITCH	451.97	486.84	526.05	593.17	19	386.20	19
16FCS10FPF10	FIXED PITCH FLASHING 10-12 PITCH	451.97	486.84	526.05	593.17	20	386.20	20
16FCS10FPF11	FIXED PITCH FLASHING 11-12 PITCH	451.97	486.84	526.05	593.17	21	386.20	21
16FCS10FPF12	FIXED PITCH FLASHING 12-12 PITCH	451.97	486.84	526.05	593.17	22	386.20	22
16FCS10FS	FIRE STOP	132.69	136.23	158.57	178.79	7	127.43	6
16FCS10SSC	STORM COLLAR	170.82	175.35	204.10	230.14	9	149.85	8
16FCS10SWPK	WALL PENETRATION KIT	617.17	617.17	728.43	809.97	38	527.36	37
SUPPORTS/GUIDES								

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

16FCSGR	GUY RING	74.27	76.22	88.75	100.04	2	63.45	1
16FCSHAR	HALF ANGLE RING	40.98				1	34.45	1
16FCSPS	PLATE SUPPORT	268.08	275.21	320.30	361.17	28	114.11	26
16FCSSEA	STACK SUPPORT ASSEMBLY	660.69	651.11	670.65	700.43	24	444.57	16
16FCSWB	WALL BAND	115.56	118.64	138.09	155.69	2		
16FCSWS	WALL SUPPORT	446.38	458.24	533.36	601.39	28	364.27	27
APPLIANCE CONNECTORS								
16FCS10RC	REDUCING CONNECTOR 16" TO 10"	471.58	484.11	563.46	635.34	11	366.60	6
16FCS11RC	REDUCING CONNECTOR 16" TO 11"	471.58	484.11	563.46	635.34	11	366.60	6
16FCS12RC	REDUCING CONNECTOR 16" TO 12"	471.58	484.11	563.46	635.34	12	366.60	7
16FCS13RC	REDUCING CONNECTOR 16" TO 13"	471.58	484.11	563.46	635.34	12	366.60	7
16FCS14RC	REDUCING CONNECTOR 16" TO 14"	471.58	484.11	563.46	635.34	12	366.60	7
16FCS15RC	REDUCING CONNECTOR 16" TO 15"	471.58	484.11	563.46	635.34	11	366.60	6
16FCSBA	BOILER ADAPTER	269.54	269.54	269.54	269.54	4		
16FCSFFC	FEMALE ADAPTER	400.29	410.91	478.28	539.29	13	263.16	6
16FCSMFC	MALE ADAPTER	392.73	403.16	469.23	529.10	11	266.51	5
16FCSBA	SINGLE WALL BOILER ADAPTER	350.76	360.07	419.09	472.54	9	261.00	4
16FCSBAI	BOILER ADAPTER INNER COLLAR	378.67	388.72	452.43	510.15	9	286.15	4
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
18" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCS	FCS
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	AL294C/316SS	AL294C	AL294C
		CA1	C31	C41	C61	WT	WT	WT
PIPE LENGTHS								
18FCS9	9" STRAIGHT LENGTH	415.94	426.98	496.95	560.36	13	219.12	5
18FCS12	12" STRAIGHT LENGTH	467.02	479.43	558.82	629.20	16	259.25	6
18FCS18	18" STRAIGHT LENGTH	576.20	591.51	688.44	776.27	23	284.01	9
18FCS24	24" STRAIGHT LENGTH	881.57	905.00	1053.31	1187.72	29	576.87	11
18FCS36	36" STRAIGHT LENGTH	961.78	987.35	1149.14	1295.76	42	580.05	16
VARIABLE LENGTHS								
18FCSVL22	VARIABLE LENGTH	868.13	891.18	1037.25	1169.62	32	562.42	13
FITTINGS								
18FCS15L	15 DEGREE ELBOW	565.51	598.76	754.78	881.09	19	302.01	8
18FCS30L	30 DEGREE ELBOW	666.07	710.18	906.00	1065.35	24	367.46	10
18FCS45L	45 DEGREE ELBOW	848.82	871.38	1014.21	1143.61	29	498.00	12
18FCS45T	45 DEGREE TEE	4183.00	4331.93	4609.96	4887.30	89	2545.39	43
18FCS45T10	45 DEGREE TEE WITH 10" REDUCED TAP	3056.28	3138.17	3289.94	3441.67	52	1671.80	24
18FCS45T12	45 DEGREE TEE WITH 12" REDUCED TAP	3216.78	3306.88	3474.27	3641.39	60	1796.05	28
18FCS45T14	45 DEGREE TEE WITH 14" REDUCED TAP	3319.44	3437.39	3657.19	3876.54	68	1839.10	32
18FCS45T16	45 DEGREE TEE WITH 16" REDUCED TAP	3949.64	4079.95	4323.11	4565.62	77	2371.24	36
18FCS90L	90 DEGREE ELBOW	1287.23	1321.44	1538.02	1734.26	47	783.68	19
18FCSBT	BOOT TEE	1703.80	1790.48	1951.30	2111.93	61	1137.96	25
18FCSBT10	BOOT TEE WITH 10" REDUCED TAP	1364.34	1414.19	1504.31	1594.62	38	903.71	15
18FCSBT12	BOOT TEE WITH 12" REDUCED TAP	1409.85	1467.99	1573.36	1678.80	42	929.22	17
18FCSBT14	BOOT TEE WITH 14" REDUCED TAP	1503.75	1566.60	1682.61	1798.69	48	997.74	19
18FCSBT16	BOOT TEE WITH 16" REDUCED TAP	1641.73	1716.45	1854.93	1993.24	53	1098.59	22
18FCSBTD	BOOT TEE W/DRAIN	1919.41	2018.57	2203.09	2387.20	65	1291.28	28
18FCSBTD10	BOOT TEE W/DRAIN AND 10" REDUCED TAP	1573.91	1636.28	1750.00	1863.82	42	1058.13	18
18FCSBTD12	BOOT TEE W/DRAIN AND 12" REDUCED TAP	1610.51	1675.86	1794.89	1914.01	46	1083.15	19
18FCSBTD14	BOOT TEE W/DRAIN AND 14" REDUCED TAP	1711.34	1786.75	1926.37	2065.96	52	1150.14	22
18FCSBTD16	BOOT TEE W/DRAIN AND 16" REDUCED TAP	1833.92	1913.33	2060.42	2207.44	58	1248.94	24
18FCSCEC	CASING END CLOSURE	123.85	127.14	147.97	166.85	6		
18FCSDFC	FEMALE TO FEMALE ADAPTER	413.22	440.67	469.68	487.55	13	169.69	5
18FCSDMA	MALE TO MALE ADAPTER	481.91	509.37	538.38	556.23	13	212.81	5
18FCSDS	DRAIN SECTION	622.24	638.79	743.46	838.34	21	247.43	11
18FCS20E	ECCENTRIC INCREASER 18" TO 20"	855.37	878.09	1022.03	1152.41	32	509.88	13
18FCS22E	ECCENTRIC INCREASER 18" TO 22"	993.63	1020.02	1187.22	1338.69	38	593.33	15
18FCS24E	ECCENTRIC INCREASER 18" TO 24"	1295.81	1330.23	1548.25	1745.79	48	802.66	19
18FCS26E	ECCENTRIC INCREASER 18" TO 26"	1684.56	1729.30	2012.72	2269.51	65	963.19	29
18FCS28E	ECCENTRIC INCREASER 18" TO 28"	2189.89	2248.09	2616.55	2950.37	76	1155.83	30
18FCSER6	ECCENTRIC REDUCER	969.73	995.47	1158.64	1306.49	33	598.33	13
18FCSER7	ECCENTRIC REDUCER	893.84	917.60	1068.00	1204.28	54	611.26	34
18FCSER8	ECCENTRIC REDUCER	913.45	937.71	1091.40	1230.64	35	626.08	14
18FCSER9	ECCENTRIC REDUCER	936.03	960.90	1118.38	1261.08	36	482.00	14
18FCSER10	ECCENTRIC REDUCER	889.97	913.61	1063.36	1199.01	30	619.07	12
18FCSER12	ECCENTRIC REDUCER	785.58	806.45	938.64	1058.40	31	523.99	12
18FCSER14	ECCENTRIC REDUCER	785.88	806.78	939.02	1058.79	29	477.68	11
18FCSER16	ECCENTRIC REDUCER	745.89	765.72	891.22	1004.93	28	447.69	11
18FCSR6	TAPERED REDUCER	778.24	798.90	929.85	1048.49	23	449.32	9
18FCSR7	TAPERED REDUCER	728.58	747.93	870.52	981.60	24	467.81	10
18FCSR8	TAPERED REDUCER	883.83	907.31	1056.02	1190.73	26	605.16	10
18FCSR9	TAPERED REDUCER	762.92	783.20	911.57	1027.88	27	495.72	11
18FCSR10	TAPERED REDUCER	785.40	806.24	938.43	1058.14	27	508.08	11
18FCSR12	TAPERED REDUCER	803.65	825.00	960.21	1082.71	25	508.57	10
18FCSR14	TAPERED REDUCER	768.24	788.66	917.92	1035.04	27	429.70	11
18FCSR16	TAPERED REDUCER	806.17	827.59	963.24	1086.14	26	450.60	10
18FCST	90 DEG MANIFOLD TEE	1302.20	1336.81	1555.87	1754.38	48	734.56	20
18FCST10	90 DEG MANIFOLD TEE WITH 10" REDUCED TAP	989.54	1015.82	1182.31	1333.16	32	571.18	14
18FCST12	90 DEG MANIFOLD TEE WITH 12" REDUCED TAP	1017.94	1044.99	1216.26	1371.45	34	587.07	14
18FCST14	90 DEG MANIFOLD TEE WITH 14" REDUCED TAP	1093.71	1122.79	1306.82	1473.56	38	631.72	15
18FCST16	90 DEG MANIFOLD TEE WITH 16" REDUCED TAP	1120.85	1150.64	1339.23	1510.11	42	646.59	17
18FCSTC	TEE CAP	396.96	407.52	474.31	534.82	13	243.01	5
18FCSTCN	TEE CAP LESS DRAIN	451.47	463.47	539.42	608.28	12	227.89	5
18FCSTI20	TAPERED INCREASER 18" TO 20"	941.61	966.64	1125.06	1268.60	29	513.12	12
18FCSTI22	TAPERED INCREASER 18" TO 22"	1100.93	1130.17	1315.40	1483.22	36	608.18	14
18FCSTI24	TAPERED INCREASER 18" TO 24"	1182.63	1214.04	1413.04	1593.32	40	628.07	16
18FCSTI26	TAPERED INCREASER 18" TO 26"	1264.34	1297.92	1510.69	1703.42	65	741.13	27
18FCSTI28	TAPERED INCREASER 18" TO 28"	1346.06	1381.81	1608.31	1813.51	78	990.39	33
TERMINATIONS								
18FCSC	CAP	919.38	943.81	1098.51	1238.67	17	680.22	12

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

18FCSCB	CAP WITH BIRD SCREEN	988.88	1015.14	1181.54	1332.28	25	680.22	19
18FCSCR	CLOSURE RING	216.14	216.14	216.14	216.14	7		
18FCSEC	EXIT CONE	850.95	850.95	850.95	850.95			
18FCSMCF	MITER CUT FEMALE TERMINATION	602.23	611.69	700.94	790.35	19	514.61	14
18FCSMCM	MITER CUT MALE TERMINATION	602.23	611.69	700.94	790.35	19	514.61	14
ROOF/WALL PENETRATIONS/ACCESSORIES								
18FCSF	FLASHING	264.57	266.72	310.42	350.04	20	227.90	20
18FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	469.41	519.40	560.87	632.46	14	388.69	14
18FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	469.41	519.40	560.87	632.46	15	388.69	15
18FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	469.41	519.40	560.87	632.46	16	388.69	16
18FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	469.41	519.40	560.87	632.46	17	388.69	17
18FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	469.41	519.40	560.87	632.46	18	388.69	18
18FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	469.41	519.40	560.87	632.46	19	388.69	19
18FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	469.41	519.40	560.87	632.46	20	388.69	20
18FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	469.41	519.40	560.87	632.46	21	388.69	21
18FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	469.41	519.40	560.87	632.46	22	388.69	22
18FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	469.41	519.40	560.87	632.46	23	388.69	23
18FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	469.41	519.40	560.87	632.46	24	388.69	24
18FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	469.41	519.40	560.87	632.46	26	388.69	26
18FCFSFS	FIRE STOP	142.08	145.85	169.76	191.42	7	138.38	7
18FCSSC	STORM COLLAR	177.91	182.63	212.55	239.69	10	156.06	9
18FCSWPK	WALL PENETRATION KIT	673.50	728.69	783.89	883.90	43	575.49	42
SUPPORTS/GUIDES								
18FCSGR	GUY RING	74.70	76.66	89.25	100.63	2	53.16	2
18FCSHAR	HALF ANGLE RING	44.46				1	36.13	1
18FCSPS	PLATE SUPPORT	276.78	284.12	330.68	372.87	33	99.53	30
18FCSSSA	STACK SUPPORT ASSEMBLY	790.44	779.02	802.38	837.99	28	455.89	19
18FCSWS	WALL SUPPORT	514.00	527.66	614.12	692.49	33	350.55	32
APPLIANCE CONNECTORS								
18FCS12RC	REDUCING CONNECTOR 18" TO 12"	492.51	530.79	617.76	696.60	12	343.40	7
18FCS13RC	REDUCING CONNECTOR 18" TO 13"	492.51	530.79	617.76	696.60	13	343.40	8
18FCS14RC	REDUCING CONNECTOR 18" TO 14"	492.51	530.79	617.76	696.60	14	343.40	8
18FCS15RC	REDUCING CONNECTOR 18" TO 15"	492.51	530.79	617.76	696.60	14	343.40	8
18FCS16RC	REDUCING CONNECTOR 18" TO 16"	492.51	530.79	617.76	696.60	14	343.40	8
18FCS17RC	REDUCING CONNECTOR 18" TO 17"	492.51	530.79	617.76	696.60	12	343.40	7
18FCSBA	BOILER ADAPTER	337.71	337.71	337.71	337.71	6		
18FCSSFC	FEMALE ADAPTER	440.32	452.04	526.10	593.24	14	294.14	6
18FCSSMFC	MALE ADAPTER	431.91	443.37	516.05	581.89	13	295.51	6
18FCSSBA	SINGLE WALL BOILER ADAPTER	383.82	394.01	458.59	517.10	11	294.32	4
18FCSSBAI	BOILER ADAPTER INNER COLLAR	412.86	423.82	493.30	556.23	11	322.27	5
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
20" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
		CA1	C31	C41	C61	WT		WT
PIPE LENGTHS								
20FCS9	9" STRAIGHT LENGTH	491.30	504.36	587.01	661.93	14	246.71	6
20FCS12	12" STRAIGHT LENGTH	562.92	577.88	672.59	758.39	18	292.98	7
20FCS18	18" STRAIGHT LENGTH	705.56	724.29	843.01	950.57	25	384.71	10
20FCS24	24" STRAIGHT LENGTH	1081.65	1110.38	1292.38	1457.27	32	658.63	13
20FCS36	36" STRAIGHT LENGTH	1182.28	1213.70	1412.60	1592.85	46	662.19	18
VARIABLE LENGTHS								
20FCSVL22	VARIABLE LENGTH	1178.09	1209.40	1407.60	1587.20	35	636.69	15
FITTINGS								
20FCS15L	15 DEGREE ELBOW	782.17	841.55	1054.94	1242.63	21	407.51	9
20FCS30L	30 DEGREE ELBOW	913.14	981.39	1227.80	1444.78	27	497.81	11
20FCS45L	45 DEGREE ELBOW	1171.68	1202.82	1399.95	1578.58	34	678.91	14
20FCS45T	45 DEGREE TEE	4456.53	4624.81	4939.36	5253.00	106	2736.71	51
20FCS45T12	45 DEGREE TEE WITH 12" REDUCED TAP	3341.98	3432.91	3601.82	3770.46	64	1887.33	30
20FCS45T14	45 DEGREE TEE WITH 14" REDUCED TAP	3464.32	3583.10	3804.43	4025.27	72	1948.49	34
20FCS45T16	45 DEGREE TEE WITH 16" REDUCED TAP	3716.44	3847.59	4092.26	4336.30	81	2148.15	39
20FCS45T18	45 DEGREE TEE WITH 18" REDUCED TAP	4226.17	4375.86	4655.47	4934.32	92	2564.69	44
20FCS90L	90 DEGREE ELBOW	1775.85	1823.04	2121.82	2392.56	55	1072.35	23
20FCSBT	BOOT TEE	2817.48	2912.29	3088.46	3264.35	85	2085.84	43
20FCSBT12	BOOT TEE WITH 12" REDUCED TAP	1986.12	2047.99	2160.49	2273.04	52	1485.25	25
20FCSBT14	BOOT TEE WITH 14" REDUCED TAP	2065.96	2132.59	2255.72	2378.85	59	1541.10	29
20FCSBT16	BOOT TEE WITH 16" REDUCED TAP	2255.72	2333.60	2477.85	2622.06	66	1694.77	32
20FCSBT18	BOOT TEE WITH 18" REDUCED TAP	2343.96	2428.78	2586.00	2743.04	74	1758.87	37
20FCSBTD	BOOT TEE W/DRAIN	3022.36	3131.00	3333.10	3534.84	88	2228.51	44
20FCSBTD12	BOOT TEE W/DRAIN AND 12" REDUCED TAP	1878.39	1948.28	2075.89	2203.49	55	1299.10	26
20FCSBTD14	BOOT TEE W/DRAIN AND 14" REDUCED TAP	1963.89	2044.33	2193.41	2342.36	62	1351.61	29
20FCSBTD16	BOOT TEE W/DRAIN AND 16" REDUCED TAP	2488.91	2571.91	2725.85	2879.61	69	1805.15	33
20FCSBTD18	BOOT TEE W/DRAIN AND 18" REDUCED TAP	2596.15	2694.71	2877.89	3060.82	77	1873.47	37
20FCSECE	CASING END CLOSURE	160.77	165.04	192.09	216.58	7		
20FCSDFA	FEMALE TO FEMALE ADAPTER	443.36	473.43	505.27	524.95	14	184.42	5
20FCSDMA	MALE TO MALE ADAPTER	518.23	548.30	580.14	599.75	15	231.47	6
20FCSDS	DRAIN SECTION	672.04	689.87	802.96	905.42	23	334.54	12
20FCSEI22	ECCENTRIC INCREASER 20" TO 22"	1066.12	1094.45	1273.83	1436.35	35	699.75	14
20FCSEI24	ECCENTRIC INCREASER 20" TO 24"	1207.20	1239.29	1442.39	1626.44	43	810.54	18
20FCSEI26	ECCENTRIC INCREASER 20" TO 26"	1364.15	1400.40	1629.89	1837.88	57	915.90	27
20FCSEI28	ECCENTRIC INCREASER 20" TO 28"	1541.48	1582.46	1841.81	2076.80	71	1034.97	33
20FCSEI30	ECCENTRIC INCREASER 20" TO 30"	1741.89	1788.17	2081.24	2346.78	82	1169.52	33
20FCSER8	ECCENTRIC REDUCER	968.26	994.00	1156.91	1304.49	38	665.83	15
20FCSER9	ECCENTRIC REDUCER	1002.11	1028.73	1197.35	1350.10	39	510.91	16
20FCSER10	ECCENTRIC REDUCER	993.87	1020.26	1187.48	1338.99	40	698.60	15
20FCSER12	ECCENTRIC REDUCER	984.97	1011.14	1176.85	1327.02	34	689.62	14
20FCSER14	ECCENTRIC REDUCER	1062.03	1090.27	1268.93	1430.84	37	656.63	15
20FCSER16	ECCENTRIC REDUCER	864.39	887.36	1032.80	1164.58	33	533.57	13
20FCSER18	ECCENTRIC REDUCER	855.37	878.09	1022.03	1152.41	31	509.88	13
20FCSR8	TAPERED REDUCER	923.58	948.12	1103.52	1244.28	27	635.09	11

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

20FCSR9	TAPERED REDUCER	806.7	828.17	963.88	1086.87	29	523.86	11
20FCSR10	TAPERED REDUCER	833.79	855.95	996.24	1123.35	30	538.20	12
20FCSR12	TAPERED REDUCER	870.06	893.18	1039.55	1172.22	32	566.25	13
20FCSR14	TAPERED REDUCER	887.48	911.07	1060.38	1195.70	30	511.50	12
20FCSR16	TAPERED REDUCER	859.62	882.46	1027.09	1158.15	31	479.86	12
20FCSR18	TAPERED REDUCER	941.61	966.64	1125.06	1268.60	29	513.12	12
20FCST	90 DEG MANIFOLD TEE	1727.43	1773.32	2063.95	2327.30	56	1013.50	23
20FCST12	90 DEG MANIFOLD TEE WITH 12" REDUCED TAP	1378.19	1414.80	1646.70	1856.79	38	791.01	16
20FCST14	90 DEG MANIFOLD TEE WITH 14" REDUCED TAP	1458.82	1497.58	1743.02	1965.39	41	834.61	17
20FCST16	90 DEG MANIFOLD TEE WITH 16" REDUCED TAP	1513.84	1554.04	1808.75	2039.54	44	874.03	18
20FCST18	90 DEG MANIFOLD TEE WITH 18" REDUCED TAP	1619.28	1662.30	1934.77	2181.60	49	933.33	20
20FCSTC	TEE CAP	548.00	562.55	654.75	738.28	15	329.75	6
20FCSTCN	TEE CAP LESS DRAIN	521.49	535.36	623.08	702.60	14	309.75	6
20FCSTI22	TAPERED INCREASER 20" TO 22"	1179.80	1211.14	1409.66	1589.51	33	704.16	13
20FCSTI24	TAPERED INCREASER 20" TO 24"	1343.23	1378.93	1604.94	1809.72	40	830.67	16
20FCSTI26	TAPERED INCREASER 20" TO 26"	1670.12	1546.72	1800.20	2029.93	57	980.16	25
20FCSTI28	TAPERED INCREASER 20" TO 28"	1670.12	1714.52	1995.48	2250.14	71	1156.61	30
20FCSTI30	TAPERED INCREASER 20" TO 30"	1833.54	1882.43	2190.76	2470.37	85	1364.79	37
TERMINATIONS								
20FCSC	CAP	1451.54	1490.11	1734.36	1955.65	20	781.99	14
20FCSCB	CAP WITH BIRD SCREEN	1574.85	1616.69	1881.67	2121.75	30	781.99	24
20FCSCR	CLOSURE RING	232.72	232.72	232.72	232.72	8		
20FCSEC	EXIT CONE	1025.64	1025.64	1025.64	1025.64			
20FCSMCF	MITER CUT FEMALE TERMINATION	944.53	969.64	1128.55	1272.53	22	739.20	16
20FCSMCM	MITER CUT MALE TERMINATION	944.53	969.64	1128.55	1272.53	23	739.20	17
ROOF/WALL PENETRATIONS/ACCESSORIES								
20FCSF	FLASHING	273.55	285.32	318.39	359.03	22	233.74	22
20FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	497.85	551.94	579.42	653.35	16	425.41	16
20FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	497.85	551.94	579.42	653.35	17	425.41	17
20FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	497.85	551.94	579.42	653.35	18	425.41	18
20FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	497.85	551.94	579.42	653.35	19	425.41	19
20FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	497.85	551.94	579.42	653.35	20	425.41	20
20FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	497.85	551.94	579.42	653.35	22	425.41	22
20FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	497.85	551.94	579.42	653.35	23	425.41	23
20FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	497.85	551.94	579.42	653.35	24	425.41	24
20FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	497.85	551.94	579.42	653.35	25	425.41	25
20FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	497.85	551.94	579.42	653.35	27	425.41	27
20FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	497.85	551.94	579.42	653.35	28	425.41	28
20FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	497.85	551.94	579.42	653.35	29	425.41	29
20FCFSFS	FIRE STOP	154.48	158.57	184.57	208.13	8	149.34	7
20FCSSC	STORM COLLAR	181.10	185.91	216.38	244.01	12	158.87	10
20FCSWPK	WALL PENETRATION KIT	731.79	731.79	910.70	960.40	48	625.30	47
SUPPORTS/GUIDES								
20FCSGR	GUY RING	83.43	85.65	99.68	112.40	2	66.52	2
20FCSHAR	HALF ANGLE RING	47.93				1	37.80	1
20FCSPS	PLATE SUPPORT	420.25	431.42	502.13	431.42	41	187.06	38
20FCSSSA	STACK SUPPORT ASSEMBLY	953.82	939.98	968.17	1011.18	32	619.37	22
20FCSSWS	WALL SUPPORT	642.44	659.53	767.62	865.56	38	483.36	37
APPLIANCE CONNECTORS								
20FCS14RC	REDUCING CONNECTOR 20" TO 14"	652.20	669.51	779.26	878.69	15	464.74	9
20FCS15RC	REDUCING CONNECTOR 20" TO 15"	652.20	669.51	779.26	878.69	16	464.74	9
20FCS16RC	REDUCING CONNECTOR 20" TO 16"	652.20	669.51	779.26	878.69	16	464.74	10
20FCS17RC	REDUCING CONNECTOR 20" TO 17"	652.20	669.51	779.26	878.69	17	464.74	10
20FCS18RC	REDUCING CONNECTOR 20" TO 18"	652.20	669.51	779.26	878.69	16	464.74	9
20FCS19RC	REDUCING CONNECTOR 20" TO 19"	652.20	669.51	779.26	878.69	14	464.74	8
20FCSFFC	FEMALE ADAPTER	524.95	538.89	627.24	707.26	16	325.09	7
20FCMFC	MALE ADAPTER	514.67	528.34	614.95	693.41	14	324.53	7
20FCSSBA	SINGLE WALL BOILER ADAPTER	485.48	498.38	580.05	654.08	12	327.63	5
20FCSSBAI	BOILER ADAPTER INNER COLLAR	522.06	535.93	623.77	703.35	12	358.37	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
22" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS	FCS	AL294C	FCSSW
		C41	C31	C41	C61	WT		WT
PIPE LENGTHS								
22FCS9	9" STRAIGHT LENGTH	527.10	541.10	629.81	710.13	15	279.76	6
22FCS12	12" STRAIGHT LENGTH	594.62	610.42	710.46	801.10	19	333.72	8
22FCS18	18" STRAIGHT LENGTH	761.69	781.94	910.10	1026.22	27	441.02	11
22FCS24	24" STRAIGHT LENGTH	1174.24	1205.42	1403.00	1581.99	35	757.08	14
22FCS36	36" STRAIGHT LENGTH	1227.70	1260.33	1466.86	1654.03	51	760.86	20
VARIABLE LENGTHS								
22FCSVL22	VARIABLE LENGTH	1287.09	1321.28	1537.82	1734.04	38	755.74	16
FITTINGS								
22FCS15L	15 DEGREE ELBOW	828.50	928.56	1164.31	1374.19	24	468.59	10
22FCS30L	30 DEGREE ELBOW	966.66	1082.24	1354.45	1597.07	31	573.34	13
22FCS45L	45 DEGREE ELBOW	1259.12	1292.57	1504.44	1696.36	39	782.44	16
22FCS45T	45 DEGREE TEE	4918.45	5087.55	5403.64	5718.78	124	2979.14	60
22FCS45T14	45 DEGREE TEE WITH 14" REDUCED TAP	3828.27	3947.86	4170.69	4393.06	77	2108.78	36
22FCS45T16	45 DEGREE TEE WITH 16" REDUCED TAP	3977.40	4109.39	4355.56	4601.06	86	2218.08	41
22FCS45T18	45 DEGREE TEE WITH 18" REDUCED TAP	4487.10	4554.10	4677.84	4801.65	97	2634.64	46
22FCS45T20	45 DEGREE TEE WITH 20" REDUCED TAP	4686.81	4837.36	5118.50	5398.79	108	2806.65	52
22FCS90L	90 DEGREE ELBOW	1910.33	1961.07	2282.50	2573.72	64	1238.22	27
22FCSBT	BOOT TEE	3006.06	3126.86	3351.90	3576.48	98	2266.97	50
22FCSBT14	BOOT TEE WITH 14" REDUCED TAP	2194.11	2264.47	2394.72	2524.97	62	1636.74	30
22FCSBT16	BOOT TEE WITH 16" REDUCED TAP	2397.76	2480.76	2634.75	2788.61	69	1793.95	34
22FCSBT18	BOOT TEE WITH 18" REDUCED TAP	2479.03	2568.95	2735.86	2902.55	77	1857.18	38
22FCSBT20	BOOT TEE WITH 20" REDUCED TAP	2561.82	2658.72	2838.75	3018.41	86	1919.88	43
22FCSBTD	BOOT TEE W/DRAIN	3270.55	3402.79	3649.39	3895.44	103	2396.17	51
22FCSBTD14	BOOT TEE W/DRAIN AND 14" REDUCED TAP	2088.03	2179.41	2349.20	2518.74	67	1432.31	32
22FCSBTD16	BOOT TEE W/DRAIN AND 16" REDUCED TAP	2661.40	2755.96	2931.50	3106.82	74	1927.20	35

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

22FCSBTD18	BOOT TEE W/DRAIN AND 18" REDUCED TAP	2763	2873.89	3080.3	3286.37	81	1989.66	39
22FCSBTD20	BOOT TEE W/DRAIN AND 20" REDUCED TAP	2849.72	2967.60	3187.15	3406.17	90	2052.23	44
22FCSCEC	CASING END CLOSURE	170.71	175.25	203.96	229.99	8		
22FCS DFA	FEMALE TO FEMALE ADAPTER	477.08	509.76	544.40	565.83	15	199.13	6
22FCS DMA	MALE TO MALE ADAPTER	559.32	591.95	626.68	648.03	16	250.14	7
22FCS DS	DRAIN SECTION	725.79	745.06	867.21	977.84	26	377.93	14
22FCSEI24	ECCENTRIC INCREASER 22" TO 24"	1156.86	1187.59	1382.23	1558.59	40	797.16	16
22FCSEI26	ECCENTRIC INCREASER 22" TO 26"	1700.56	1745.75	2031.87	2291.12	48	924.82	25
22FCSEI28	ECCENTRIC INCREASER 22" TO 28"	1819.60	1867.94	2174.11	2451.52	62	987.14	30
22FCSEI30	ECCENTRIC INCREASER 22" TO 30"	1946.98	1998.70	2326.29	2623.10	71	1099.49	29
22FCSEI32	ECCENTRIC INCREASER 22" TO 32"	2083.26	2138.62	2489.14	2806.73	88	1301.69	36
22FCSER10	ECCENTRIC REDUCER	1048.05	1075.89	1252.25	1412.01	43	733.79	18
22FCSER12	ECCENTRIC REDUCER	1089.48	1118.43	1301.73	1467.81	45	764.67	18
22FCSER14	ECCENTRIC REDUCER	1089.96	1118.91	1302.29	1468.46	40	676.79	17
22FCSER16	ECCENTRIC REDUCER	1166.60	1197.60	1393.89	1571.72	42	726.31	17
22FCSER18	ECCENTRIC REDUCER	993.63	1020.02	1187.22	1338.69	37	593.33	15
22FCSER20	ECCENTRIC REDUCER	1066.12	1094.45	1273.83	1436.35	35	699.75	14
22FC SR10	TAPERED REDUCER	891.27	914.95	1064.93	1200.77	31	559.97	13
22FC SR12	TAPERED REDUCER	1098.45	1127.61	1312.44	1479.89	34	739.08	14
22FC SR14	TAPERED REDUCER	996.09	1022.55	1190.16	1341.99	37	558.43	15
22FC SR16	TAPERED REDUCER	1014.49	1041.44	1212.12	1366.79	34	566.23	14
22FC SR18	TAPERED REDUCER	1100.93	1130.17	1315.40	1483.22	35	608.18	14
22FC SR20	TAPERED REDUCER	1179.80	1211.14	1409.66	1589.51	33	704.16	13
22FC ST	90 DEG MANIFOLD TEE	1871.74	1921.47	2236.40	2521.71	65	1166.28	26
22FCST14	90 DEG MANIFOLD TEE WITH 14" REDUCED TAP	1560.66	1602.13	1864.72	2102.63	45	945.00	19
22FCST16	90 DEG MANIFOLD TEE WITH 16" REDUCED TAP	1620.45	1663.52	1936.16	2183.18	48	986.51	20
22FCST18	90 DEG MANIFOLD TEE WITH 18" REDUCED TAP	1676.51	1721.04	2003.13	2258.72	52	1006.43	21
22FCST20	90 DEG MANIFOLD TEE WITH 20" REDUCED TAP	1769.04	1816.03	2113.66	2383.34	57	1073.14	24
22FCSTC	TEE CAP	584.45	600.00	698.32	787.42	17	371.77	7
22FCSTCN	TEE CAP LESS DRAIN	556.37	571.14	664.76	749.58	16	349.73	7
22FCSTI24	TAPERED INCREASER 22" TO 24"	1285.99	1320.17	1536.53	1732.57	36	713.66	15
22FCSTI26	TAPERED INCREASER 22" TO 26"	1414.58	1452.17	1690.17	1905.82	49	816.12	23
22FCSTI28	TAPERED INCREASER 22" TO 28"	1556.05	1597.39	1859.20	2096.40	62	1135.19	27
22FCSTI30	TAPERED INCREASER 22" TO 30"	1711.65	1757.11	2045.14	2306.04	77	1250.18	33
22FCSTI32	TAPERED INCREASER 22" TO 32"	1882.81	1932.84	2249.64	2536.64	91	1437.57	40
TERMINATIONS								
22FCSC	CAP	1668.92	1713.29	1994.09	2248.49	25	1032.75	18
22FCSCB	CAP WITH BIRD SCREEN	1864.28	1913.80	2227.48	2511.68	37	1032.75	29
22FCSCR	CLOSURE RING	241.73	241.73	241.73	241.73			
22FCSEC	EXIT CONE	1144.94	1144.94	1144.94	1144.94			
22FCSMCF	MITER CUT FEMALE TERMINATION	1056.12	1084.19	1261.87	1422.87	26	847.35	19
22FCSMCM	MITER CUT MALE TERMINATION	1056.12	1084.19	1261.87	1422.87	26	847.35	20
ROOF/WALL PENETRATIONS/ACCESSORIES								
22FC SF	FLASHING	280.39	317.68	326.35	368.00	25	239.59	25
22FC SF PF1	FIXED PITCH FLASHING 1-12 PITCH	506.25	589.22	582.30	664.40	18	432.60	18
22FC SF PF2	FIXED PITCH FLASHING 2-12 PITCH	506.25	589.22	582.30	664.40	19	432.60	19
22FC SF PF3	FIXED PITCH FLASHING 3-12 PITCH	506.25	589.22	582.30	664.40	20	432.60	20
22FC SF PF4	FIXED PITCH FLASHING 4-12 PITCH	506.25	589.22	582.30	664.40	22	432.60	22
22FC SF PF5	FIXED PITCH FLASHING 5-12 PITCH	506.25	589.22	582.30	664.40	23	432.60	23
22FC SF PF6	FIXED PITCH FLASHING 6-12 PITCH	506.25	589.22	582.30	664.40	24	432.60	24
22FC SF PF7	FIXED PITCH FLASHING 7-12 PITCH	506.25	589.22	582.30	664.40	26	432.60	26
22FC SF PF8	FIXED PITCH FLASHING 8-12 PITCH	506.25	589.22	582.30	664.40	27	432.60	27
22FC SF PF9	FIXED PITCH FLASHING 9-12 PITCH	506.25	589.22	582.30	664.40	29	432.60	29
22FC SF PF10	FIXED PITCH FLASHING 10-12 PITCH	506.25	589.22	582.30	664.40	30	432.60	30
22FC SF PF11	FIXED PITCH FLASHING 11-12 PITCH	506.25	589.22	582.30	664.40	32	432.60	32
22FC SF PF12	FIXED PITCH FLASHING 12-12 PITCH	506.25	589.22	582.30	664.40	33	432.60	33
22FC SF S	FIRE STOP	164.78	169.14	196.86	221.97	10	170.56	8
22FC SSC	STORM COLLAR	184.31	189.21	220.21	248.33	13	161.67	12
22FC SWPK	WALL PENETRATION KIT	787.68	787.68	916.79	1034.59	53	673.07	52
SUPPORTS/GUIDES								
22FC SGR	GUY RING	83.91	86.15	100.26	113.03	2	70.50	2
22FC SHAR	HALF ANGLE RING	48.99				1	41.12	1
22FC SPS	PLATE SUPPORT	420.93	432.13	502.93	432.13	46	199.02	43
22FC SSSA	STACK SUPPORT ASSEMBLY	1026.46	1011.57	1041.94	1088.19	36	704.96	25
22FC SWS	WALL SUPPORT	687.99	706.26	822.00	926.90	43	554.30	43
APPLIANCE CONNECTORS								
22FCS16RC	REDUCING CONNECTOR 22" TO 16"	754.79	774.84	901.83	950.96	18	588.11	10
22FCS17RC	REDUCING CONNECTOR 22" TO 17"	754.79	774.84	901.83	950.96	18	588.11	10
22FCS18RC	REDUCING CONNECTOR 22" TO 18"	754.79	774.84	901.83	950.96	19	588.11	11
22FCS19RC	REDUCING CONNECTOR 22" TO 19"	754.79	774.84	901.83	950.96	19	588.11	11
22FCS20RC	REDUCING CONNECTOR 22" TO 20"	754.79	774.84	901.83	950.96	18	588.11	11
22FCS21RC	REDUCING CONNECTOR 22" TO 21"	754.79	774.84	901.83	950.96	16	588.11	9
22FC SFFC	FEMALE ADAPTER	562.00	576.93	671.50	757.16	17	366.41	8
22FC SMFC	MALE ADAPTER	550.80	565.43	658.12	742.07	15	365.67	7
22FC SSBA	SINGLE WALL BOILER ADAPTER	524.08	538.00	626.18	706.05	14	371.46	5
22FC SSBAI	BOILER ADAPTER INNER COLLAR	562.63	577.59	672.25	758.04	14	405.56	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
24" DIAMETER								
PIPE LENGTHS								
24FC S9	9" STRAIGHT LENGTH	576.29	591.60	688.58	776.44	17	298.02	7
24FC S12	12" STRAIGHT LENGTH	651.48	668.80	778.41	877.73	21	358.16	8
24FC S18	18" STRAIGHT LENGTH	823.41	845.29	983.84	1109.38	30	475.53	12
24FC S24	24" STRAIGHT LENGTH	1273.78	1307.61	1521.94	1716.12	38	819.51	15
24FC S36	36" STRAIGHT LENGTH	1394.33	1431.37	1665.97	1878.53	55	821.08	22
VARIABLE LENGTHS								
24FC SVL22	VARIABLE LENGTH	1396.06	1433.16	1668.05	1880.88	42	797.51	18
FITTINGS								

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

24FCS15L	15 DEGREE ELBOW	905.8	992.05	1243.31	1464.59	27	502.47	11
24FCS30L	30 DEGREE ELBOW	1074.34	1184.67	1501.75	1780.95	35	616.74	15
24FCS45L	45 DEGREE ELBOW	1388.28	1425.14	1658.74	1870.37	44	844.61	18
24FCS45T	45 DEGREE TEE	5883.37	6057.30	6382.49	6706.62	136	3833.14	62
24FCS45T16	45 DEGREE TEE WITH 16" REDUCED TAP	4596.29	4713.54	4931.97	5149.97	92	2802.35	44
24FCS45T18	45 DEGREE TEE WITH 18" REDUCED TAP	5119.28	5255.07	5508.52	5761.28	102	3230.54	49
24FCS45T20	45 DEGREE TEE WITH 20" REDUCED TAP	5365.34	5501.13	5754.57	6007.31	114	3443.22	54
24FCS45T22	45 DEGREE TEE WITH 22" REDUCED TAP	5635.15	5784.60	6063.60	6341.81	126	3656.37	61
24FCS90L	90 DEGREE ELBOW	2132.76	2189.44	2548.28	2873.39	74	1340.50	31
24FCSBT	BOOT TEE	3855.47	3985.70	4228.62	4471.02	114	2978.19	58
24FCSBT16	BOOT TEE WITH 16" REDUCED TAP	2420.47	2507.43	2668.86	2830.04	73	1788.12	36
24FCSBT18	BOOT TEE WITH 18" REDUCED TAP	2624.32	2718.73	2899.12	3069.33	81	1955.67	40
24FCSBT20	BOOT TEE WITH 20" REDUCED TAP	2712.79	2812.92	2999.10	3185.01	90	2021.64	45
24FCSBT22	BOOT TEE WITH 22" REDUCED TAP	3129.61	3247.97	3468.48	3688.56	99	2364.50	50
24FCSBTD	BOOT TEE W/DRAIN	3649.12	3802.09	4087.84	4372.83	119	2680.08	59
24FCSBTD16	BOOT TEE W/DRAIN AND 16" REDUCED TAP	2781.43	2880.86	3065.75	3250.32	79	2015.40	38
24FCSBTD18	BOOT TEE W/DRAIN AND 18" REDUCED TAP	3006.95	3124.17	3342.36	3560.18	87	2182.40	42
24FCSBTD20	BOOT TEE W/DRAIN AND 20" REDUCED TAP	3097.15	3220.00	3449.01	3677.50	95	2248.79	46
24FCSBTD22	BOOT TEE W/DRAIN AND 22" REDUCED TAP	3504.72	3635.57	3879.57	4122.90	105	2591.11	52
24FCSCEC	CASING END CLOSURE	184.24	189.15	220.11	248.21	9		
24FCSDFM	FEMALE TO FEMALE ADAPTER	510.51	545.82	583.30	606.45	16	213.93	6
24FCSDMA	MALE TO MALE ADAPTER	598.53	633.80	671.33	694.48	17	268.87	7
24FCSDS	DRAIN SECTION	783.86	804.68	936.55	1056.08	28	400.79	16
24FCSIE26	ECCENTRIC INCREASER 24" TO 26"	1168.73	1199.78	1396.44	1574.60	44	862.33	22
24FCSIE28	ECCENTRIC INCREASER 24" TO 28"	1837.65	1886.48	2195.69	2475.83	53	1039.08	28
24FCSIE30	ECCENTRIC INCREASER 24" TO 30"	1980.44	2033.04	2366.29	2668.18	68	1058.38	33
24FCSIE32	ECCENTRIC INCREASER 24" TO 32"	2068.61	2123.57	2471.63	2786.97	73	1164.00	29
24FCSIE34	ECCENTRIC INCREASER 24" TO 34"	3012.59	3092.64	3599.51	4058.76	94	1433.84	39
24FCSER12	ECCENTRIC REDUCER	1143.96	1174.37	1366.83	1541.23	49	798.57	20
24FCSER14	ECCENTRIC REDUCER	1221.93	1254.38	1459.97	1646.26	52	752.31	21
24FCSER16	ECCENTRIC REDUCER	1211.33	1243.49	1447.32	1631.96	46	748.88	19
24FCSER18	ECCENTRIC REDUCER	1295.81	1330.23	1548.25	1745.79	47	802.66	19
24FCSER20	ECCENTRIC REDUCER	1207.20	1239.29	1442.39	1626.44	42	810.54	18
24FCSER22	ECCENTRIC REDUCER	1156.86	1187.59	1382.23	1558.59	39	797.16	16
24FCSR12	TAPERED REDUCER	1139.05	1169.31	1360.95	1534.60	36	761.69	15
24FCSR14	TAPERED REDUCER	1224.86	1257.41	1463.50	1650.23	40	728.29	16
24FCSR16	TAPERED REDUCER	1322.06	1357.18	1579.63	1781.17	42	668.16	17
24FCSR18	TAPERED REDUCER	1182.63	1214.04	1413.04	1593.32	39	628.07	16
24FCSR20	TAPERED REDUCER	1343.23	1378.93	1604.94	1809.72	39	830.67	16
24FCSR22	TAPERED REDUCER	1285.99	1320.17	1536.53	1732.57	36	713.66	14
24FCST	90 DEG MANIFOLD TEE	2055.85	2110.47	2456.39	2769.78	75	1260.91	31
24FCST16	90 DEG MANIFOLD TEE WITH 16" REDUCED TAP	1725.45	1771.31	2061.64	2324.67	52	1048.98	22
24FCST18	90 DEG MANIFOLD TEE WITH 18" REDUCED TAP	1777.29	1824.52	2123.56	2394.49	56	1068.91	23
24FCST20	90 DEG MANIFOLD TEE WITH 20" REDUCED TAP	1869.22	1918.91	2233.39	2518.36	60	1135.64	25
24FCST22	90 DEG MANIFOLD TEE WITH 22" REDUCED TAP	1910.50	1961.25	2282.70	2573.95	66	1159.87	27
24FCSTC	TEE CAP	716.34	735.39	855.93	965.12	19	474.60	8
24FCSTCN	TEE CAP LESS DRAIN	687.32	705.59	821.21	926.00	19	451.84	8
24FCSTI26	TAPERED INCREASER 24" TO 26"	1401.71	1438.96	1674.82	1888.51	39	723.16	19
24FCSTI28	TAPERED INCREASER 24" TO 28"	1541.89	1582.86	1842.30	2077.34	54	1149.14	26
24FCSTI30	TAPERED INCREASER 24" TO 30"	1696.08	1741.15	2026.53	2285.09	68	1290.18	31
24FCSTI32	TAPERED INCREASER 24" TO 32"	1865.69	1915.26	2229.19	2513.60	84	1343.77	37
24FCSTI34	TAPERED INCREASER 24" TO 34"	2052.25	2106.78	2452.11	2764.95	98	1510.32	44
TERMINATIONS								
24FCSC	CAP	1963.29	2015.46	2345.79	2645.08	29	1344.89	21
24FCSCB	CAP WITH BIRD SCREEN	2139.53	2196.39	2556.38	2882.54	43	1344.89	35
24FCSCR	CLOSURE RING	262.38	262.38	262.38	262.38			
24FCSMCF	MITER CUT FEMALE TERMINATION	1112.31	1225.96	1426.90	1608.95	30	975.71	22
24FCSMCM	MITER CUT MALE TERMINATION	1112.31	1225.96	1426.90	1608.95	31	975.71	23
ROOF/WALL PENETRATIONS/ACCESSORIES								
24FCSF	FLASHING	296.09	335.15	344.59	388.56	27	252.99	27
24FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	560.18	624.58	632.79	735.17	20	478.66	20
24FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	560.18	624.58	632.79	735.17	21	478.66	21
24FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	560.18	624.58	632.79	735.17	23	478.66	23
24FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	560.18	624.58	632.79	735.17	24	478.66	24
24FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	560.18	624.58	632.79	735.17	26	478.66	26
24FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	560.18	624.58	632.79	735.17	27	478.66	27
24FCSPFF7	FIXED PITCH FLASHING 7-12 PITCH	560.18	624.58	632.79	735.17	29	478.66	29
24FCSPFF8	FIXED PITCH FLASHING 8-12 PITCH	560.18	624.58	632.79	735.17	31	478.66	31
24FCSPFF9	FIXED PITCH FLASHING 9-12 PITCH	560.18	624.58	632.79	735.17	33	478.66	33
24FCSPFF10	FIXED PITCH FLASHING 10-12 PITCH	560.18	624.58	632.79	735.17	34	478.66	34
24FCSPFF11	FIXED PITCH FLASHING 11-12 PITCH	560.18	624.58	632.79	735.17	36	478.66	36
24FCSPFF12	FIXED PITCH FLASHING 12-12 PITCH	560.18	624.58	632.79	735.17	38	478.66	38
24FCSSF	FIRE STOP	173.69	178.30	207.53	234.01	11	180.06	10
24FCSSC	STORM COLLAR	201.24	206.59	240.46	271.13	15	176.54	13
24FCSWPK	WALL PENETRATION KIT	852.11	852.11	991.76	1124.78	59	728.10	58
SUPPORTS/GUIDES								
24FCSGR	GUY RING	84.26	86.51	100.68	113.54	3	70.91	2
24FCSHAR	HALF ANGLE RING	50.48				1	42.04	1
24FCSPS	PLATE SUPPORT	441.40	453.12	527.38	453.12	53	210.29	50
24FCSSA	STACK SUPPORT ASSEMBLY	1228.94	1211.11	1247.45	1302.83	40	863.90	29
24FCSSW	WALL SUPPORT	837.38	859.65	1000.52	1128.19	49	667.91	48
APPLIANCE CONNECTORS								
24FCS18RC	REDUCING CONNECTOR 24" TO 18"	860.70	883.58	1028.38	1159.60	20	673.73	11
24FCS19RC	REDUCING CONNECTOR 24" TO 19"	860.70	883.58	1028.38	1159.60	21	673.73	12
24FCS20RC	REDUCING CONNECTOR 24" TO 20"	860.70	883.58	1028.38	1159.60	22	673.73	13
24FCS21RC	REDUCING CONNECTOR 24" TO 21"	860.70	883.58	1028.38	1159.60	22	673.73	13
24FCS22RC	REDUCING CONNECTOR 24" TO 22"	860.70	883.58	1028.38	1159.60	21	673.73	12
24FCS23RC	REDUCING CONNECTOR 24" TO 23"	860.70	883.58	1028.38	1159.60	18	673.73	10
24FCSFFC	FEMALE ADAPTER	599.68	615.60	716.52	807.92	19	390.97	8
24FCMFC	MALE ADAPTER	587.56	603.16	702.04	791.60	17	390.97	8

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

24FCSBA	SINGLE WALL BOILER ADAPTER	567.53	582.6	678.08	764.62	16	398.57	5
24FCSBAI	BOILER ADAPTER INNER COLLAR	608.09	624.26	726.55	819.27	16	434.43	7
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
26" DIAMETER		CA1	C31	C41	C61	WT		WT
PIPE LENGTHS								
26FCS9	9" STRAIGHT LENGTH	826.57	848.54	987.62	1113.62	20	398.40	10
26FCS12	12" STRAIGHT LENGTH	960.67	986.18	1147.83	1294.27	25	478.86	13
26FCS18	18" STRAIGHT LENGTH	1231.15	1263.86	1471.02	1658.70	36	637.64	18
26FCS24	24" STRAIGHT LENGTH	1508.65	1548.73	1802.58	2032.55	47	889.37	23
26FCS36	36" STRAIGHT LENGTH	2029.58	2083.50	2424.99	2734.38	68	1108.39	33
VARIABLE LENGTHS								
26FCSVL10	VARIABLE LENGTH	1073.65	1102.17	1282.81	1446.49	33	664.01	17
26FCSVL22	VARIABLE LENGTH	1729.99	1775.95	2067.04	2330.74	54	979.66	27
FITTINGS								
26FCS15L	15 DEGREE ELBOW	1911.78	1894.95	2085.48	2268.03	43	897.40	21
26FCS30L	30 DEGREE ELBOW	2346.84	2326.19	2560.08	2784.19	49	1173.82	24
26FCS45L	45 DEGREE ELBOW	2392.08	2455.64	2858.12	3222.77	68	1295.46	33
26FCS45T	45 DEGREE TEE	5970.01	6128.62	7133.10	8043.19	163	4364.72	81
26FCS45T18	45 DEGREE TEE WITH 18" REDUCED TAP	4736.73	5294.77	5857.83	6216.47	105	3243.28	52
26FCS45T20	45 DEGREE TEE WITH 20" REDUCED TAP	4893.74	5513.10	5857.99	6605.39	116	3436.52	58
26FCS45T22	45 DEGREE TEE WITH 22" REDUCED TAP	5033.08	5529.31	6111.15	6890.85	129	3629.72	64
26FCS45T24	45 DEGREE TEE WITH 24" REDUCED TAP	5250.59	5471.03	6367.71	7180.13	142	3822.95	71
26FCS90L	90 DEGREE ELBOW	4022.54	4129.42	4806.23	5419.44	109	2116.24	53
26FCS90Y	90 DEGREE WYE	5605.29	5754.23	6697.36	7551.83	95	3445.79	47
26FCSCEC	CASING END CLOSURE	434.56	446.10	519.24	585.46	16		
26FCSDL18	DOUBLE LATERAL TEE WITH 18" TAPS	6235.48	6401.16	7450.31	8400.86	137	4820.61	68
26FCSDL20	DOUBLE LATERAL TEE WITH 20" TAPS	6599.81	6775.16	7885.63	8891.70	154	5072.92	77
26FCSDL22	DOUBLE LATERAL TEE WITH 22" TAPS	6821.03	7002.27	8149.94	9189.77	174	5251.86	86
26FCSDL24	DOUBLE LATERAL TEE WITH 24" TAPS	7049.55	7236.85	8422.98	9497.63	196	5430.82	98
26FCSDS	DRAIN SECTION	1242.80	1275.82	1484.93	1674.38	41	676.03	23
26FCSSEI28	ECCENTRIC INCREASER 26" TO 28"	1661.16	1705.29	1984.78	2238.03	48	917.27	25
26FCSSEI30	ECCENTRIC INCREASER 26" TO 30"	1956.20	2008.18	2337.33	2635.54	59	1078.63	32
26FCSSEI32	ECCENTRIC INCREASER 26" TO 32"	2184.41	2242.44	2610.00	2942.98	74	1229.66	38
26FCSSEI34	ECCENTRIC INCREASER 32" TO 34"	2184.41	2242.44	2610.00	2942.98	78	1229.66	31
26FCSSEI36	ECCENTRIC INCREASER 32" TO 36"	3150.92	3234.64	3764.79	4245.13	101	1509.86	42
26FCST	90 DEG MANIFOLD TEE	2973.29	3052.28	3552.55	4005.80	102	2081.89	51
26FCST18	90 DEG MANIFOLD TEE WITH 18" REDUCED TAP	2258.18	2318.17	2698.12	3042.36	66	1556.39	33
26FCST20	90 DEG MANIFOLD TEE WITH 20" REDUCED TAP	2293.85	2354.80	2740.77	3090.43	72	1577.16	36
26FCST22	90 DEG MANIFOLD TEE WITH 22" REDUCED TAP	2433.33	2498.00	2907.42	3278.36	79	1647.93	40
26FCST24	90 DEG MANIFOLD TEE WITH 24" REDUCED TAP	2604.21	2673.38	3111.55	3508.55	87	1793.44	44
26FCSTC	TEE CAP	1178.24	1209.56	1407.79	1587.40	30	531.64	13
26FCSTCN	TEE CAP LESS DRAIN	1101.95	1131.23	1316.64	1484.62	28	542.54	13
26FCSTI28	TAPERED INCREASER 26" TO 28"	1573.81	1615.61	1880.41	2120.34	44	776.09	22
26FCSTI30	TAPERED INCREASER 26" TO 30"	2237.74	2297.18	2673.69	3014.82	59	1262.57	29
26FCSTI32	TAPERED INCREASER 26" TO 32"	2427.72	2492.21	2900.68	3270.77	74	1345.75	34
26FCSTI34	TAPERED INCREASER 32" TO 34"	2688.07	2759.48	3211.76	3621.54	91	1596.54	41
26FCSTI36	TAPERED INCREASER 32" TO 36"	3417.38	3508.18	4083.18	4604.16	93	1899.89	38
TERMINATIONS								
26FCSC	CAP	2828.40	2903.54	3379.44	3810.60	62	2220.95	49
26FCSCR	CLOSURE RING	350.53				9		
26FCSCMF	MITER CUT FEMALE TERMINATION	1636.83	1680.33	1955.72	2205.25	50	1230.30	34
26FCSCMCM	MITER CUT MALE TERMINATION	1636.83	1680.33	1955.72	2205.25	51	1230.30	35
ROOF/WALL PENETRATIONS/ACCESSORIES								
26FCSF	FLASHING	481.35	494.13	575.12	648.50	43	330.66	43
26FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	612.90	629.17	732.28	825.72	21	527.08	21
26FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	612.90	629.17	732.28	825.72	23	527.08	23
26FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	612.90	629.17	732.28	825.72	25	527.08	25
26FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	612.90	629.17	732.28	825.72	27	527.08	27
26FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	612.90	629.17	732.28	825.72	28	527.08	28
26FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	612.90	629.17	732.28	825.72	30	527.08	30
26FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	612.90	629.17	732.28	825.72	32	527.08	32
26FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	612.90	629.17	732.28	825.72	34	527.08	34
26FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	612.90	629.17	732.28	825.72	36	527.08	36
26FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	612.90	629.17	732.28	825.72	38	527.08	38
26FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	612.90	629.17	732.28	825.72	40	527.08	40
26FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	612.90	629.17	732.28	825.72	42	527.08	42
26FCSFS	FIRE STOP	303.56	311.62	362.70	408.98	12	184.15	11
26FCSSC	STORM COLLAR	321.80	330.36	384.51	433.56	23	282.28	15
26FCSWPK	WALL PENETRATION KIT	1357.17	1542.52	1579.61	1781.13	72	1159.69	84
SUPPORTS/GUIDES								
26FCSFAR	FULL ANGLE RING	501.06					424.22	
26FCSGR	GUY RING	1387.44	1424.31	1657.75	1869.27	142	595.98	115
26FCSHAR	HALF ANGLE RING	292.26					236.19	
26FCSPS	PLATE SUPPORT	944.84	969.95	1128.93	969.95	156	796.13	152
26FCSSSA	STACK SUPPORT ASSEMBLY	1596.23	1573.10	1620.30	1692.25	111	1261.53	99
26FCSSWS	WALL SUPPORT	1540.51	1581.45	1840.64	2075.48	177	1354.41	175
APPLIANCE CONNECTORS								
26FCSSBA4	SINGLE WALL BOILER ADAPTER	753.31	773.34	900.07	1014.91	21	301.19	5
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
28" DIAMETER		CA1	C31	C41	C61	WT		WT
PIPE LENGTHS								
28FCS9	9" STRAIGHT LENGTH	858.32	881.14	1025.56	1156.41	22	420.19	11
28FCS12	12" STRAIGHT LENGTH	1021.11	1048.26	1220.06	1375.73	27	508.73	14
28FCS18	18" STRAIGHT LENGTH	1312.09	1346.95	1567.72	1767.73	39	679.37	19

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

28FCS24	24" STRAIGHT LENGTH	1606.96	1649.66	1920.04	2165.01	50	960.4	25
28FCS36	36" STRAIGHT LENGTH	2159.23	2216.60	2579.89	2909.06	73	1184.11	36
VARIABLE LENGTHS								
28FCSVL10	VARIABLE LENGTH	1133.69	1163.82	1354.56	1527.39	35	699.95	18
28FCSVL22	VARIABLE LENGTH	2069.82	2124.82	2473.11	2788.63	58	1044.62	29
FITTINGS								
28FCS15L	15 DEGREE ELBOW	1986.69	1999.97	2189.47	2393.75	46	952.01	23
28FCS30L	30 DEGREE ELBOW	2446.37	2462.71	2696.09	2947.59	54	1248.16	26
28FCS45L	45 DEGREE ELBOW	2943.40	3021.61	3516.86	3965.54	74	1665.92	36
28FCS45T	45 DEGREE TEE	6624.66	6800.68	7915.31	8925.19	185	4794.41	90
28FCS45T20	45 DEGREE TEE WITH 20" REDUCED TAP	5168.84	5306.19	6175.87	6963.82	122	3639.92	61
28FCS45T22	45 DEGREE TEE WITH 22" REDUCED TAP	5445.44	5590.12	6506.34	7336.44	134	3839.97	67
28FCS45T24	45 DEGREE TEE WITH 24" REDUCED TAP	5667.23	5817.80	6771.33	7635.25	147	4040.00	73
28FCS45T26	45 DEGREE TEE WITH 26" REDUCED TAP	6053.12	6213.95	7232.43	8155.17	162	4331.36	80
28FCS90L	90 DEGREE ELBOW	4284.85	4398.71	5119.64	5772.84	124	2262.61	60
28FCS90Y	90 DEGREE WYE	5964.84	6123.33	7126.95	8036.24	107	3675.65	53
28FCSCEC	CASING END CLOSURE	451.13	463.09	538.99	607.76	18		
28FCSDL20	DOUBLE LATERAL TEE WITH 20" TAPS	6896.38	7079.61	8239.95	9291.27	160	5281.38	80
28FCSDL22	DOUBLE LATERAL TEE WITH 22" TAPS	7207.01	7398.49	8611.10	9709.74	113	5545.62	89
28FCSDL24	DOUBLE LATERAL TEE WITH 24" TAPS	7435.47	7633.03	8884.07	10017.55	200	5724.58	100
28FCSDL26	DOUBLE LATERAL TEE WITH 26" TAPS	8107.80	8323.21	9687.39	10923.36	224	6332.60	111
28FCSDS	DRAIN SECTION	1333.25	1368.66	1592.98	1796.21	44	729.29	24
28FCSSEI30	ECCENTRIC INCREASER 26" TO 30"	1776.11	1823.30	2122.10	2392.88	52	946.37	28
28FCSSEI32	ECCENTRIC INCREASER 26" TO 32"	1776.97	1824.18	2123.17	2394.00	64	983.54	35
28FCSSEI34	ECCENTRIC INCREASER 32" TO 34"	2085.97	2141.41	2492.36	2810.37	66	1178.48	27
28FCSSEI36	ECCENTRIC INCREASER 32" TO 36"	2156.19	2213.48	2576.28	2904.97	83	1173.67	34
28FCST	90 DEG MANIFOLD TEE	3263.48	3350.21	3899.30	4396.80	115	2285.22	58
28FCST20	90 DEG MANIFOLD TEE WITH 20" REDUCED TAP	2566.42	2634.61	3066.42	3457.64	76	1731.58	38
28FCST22	90 DEG MANIFOLD TEE WITH 22" REDUCED TAP	2601.66	2670.78	3108.50	3505.15	83	1751.67	41
28FCST24	90 DEG MANIFOLD TEE WITH 24" REDUCED TAP	2773.32	2847.01	3313.64	3736.43	90	1897.91	45
28FCST26	90 DEG MANIFOLD TEE WITH 26" REDUCED TAP	2980.72	3059.91	3561.43	4015.83	100	2068.38	50
28FCSTC	TEE CAP	1243.35	1276.39	1485.59	1675.15	33	562.55	15
28FCSTCN	TEE CAP LESS DRAIN	1185.58	1217.07	1416.54	1597.29	31	586.81	14
28FCSTI30	TAPERED INCREASER 26" TO 30"	1673.31	1717.76	1999.32	2254.40	48	813.27	25
28FCSTI32	TAPERED INCREASER 26" TO 32"	2385.06	2448.43	2849.74	3213.33	65	1284.42	32
28FCSTI34	TAPERED INCREASER 32" TO 34"	2571.53	2639.86	3072.51	3464.54	80	1383.89	38
28FCSTI36	TAPERED INCREASER 32" TO 36"	3092.84	3175.00	3695.38	4166.86	96	1494.61	44
TERMINATIONS								
28FCSC	CAP	3404.43	3494.87	4067.67	4586.65	72	2772.09	57
28FCSCR	CLOSURE RING	361.33				10		
28FCSMC	MITER CUT		1729.22	2012.64	2269.44	10		
28FCSMCF	MITER CUT FEMALE TERMINATION	1743.42	1789.75	2083.08	2348.87	57	1318.40	39
28FCSMCM	MITER CUT MALE TERMINATION	1743.42	1789.75	2083.08	2348.87	58	1318.40	40
ROOF/WALL PENETRATIONS/ACCESSORIES								
28FCSF	FLASHING	541.43	555.80	646.89	729.45	47	347.74	47
28FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	616.02	632.38	736.03	829.94	23	539.29	23
28FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	616.02	632.38	736.03	829.94	25	539.29	25
28FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	616.02	632.38	736.03	829.94	27	539.29	27
28FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	616.02	632.38	736.03	829.94	29	539.29	29
28FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	616.02	632.38	736.03	829.94	31	539.29	31
28FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	616.02	632.38	736.03	829.94	34	539.29	34
28FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	616.02	632.38	736.03	829.94	36	539.29	36
28FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	616.02	632.38	736.03	829.94	38	539.29	38
28FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	616.02	632.38	736.03	829.94	40	539.29	40
28FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	616.02	632.38	736.03	829.94	43	539.29	43
28FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	616.02	632.38	736.03	829.94	45	539.29	45
28FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	616.02	632.38	736.03	829.94	47	539.29	47
28FCSFS	FIRE STOP	331.43	340.24	396.01	446.52	13	198.70	12
28FCSSC	STORM COLLAR	352.00	361.35	420.56	474.22	25	308.76	23
28FCSSWP	WALL PENETRATION KIT	1443.83	1623.81	1680.48	1894.90	78	1233.73	92
SUPPORTS/GUIDES								
28FCSFAR	FULL ANGLE RING	540.97					434.13	
28FCSGR	GUY RING	1417.22	1454.87	1693.32	1909.37	159	600.61	130
28FCSHAR	HALF ANGLE RING	300.52					244.92	
28FCSPS	PLATE SUPPORT	1010.69	1037.53	1207.58	1037.53	176	849.33	172
28FCSSSA	STACK SUPPORT ASSEMBLY	1671.39	1647.19	1696.59	1771.93	124	1316.46	111
28FCSSWS	WALL SUPPORT	1741.05	1787.29	2080.24	2345.64	199	1493.95	195
APPLIANCE CONNECTORS								
28FCSSBA4	SINGLE WALL BOILER ADAPTER	766.82	787.17	916.21	1033.08	24	303.75	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
30" DIAMETER								
PIPE LENGTHS								
30FCS9	9" STRAIGHT LENGTH	987.43	1013.66	1179.79	1330.32	23	443.74	11
30FCS12	12" STRAIGHT LENGTH	1142.70	1173.07	1365.35	1539.52	29	536.59	14
30FCS18	18" STRAIGHT LENGTH	1453.01	1491.63	1736.09	1957.60	41	719.36	20
30FCS24	24" STRAIGHT LENGTH	1771.12	1818.18	2116.17	2386.18	53	1037.36	26
30FCS36	36" STRAIGHT LENGTH	2352.90	2415.40	2811.30	3169.97	78	1261.29	38
VARIABLE LENGTHS								
30FCSVL10	VARIABLE LENGTH	1214.93	1247.22	1451.65	1636.83	38	753.05	20
30FCSVL22	VARIABLE LENGTH	2207.12	2265.77	2637.14	2973.59	62	1119.56	32
FITTINGS								
30FCS15L	15 DEGREE ELBOW	2234.81	2249.75	2480.30	2688.28	50	1061.69	25
30FCS30L	30 DEGREE ELBOW	2661.08	2678.85	2953.38	3201.04	59	1328.44	29
30FCS45L	45 DEGREE ELBOW	3172.97	3257.27	3791.12	4274.80	81	1773.65	40
30FCS45T	45 DEGREE TEE	7294.12	7487.93	8715.19	9827.13	208	5305.85	103
30FCS45T22	45 DEGREE TEE WITH 22" REDUCED TAP	5859.95	6015.63	7001.60	7894.90	140	4114.17	70
30FCS45T24	45 DEGREE TEE WITH 24" REDUCED TAP	6095.83	6257.80	7283.45	8121.71	153	4327.84	76

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

30FCS45T26	45 DEGREE TEE WITH 26" REDUCED TAP	6389.49	6559.27	7634.33	8608.37	169	4537.51	82
30FCS45T28	45 DEGREE TEE WITH 28" REDUCED TAP	6756.44	6935.96	8072.77	9102.73	184	4861.14	91
30FCS90L	90 DEGREE ELBOW	5067.35	5202.00	6054.60	6827.09	141	2720.68	70
30FCS90Y	90 DEGREE WYE	6439.69	6610.79	7694.31	8676.00	119	3901.86	59
30FCSCEC	CASING END CLOSURE	468.55	480.99	559.84	631.26	20		
30FCSDL22	DOUBLE LATERAL TEE WITH 22" TAPS	7474.34	7672.94	8930.51	10069.92	185	5658.36	92
30FCSDL24	DOUBLE LATERAL TEE WITH 24" TAPS	7808.30	8015.75	9329.55	10519.85	205	5934.46	102
30FCSDL26	DOUBLE LATERAL TEE WITH 26" TAPS	8163.31	8380.20	9753.72	10998.14	229	6236.31	115
30FCSDL28	DOUBLE LATERAL TEE WITH 28" TAPS	8729.04	8960.96	10429.65	11760.32	255	6740.61	127
30FCSDS	DRAIN SECTION	1456.00	1494.70	1739.69	1961.63	47	760.18	26
30FCSEI32	ECCENTRIC INCREASER 26" TO 32"	1864.67	1914.24	2228.01	2512.23	57	997.77	31
30FCSEI34	ECCENTRIC INCREASER 32" TO 34"	1881.50	1931.50	2248.06	2534.87	53	1042.94	22
30FCSEI36	ECCENTRIC INCREASER 32" TO 36"	1900.30	1950.81	2270.55	2560.24	70	1053.38	29
30FCST	90 DEG MANIFOLD TEE	3954.43	4059.51	4724.86	5327.68	129	2654.67	65
30FCST22	90 DEG MANIFOLD TEE WITH 22" REDUCED TAP	3073.47	3155.11	3672.26	4140.77	87	1929.02	43
30FCST24	90 DEG MANIFOLD TEE WITH 24" REDUCED TAP	3103.22	3185.69	3707.81	4180.88	94	1949.80	47
30FCST26	90 DEG MANIFOLD TEE WITH 26" REDUCED TAP	3527.94	3621.67	4215.26	4753.09	103	2322.56	52
30FCST28	90 DEG MANIFOLD TEE WITH 28" REDUCED TAP	3646.84	3743.72	4357.32	4913.28	113	2413.35	57
30FCSTC	TEE CAP	1311.12	1345.97	1566.55	1766.44	37	593.58	16
30FCSTCN	TEE CAP LESS DRAIN	1257.45	1290.84	1502.41	1694.11	34	618.61	16
30FCSTI32	TAPERED INCREASER 26" TO 32"	1767.39	1814.34	2111.72	2381.14	53	850.46	28
30FCSTI34	TAPERED INCREASER 32" TO 34"	2511.26	2577.99	3000.50	3383.31	70	1306.24	36
30FCSTI36	TAPERED INCREASER 32" TO 36"	2699.10	2770.82	3224.96	3636.39	83	1422.04	41
TERMINATIONS								
30FCSC	CAP	3719.14	3817.96	4443.71	5010.67	83	2981.29	66
30FCSCR	CLOSURE RING	378.38				11		
30FCSMCF	MITER CUT FEMALE TERMINATION	1849.86	1899.01	2210.24	2492.25	58	1406.93	39
30FCSMCM	MITER CUT MALE TERMINATION	1849.86	1899.01	2210.24	2492.25	59	1406.93	40
ROOF/WALL PENETRATIONS/ACCESSORIES								
30FCSF	FLASHING	692.01	710.40	826.83	932.35	40	364.85	40
30FCSPFP1	FIXED PITCH FLASHING 1-12 PITCH	623.47	640.04	744.93	839.98	25	545.82	25
30FCSPFP2	FIXED PITCH FLASHING 2-12 PITCH	623.47	640.04	744.93	839.98	28	545.82	28
30FCSPFP3	FIXED PITCH FLASHING 3-12 PITCH	623.47	640.04	744.93	839.98	30	545.82	30
30FCSPFP4	FIXED PITCH FLASHING 4-12 PITCH	623.47	640.04	744.93	839.98	32	545.82	32
30FCSPFP5	FIXED PITCH FLASHING 5-12 PITCH	623.47	640.04	744.93	839.98	35	545.82	35
30FCSPFP6	FIXED PITCH FLASHING 6-12 PITCH	623.47	640.04	744.93	839.98	37	545.82	37
30FCSPFP7	FIXED PITCH FLASHING 7-12 PITCH	623.47	640.04	744.93	839.98	39	545.82	39
30FCSPFP8	FIXED PITCH FLASHING 8-12 PITCH	623.47	640.04	744.93	839.98	42	545.82	42
30FCSPFP9	FIXED PITCH FLASHING 9-12 PITCH	623.47	640.04	744.93	839.98	45	545.82	45
30FCSPFP10	FIXED PITCH FLASHING 10-12 PITCH	623.47	640.04	744.93	839.98	47	545.82	47
30FCSPFP11	FIXED PITCH FLASHING 11-12 PITCH	623.47	640.04	744.93	839.98	50	545.82	50
30FCSPFP12	FIXED PITCH FLASHING 12-12 PITCH	623.47	640.04	744.93	839.98	52	545.82	52
30FCFS	FIRE STOP	355.53	364.97	424.78	479.00	14	217.65	13
30FCSSC	STORM COLLAR	442.71	454.47	528.97	596.45	28	388.34	25
30FCSWPK	WALL PENETRATION KIT	1589.42	1709.00	1849.93	2085.97	85	1358.14	100
SUPPORTS/GUIDES								
30FCSFAR	FULL ANGLE RING	553.98					468.98	
30FCSGR	GUY RING	1530.49	1571.16	1828.66	2061.97	177	605.21	145
30FCSHAR	HALF ANGLE RING	312.40					262.33	
30FCSPS	PLATE SUPPORT	1099.53	1178.09	1371.20	1546.13	197	857.08	193
30FCSSA	STACK SUPPORT ASSEMBLY	1821.99	1795.58	1849.45	1931.57	138	1382.91	124
30FCSSWS	WALL SUPPORT	1747.38	1793.79	2087.81	2354.17	218	1515.48	216
APPLIANCE CONNECTORS								
30FCSSBA4	SINGLE WALL BOILER ADAPTER	820.76	842.59	980.69	1105.82	26	333.88	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
32" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
		CA1	C31	C41	C61	WT		WT
PIPE LENGTHS								
32FCS9	9" STRAIGHT LENGTH	1053.14	1081.11	1258.33	1418.87	25	467.47	12
32FCS12	12" STRAIGHT LENGTH	1216.49	1248.81	1453.48	1638.92	31	564.77	15
32FCS18	18" STRAIGHT LENGTH	1545.59	1586.66	1846.73	2082.33	44	760.44	22
32FCS24	24" STRAIGHT LENGTH	1878.94	1928.88	2245.01	2531.46	57	1120.35	28
32FCS36	36" STRAIGHT LENGTH	2521.19	2588.19	3012.38	3396.70	83	1338.02	41
VARIABLE LENGTHS								
32FCSVL10	VARIABLE LENGTH	1286.44	1320.61	1537.06	1733.17	40	797.46	21
32FCSVL22	VARIABLE LENGTH	2361.64	2424.38	2821.75	3181.75	66	1191.07	34
FITTINGS								
32FCS15L	15 DEGREE ELBOW	2283.06	2267.30	2512.79	2744.79	54	1071.04	27
32FCS30L	30 DEGREE ELBOW	2832.59	2813.06	3117.63	3405.49	64	1409.35	31
32FCS45L	45 DEGREE ELBOW	3370.35	3459.90	4026.98	4540.78	88	1862.86	43
32FCS45T	45 DEGREE TEE	9364.03	9612.82	11188.36	12615.84	233	6496.88	116
32FCS45T24	45 DEGREE TEE WITH 24" REDUCED TAP	6910.71	7094.34	8257.11	9310.59	160	4401.08	80
32FCS45T26	45 DEGREE TEE WITH 26" REDUCED TAP	7208.51	7400.05	8612.92	9711.79	175	4620.69	87
32FCS45T28	45 DEGREE TEE WITH 28" REDUCED TAP	7628.91	7831.60	9115.18	10278.17	189	4933.79	93
32FCS45T30	45 DEGREE TEE WITH 30" REDUCED TAP	7981.73	8193.81	9536.77	10753.52	207	5196.56	102
32FCS90L	90 DEGREE ELBOW	5533.53	5680.56	6611.60	7455.17	155	2914.08	76
32FCS90Y	90 DEGREE WYE	6814.73	6995.79	8142.38	9181.25	134	4132.26	65
32FCSCEC	CASING END CLOSURE	497.64	510.87	594.59	670.47	22		
32FCSDL24	DOUBLE LATERAL TEE WITH 24" TAPS	7057.13	8405.40	9783.02	11031.22	212		
32FCSDL26	DOUBLE LATERAL TEE WITH 26" TAPS	8361.62	9679.52	11266.02	12703.39	235		
32FCSDL28	DOUBLE LATERAL TEE WITH 28" TAPS	8974.49	10296.36	11983.91	13512.90	258		
32FCSDL30	DOUBLE LATERAL TEE WITH 30" TAPS	9472.14	10911.53	12699.95	14320.25	287		
32FCSDS	DRAIN SECTION	1572.57	1614.33	1878.93	2118.66	50	813.58	28
32FCSEI34	ECCENTRIC INCREASER 32" TO 34"	1983.77	2036.49	2370.27	2672.68	61	1100.81	34
32FCSEI36	ECCENTRIC INCREASER 32" TO 36"	2102.80	2158.67	2512.48	2833.02	57	1166.87	24
32FCST	90 DEG MANIFOLD TEE	4242.49	4355.24	5069.04	5715.80	144	2811.39	72
32FCST24	90 DEG MANIFOLD TEE WITH 24" REDUCED TAP	3288.43	3375.80	3929.10	4430.41	98	2061.64	49
32FCST26	90 DEG MANIFOLD TEE WITH 26" REDUCED TAP	3649.79	3746.76	4360.86	4917.26	106	2378.48	54

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

32FCST28	90 DEG MANIFOLD TEE WITH 28" REDUCED TAP	3756.63	3856.44	4488.52	5061.18	115	2469.27	58
32FCST30	90 DEG MANIFOLD TEE WITH 30" REDUCED TAP	3916.99	4021.06	4680.12	5277.24	127	2560.06	64
32FCSTC	TEE CAP	1394.33	1431.38	1665.96	1878.52	41	625.09	18
32FCSTCN	TEE CAP LESS DRAIN	1324.53	1359.72	1582.58	1784.50	38	643.65	18
32FCSTI34	TAPERED INCREASER 32" TO 34"	2267.09	2327.31	2708.77	3054.37	58	1179.28	31
32FCSTI36	TAPERED INCREASER 32" TO 36"	2636.78	2706.84	3150.47	3552.45	76	1375.89	39
TERMINATIONS								
32FCSC	CAP	4520.27	4640.38	5400.94	6090.02	94	3603.89	76
32FCSCR	CLOSURE RING	399.93				13		
32FCSMCF	MITER CUT FEMALE TERMINATION	1968.54	2020.84	2352.06	2652.16	66	1502.51	44
32FCSMCM	MITER CUT MALE TERMINATION	1968.54	2020.84	2352.06	2652.16	67	1502.51	45
ROOF/WALL PENETRATIONS/ACCESSORIES								
32FCSF	FLASHING	842.61	864.99	1006.76	1135.22	56	572.65	56
32FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	635.22	652.08	758.97	855.81	28	556.09	28
32FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	635.22	652.08	758.97	855.81	30	556.09	30
32FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	635.22	652.08	758.97	855.81	33	556.09	33
32FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	635.22	652.08	758.97	855.81	35	556.09	35
32FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	635.22	652.08	758.97	855.81	38	556.09	38
32FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	635.22	652.08	758.97	855.81	41	556.09	41
32FCSPFF7	FIXED PITCH FLASHING 7-12 PITCH	635.22	652.08	758.97	855.81	43	556.09	43
32FCSPFF8	FIXED PITCH FLASHING 8-12 PITCH	635.22	652.08	758.97	855.81	46	556.09	46
32FCSPFF9	FIXED PITCH FLASHING 9-12 PITCH	635.22	652.08	758.97	855.81	49	556.09	49
32FCSPFF10	FIXED PITCH FLASHING 10-12 PITCH	635.22	652.08	758.97	855.81	52	556.09	52
32FCSPFF11	FIXED PITCH FLASHING 11-12 PITCH	635.22	652.08	758.97	855.81	55	556.09	55
32FCSPFF12	FIXED PITCH FLASHING 12-12 PITCH	635.22	652.08	758.97	855.81	58	556.09	58
32FCFSFS	FIRE STOP	377.44	387.46	450.96	508.52	16	233.89	14
32FCSSC	STORM COLLAR	533.43	547.61	637.36	718.69	22	467.92	28
32FCSWPK	WALL PENETRATION KIT	1686.67	1812.96	1963.11	2213.58	91	1441.25	108
SUPPORTS/GUIDES								
32FCSFAR	FULL ANGLE RING	575.56					480.44	
32FCSGR	GUY RING	1755.57	1802.20	2097.60	2365.22	187	609.88	161
32FCSHAR	HALF ANGLE RING	318.70					270.76	
32FCSPS	PLATE SUPPORT		1198.63	1395.08	1382.65		865.16	215
32FCSSSA	STACK SUPPORT ASSEMBLY	1938.90	1910.79	1968.11	2055.52	175	1453.70	161
32FCSSWS	WALL SUPPORT	1787.05	1834.52	2135.21	2407.63	243	1549.79	241
APPLIANCE CONNECTORS								
32FCSSBA4	SINGLE WALL BOILER ADAPTER	857.17	879.92	1024.15	1154.81	28	350.98	6
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
34" DIAMETER								
PIPE LENGTHS								
34FCS9	9" STRAIGHT LENGTH	1109.34	1138.80	1325.45	1494.56	26	490.95	13
34FCS12	12" STRAIGHT LENGTH	1283.73	1317.83	1533.82	1729.54	33	593.68	16
34FCS18	18" STRAIGHT LENGTH	1628.61	1671.86	1945.90	2194.16	47	801.21	23
34FCS24	24" STRAIGHT LENGTH	1982.14	2034.80	2368.32	2670.48	60	1209.98	30
34FCS36	36" STRAIGHT LENGTH	2654.14	2724.67	3171.23	3575.82	88	1414.00	43
VARIABLE LENGTHS								
34FCSVL10	VARIABLE LENGTH	1347.52	1383.32	1610.06	1815.46	43	836.18	22
34FCSVL22	VARIABLE LENGTH	2526.94	2594.10	3019.28	3404.46	70	1257.52	36
FITTINGS								
34FCS15L	15 DEGREE ELBOW	2483.79	2471.44	2729.48	2977.40	58	1155.49	29
34FCS30L	30 DEGREE ELBOW	3061.88	3046.62	3364.73	3670.37	69	1514.89	34
34FCS45L	45 DEGREE ELBOW	3637.41	3734.04	4346.06	4900.55	94	1974.26	40
34FCS45T	45 DEGREE TEE	9406.53	9656.47	11239.17	12673.11	259	7062.20	129
34FCS45T26	45 DEGREE TEE WITH 26" REDUCED TAP	6966.21	7151.31	8323.43	9385.36	181	4914.83	90
34FCS45T28	45 DEGREE TEE WITH 28" REDUCED TAP	7353.26	7548.64	8785.86	9906.81	195	5208.13	96
34FCS45T30	45 DEGREE TEE WITH 30" REDUCED TAP	7696.32	7900.81	9195.77	10369.02	212	5460.71	104
34FCS45T32	45 DEGREE TEE WITH 32" REDUCED TAP	8843.40	9078.37	10566.33	11914.42	231	6533.58	114
34FCS90L	90 DEGREE ELBOW	5761.56	5914.65	6884.07	7762.36	172	3110.01	84
34FCS90Y	90 DEGREE WYE	7145.31	7335.18	8537.42	9626.67	147	4347.38	72
34FCSCEC	CASING END CLOSURE	514.93	528.63	615.28	693.75	24		
34FCSDL26	DOUBLE LATERAL TEE WITH 26" TAPS	9534.32	9787.64	11391.83	12845.29	241	7424.72	121
34FCSDL28	DOUBLE LATERAL TEE WITH 28" TAPS	10066.04	10333.48	12027.14	13561.62	262	7896.64	130
34FCSDL30	DOUBLE LATERAL TEE WITH 30" TAPS	10616.52	10898.61	12684.89	14303.28	289	8286.64	143
34FCSDL32	DOUBLE LATERAL TEE WITH 32" TAPS	12774.69	13114.11	15263.52	17210.93	321	10291.05	160
34FCSDS	DRAIN SECTION	1650.43	1694.29	1971.98	2223.59	53	850.05	30
34FCSEI36	ECCENTRIC INCREASER 32" TO 36"	2597.30	2666.30	3103.33	3499.25	66	1505.94	37
34FCST	90 DEG MANIFOLD TEE	4653.71	4777.37	5560.37	6269.78	160	3132.66	80
34FCST26	90 DEG MANIFOLD TEE WITH 26" REDUCED TAP	3754.63	3854.40	4486.13	5058.49	110	2436.81	56
34FCST28	90 DEG MANIFOLD TEE WITH 28" REDUCED TAP	4022.26	4129.14	4805.91	5419.06	119	2669.73	60
34FCST30	90 DEG MANIFOLD TEE WITH 30" REDUCED TAP	4192.57	4303.95	5009.38	5648.51	129	2767.18	65
34FCST32	90 DEG MANIFOLD TEE WITH 32" REDUCED TAP	4309.86	4424.37	5149.55	5806.55	140	2864.64	71
34FCSTC	TEE CAP	1651.29	1695.15	1972.99	2224.72	46	778.98	20
34FCSTCN	TEE CAP LESS DRAIN	1394.96	1432.02	1666.74	1879.37	41	667.26	19
34FCSTI36	TAPERED INCREASER 32" TO 36"	2429.44	2493.99	2902.76	3273.10	60	1243.85	34
TERMINATIONS								
34FCSC	CAP	4804.91	4932.56	5741.02	6473.49	106	3839.51	86
34FCSCR	CLOSURE RING	411.90				14		
34FCSMCF	MITER CUT FEMALE TERMINATION	2192.02	2250.26	2619.07	2953.22	73	1686.52	49
34FCSMCM	MITER CUT MALE TERMINATION	2192.02	2250.26	2619.07	2953.22	75	1686.52	51
ROOF/WALL PENETRATIONS/ACCESSORIES								
34FCSF	FLASHING	926.15	950.75	1106.57	1247.77	61	628.31	61
34FCSPFF1	FIXED PITCH FLASHING 1-12 PITCH	671.34	689.15	802.10	904.46	30	587.72	30
34FCSPFF2	FIXED PITCH FLASHING 2-12 PITCH	671.34	689.15	802.10	904.46	33	587.72	33
34FCSPFF3	FIXED PITCH FLASHING 3-12 PITCH	671.34	689.15	802.10	904.46	35	587.72	35
34FCSPFF4	FIXED PITCH FLASHING 4-12 PITCH	671.34	689.15	802.10	904.46	38	587.72	38
34FCSPFF5	FIXED PITCH FLASHING 5-12 PITCH	671.34	689.15	802.10	904.46	41	587.72	41
34FCSPFF6	FIXED PITCH FLASHING 6-12 PITCH	671.34	689.15	802.10	904.46	44	587.72	44

1" Ceramic Fiber Insulated CorrGuard Suggested List Prices

34FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	671.34	689.15	802.1	904.46	47	587.72	47
34FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	671.34	689.15	802.10	904.46	51	587.72	51
34FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	671.34	689.15	802.10	904.46	54	587.72	54
34FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	671.34	689.15	802.10	904.46	57	587.72	57
34FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	671.34	689.15	802.10	904.46	60	587.72	60
34FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	671.34	689.15	802.10	904.46	64	587.72	64
34FCSFS	FIRE STOP	397.60	408.18	475.06	535.68	17	248.58	16
34FCSSC	STORM COLLAR	565.06	580.06	675.13	761.27	23	495.65	22
34FCSWPK	WALL PENETRATION KIT	1768.60	1918.76	2058.48	2321.12	98	1511.27	116
SUPPORTS/GUIDES								
34FCSFAR	FULL ANGLE RING	585.49					499.09	
34FCSGR	GUY RING	1872.39	1922.13	2237.16	2522.59	206	768.78	178
34FCSHAR	HALF ANGLE RING	325.02					277.39	
34FCSPS	PLATE SUPPORT	1187.60	1219.16	1418.97	1219.16	242	946.44	238
34FCSSSA	STACK SUPPORT ASSEMBLY	2177.88	2146.31	2210.70	2308.87	167	1676.66	151
34FCSSWS	WALL SUPPORT	1937.45	1988.92	2314.89	2610.25	266	1691.78	264
APPLIANCE CONNECTORS								
34FCSSBA4	SINGLE WALL BOILER ADAPTER	900.74	924.67	1076.23	1213.54	31	366.74	7
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	
36" DIAMETER								
		FCS	FCS	FCS	FCS	FCS	FCSSW	FCSSW
		AL294C/AZ	AL294C/430SS	AL294C/304SS	AL294C/316SS		AL294C	
		CA1	C31	C41	C61	WT		WT
PIPE LENGTHS								
36FCS9	9" STRAIGHT LENGTH	1164.45	1195.39	1391.32	1568.84	28	514.76	14
36FCS12	12" STRAIGHT LENGTH	1379.23	1415.89	1647.94	1858.24	35	641.73	17
36FCS18	18" STRAIGHT LENGTH	1769.75	1816.75	2114.53	2384.31	49	859.82	24
36FCS24	24" STRAIGHT LENGTH	2141.41	2198.29	2558.59	2885.04	64	1306.79	32
36FCS36	36" STRAIGHT LENGTH	2792.64	2866.84	3336.70	3762.42	93	1490.81	46
VARIABLE LENGTHS								
36FCSVL10	VARIABLE LENGTH	1426.65	1464.56	1704.59	1922.07	45	884.38	24
36FCSVL22	VARIABLE LENGTH	2703.82	2775.69	3230.62	3642.78	74	1333.45	38
FITTINGS								
36FCS15L	15 DEGREE ELBOW	2666.06	2683.86	2948.54	3180.75	61	1214.60	31
36FCS30L	30 DEGREE ELBOW	3262.01	3283.80	3607.65	3891.76	74	1595.09	36
36FCS45L	45 DEGREE ELBOW	3775.86	3876.18	4511.50	5087.09	103	2095.87	50
36FCS45T	45 DEGREE TEE	9882.90	10145.51	11808.34	13314.92	287	7388.18	143
36FCS45T28	45 DEGREE TEE WITH 28" REDUCED TAP	7359.35	7554.87	8793.11	9914.98	201	5236.00	99
36FCS45T30	45 DEGREE TEE WITH 30" REDUCED TAP	7697.83	7902.36	9197.57	10371.02	218	5475.03	107
36FCS45T32	45 DEGREE TEE WITH 32" REDUCED TAP	8785.42	9018.87	10497.07	11836.34	236	6490.34	116
36FCS45T34	45 DEGREE TEE WITH 34" REDUCED TAP	9190.88	9435.07	10981.46	12382.56	256	6854.49	127
36FCS90L	90 DEGREE ELBOW	6017.50	6177.38	7189.86	8107.17	190	3311.48	93
36FCS90Y	90 DEGREE WYE	8950.99	9188.82	10694.87	12059.39	161	5863.23	79
36FCSCC	CASING END CLOSURE	541.67	556.07	647.18	729.78	26		
36FCSDL28	DOUBLE LATERAL TEE WITH 28" TAPS	10387.32	10663.32	12411.03	13994.52	268	8108.96	132
36FCSDL30	DOUBLE LATERAL TEE WITH 30" TAPS	10716.66	11001.38	12804.52	14438.19	293	8301.48	145
36FCSDL32	DOUBLE LATERAL TEE WITH 32" TAPS	12684.99	13022.04	15156.35	17090.08	323	10137.86	160
36FCSDL34	DOUBLE LATERAL TEE WITH 34" TAPS	13455.59	13813.12	16077.10	18128.29	358	10845.22	179
36FCSDS	DRAIN SECTION	1699.30	1744.45	2030.36	2289.42	56	884.31	31
36FCST	90 DEG MANIFOLD TEE	4838.16	4966.72	5780.76	6518.31	176	3283.28	89
36FCST28	90 DEG MANIFOLD TEE WITH 28" REDUCED TAP	4115.10	4224.44	4916.81	5544.13	123	2712.86	62
36FCST30	90 DEG MANIFOLD TEE WITH 30" REDUCED TAP	4275.23	4388.82	5108.13	5759.89	132	2810.33	67
36FCST32	90 DEG MANIFOLD TEE WITH 32" REDUCED TAP	4405.39	4522.44	5263.67	5935.24	143	2907.79	72
36FCST34	90 DEG MANIFOLD TEE WITH 34" REDUCED TAP	4520.09	4640.19	5400.74	6089.78	155	3005.27	78
36FCSTC	TEE CAP	1760.92	1807.71	2104.00	2372.43	50	827.45	22
36FCSTCN	TEE CAP LESS DRAIN	1685.67	1730.45	2014.07	2271.05	45	818.51	21
TERMINATIONS								
36FCSCR	CLOSURE RING	454.43				15		
36FCSCMF	MITER CUT FEMALE TERMINATION	2330.90	2392.83	2785.02	3140.35	81	1800.08	55
36FCSCMCM	MITER CUT MALE TERMINATION	2330.90	2392.83	2785.02	3140.35	83	1800.08	57
ROOF/WALL PENETRATIONS/ACCESSORIES								
36FCSF	FLASHING	963.60	989.23	1151.36	1298.26	65	653.57	65
36FCSFPF1	FIXED PITCH FLASHING 1-12 PITCH	765.77	786.11	914.96	1031.70	32	670.39	32
36FCSFPF2	FIXED PITCH FLASHING 2-12 PITCH	765.77	786.11	914.96	1031.70	35	670.39	35
36FCSFPF3	FIXED PITCH FLASHING 3-12 PITCH	765.77	786.11	914.96	1031.70	38	670.39	38
36FCSFPF4	FIXED PITCH FLASHING 4-12 PITCH	765.77	786.11	914.96	1031.70	42	670.39	42
36FCSFPF5	FIXED PITCH FLASHING 5-12 PITCH	765.77	786.11	914.96	1031.70	45	670.39	45
36FCSFPF6	FIXED PITCH FLASHING 6-12 PITCH	765.77	786.11	914.96	1031.70	48	670.39	48
36FCSFPF7	FIXED PITCH FLASHING 7-12 PITCH	765.77	786.11	914.96	1031.70	52	670.39	52
36FCSFPF8	FIXED PITCH FLASHING 8-12 PITCH	765.77	786.11	914.96	1031.70	55	670.39	55
36FCSFPF9	FIXED PITCH FLASHING 9-12 PITCH	765.77	786.11	914.96	1031.70	59	670.39	59
36FCSFPF10	FIXED PITCH FLASHING 10-12 PITCH	765.77	786.11	914.96	1031.70	62	670.39	62
36FCSFPF11	FIXED PITCH FLASHING 11-12 PITCH	765.77	786.11	914.96	1031.70	66	670.39	66
36FCSFPF12	FIXED PITCH FLASHING 12-12 PITCH	765.77	786.11	914.96	1031.70	70	670.39	70
36FCSFS	FIRE STOP	440.88	452.60	526.79	593.99	18	261.30	17
36FCSSC	STORM COLLAR	609.27	625.46	727.99	820.87	26	534.46	23
36FCSWPK	WALL PENETRATION KIT	1965.17	2106.46	2287.27	2579.09	105	1679.21	125
SUPPORTS/GUIDES								
36FCSFAR	FULL ANGLE RING	606.05					507.76	
36FCSGR	GUY RING	2017.45	2071.06	2410.49	2718.05	227	773.40	196
36FCSHAR	HALF ANGLE RING	338.44					281.72	
36FCSPS	PLATE SUPPORT	1402.23	1439.49	1675.42	1439.49	267	1054.69	262
36FCSSSA	STACK SUPPORT ASSEMBLY	2440.04	2404.68	2476.81	2586.80	178	1891.87	166
36FCSSWS	WALL SUPPORT	1960.64	2012.73	2342.62	2641.51	291	1705.77	288
APPLIANCE CONNECTORS								
36FCSSBA4	SINGLE WALL BOILER ADAPTER	941.04	966.05	1124.40	1267.84	33	384.93	7
SEALANT								
P077	Silicone Joint Sealant; most boiler/heating appliances, up to 600 deg. F.	26.38	26.38	26.38	26.38		26.38	