

TEMP/GUARD 2100° CHIMNEY

6" DIAMETER													
Item	Description	Galvanized			Stainless (S) or Aluminum (A)			Carton				Skid Pcs.	
		Catalog No.	Code No.	Price Each	Catalog No.	Code No.	Price Each	Pcs.	Galv.		SS		Cubes
									Lbs.	Lbs.			
PIPE & FITTINGS	48" Length	6TGG48	11741	291.42	6TGS48	48558	323.98	1	18.5	16.5	3.2	16	
	36" Length	6TGG36	11740	235.81	6TGS36	11763	264.18	1	14.0	12.5	2.36	32	
	24" Length	6TGG24	11739	178.42	6TGS24	11762	199.93	1	10.5	10.5	1.61	32	
	18" Length	6TGG18	11738	141.45	6TGS18	11761	158.50	2	14.6	13.6	2.36	32	
	12" Length	6TGG12	11737	111.33	6TGS12	11760	124.77	2	10.0	9.6	1.62	64	
	6" Length	6TGG6	11742	76.61	6TGS6	11764	85.86	4	11.2	9.6	1.6	64	
	Insulated Tee w/Tee Cap	6TGGT	11735	273.43	6TGST	11757	327.36	1	9.5	8.6	2.2	24	
	Tee Cap		N/A		6TGTC	12725	21.60	*	N/A	1.0	0.2	0	
	Insulated Tee Cap	6TGITC	12969	45.01		N/A		6	11.4	N/A	1.56		
	15° Angle	6TGA15	11732	161.76	6TGSA15	11753	181.28	2	9.2	8.6	1.66	48	
30° Angle	6TGA30	11733	211.96	6TGSA30	11754	237.54	2	10.0	9.6	1.66	60		
SUPPORTS	Painted Ceiling Support	6TGCSP	11726	157.25		N/A		1	6.7	N/A	1.56	24	
	Painted Ceiling Support Trim	6TGCST	12722	52.52		N/A		1	1.4	N/A	0.1	100	
	Deluxe Support	6TDLXS	12946	218.56		N/A		1	10.5	N/A	2.08	12	
	Wall Support/ Adapter	6TGWS	11768	153.02		N/A		1	9.8	N/A	1.56	24	
	Wall Support, Adjustable	6TGAWS	48737	177.28		N/A		1	11.5	N/A	1.88	20	
	Anchor Plate		N/A		6TGAP	11720	102.63	1	N/A	4.3	0.67	80	
	Support Band	6TGSB	11755	26.84		N/A		4	3.2	N/A	0.52		
	Roof Brace Kit	6TGRB	12724	136.70		N/A		1	4.6	N/A	0.27	144	
	Wall Band	6TGWB	11766	51.66		N/A		4	6.4	N/A	1.56	96	
	Wall Band Adjustment Kit	TGWBA	48767	45.08		N/A		12	4.8	N/A	0.36		
	Roof Support w/Trim	6TGRS	11751	202.79		N/A		1	16.5	N/A	3.26	18	
Adjustable Roof Support	6TGAS	11721	65.76		N/A		1	3.0	N/A	0.32	112		
PITCHED CEILING PLATES & ACCESSORIES	PCP 0/12 - 2/12 Pitch	6TGPCP2	11745	50.45		N/A		4	2.0	N/A	0.4	40	
	PCP 4/12 Pitch	6TGPCP4	11746	50.45		N/A		4	2.0	N/A	0.4	40	
	PCP 6/12 Pitch	6TGPCP6	11747	50.45		N/A		4	2.0	N/A	0.52	40	
	PCP 8/12 Pitch	6TGPCP8	11748	50.45		N/A		4	3.0	N/A	0.52	40	
	PCP 10/12 Pitch	6TGPCP10	11744	50.45		N/A		4	3.0	N/A	0.52	40	
	Painted Trim Sleeve	6TGTS	12726	37.08		N/A		1	3.5	N/A	1.05		
	Painted Single Wall Adapter	6TGPSWA	11749	83.25		N/A		4	7.6	N/A	1.56	96	
FIRESTOPS	Firestop Assembly	6TGFSA	11728	24.19		N/A		4	6.0	N/A	0.16	192	
	Wall Firestop	6TGWFSP	11767	98.38		N/A		1	5.9	N/A	1.88	20	
	Insulation Shield	6TGIS	11743	153.17		N/A		1	6.5	N/A	3.86	12	
TERMINATION COMPONENTS	Cap/Spark Arrester		N/A		6TGC	11722	142.29	1	N/A	4.5	1.51	36	
	Cap (Detachable)		N/A		6TGDC	48828	143.06	1	N/A	7.0	1.51	36	
	Cap (Rain Cap)		N/A		6TGRC	11750	91.34	1	N/A	3.0	1.51	36	
	Storm Collar	6TGSC	11756	21.90	6TGASC	12721	25.22	12	12.0	6.0	0.12	768	
FLASHINGS	Flat Tall Cone 0/12 - 2/12	6TGFT	11729	99.63	6TGAFT	12720	111.73	*	4.0	2.0	3.84	60	
	Flashing 2/12 - 5/12	6TGF	11727	75.38	6TGAF	12717	84.54	**	15.6	1.5	4.06	120	
	Flashing 6/12 - 10/12	6TGF10	12723	112.55	6TGAF10	12971	126.05	*	6.0	2.0	6.74	30	
	Flashing 11/12 - 15/12	6TGF15	11730	161.74	6TGAF15	12718	181.56	*	4.5	2.3	4.9		
	Flashing 16/12 - 24/12	6TGF24	11731	262.67	6TGAF24	12719	294.34	*	7.0	3.5	6.39		
	Dead Soft AL Flashing	6TGDSF	88050	128.81		N/A		1	6.0	N/A	5.59	1	
CHIMNEY KITS	¹ Contemporary Kit	6TGCK	11724	403.14		N/A		KIT	19.5	N/A	8.54	8	
	Contemporary Kit		N/A		6TGSCK	53564	434.01	KIT		19.0	8.54	4	
	² Through the Wall Kit	6TGGTWK	11736	1088.39	6GTWK	11765	1176.50	KIT	43.5	42.0	10.61	8	
	³ Standard Chimney Kit	6TGGCK5	11734	848.63	6TGCK5	11725	912.98	KIT	43.5	42.3	9.85	8	

¹Contemporary Kit consists of Cap, Flashing, Storm Collar, and Painted Ceiling Support - *Stainless Steel

²Through the Wall Kits consist of Cap, Flashing, Storm Collar, (2) Wall Bands, Tee, Wall Support, Wall Firestop, 6" Length of Pipe, and Painted Wall Adapter.

³Standard Chimney Kits consist of Cap, Flashing, Storm Collar, Painted Ceiling Support, 36" Length of Pipe, and 24" Length of Pipe.

** 6TGF - 4 per ctn 6TGAF - 1 per ctn

*Item cartoned as ordered.

TEMP/GUARD 2100° CHIMNEY

7" DIAMETER												
Item	Description	Galvanized			Stainless (S) or Aluminum (A)			Carton				Skid Pcs.
		Catalog No.	Code No.	Price Each	Catalog No.	Code No.	Price Each	Pcs.				
								Galv.	SS	Lbs.	Cubes	
PIPE & FITTINGS	48" Length	7TGG48	11788	334.63	7TGS48	48559	376.90	1	21.5	20.0	4.46	12
	36" Length	7TGG36	11787	288.81	7TGS36	11810	323.67	1	16.5	15.0	3.35	24
	24" Length	7TGG24	11786	207.11	7TGS24	11809	232.13	1	11.5	10.0	2.29	24
	18" Length	7TGG18	11785	161.76	7TGS18	11808	181.28	2	17.0	14.6	3.34	24
	12" Length	7TGG12	11784	128.98	7TGS12	11807	144.52	2	12.2	10.0	2.28	24
	6" Length	7TGG6	11789	90.28	7TGS6	11811	108.24	4	13.6	11.6	2.28	
	Insulated Tee w/Tee Cap	7TGGT	11783	305.78	7TGST	11804	358.32	1	11.1	9.6	2.49	18
	Tee Cap	7TGITC	13206	47.81	7TGTC	12734	24.72	*	12.0	1.0	0.2	0
	15° Angle	7TGG15	11781	173.01	7TGS15	11800	202.76	2	10.6	9.6	2.28	
	30° Angle	7TGG30	11782	231.89	7TGS30	11801	259.92	2	11.8	10.6	2.28	
SUPPORTS	Painted Ceiling Support	7TGCS	11775	166.10		N/A		1	7.1	N/A	1.56	
	Painted Ceiling Support Trim	7TGCS	12732	54.33		N/A		1	1.7	N/A	0.27	75
	Wall Support/ Adapter	7TGS	11814	171.37		N/A		1	10.0	N/A	1.56	
	Wall Support, Adjustable	7TGS	48738	192.92		N/A		1	11.5	N/A	1.88	
	Anchor Plate		N/A		7TGAP	11770	110.81	1	N/A	4.7	1.05	
	Support Band	7TGS	11802	27.22		N/A		4	3.2	N/A	0.68	
	Roof Brace Kit	7TGR	12733	138.39		N/A		1	5.1	N/A	0.27	72
	Wall Band	7TGS	11812	54.33		N/A		4	7.2	N/A	1.56	48
	Wall Band Adjustment Kit	TGS	48767	45.08		N/A		12	4.8	N/A	0.36	
	Roof Support w/Trim	7TGR	11798	220.19		N/A		1	18.5	N/A	5.57	6
	Adjustable Roof Support	7TGS	11771	68.30		N/A		1	3.2	N/A	0.38	
PITCHED CEILING PLATES & ACCESSORIES	PCP 0/12 - 2/12 Pitch	7TGCP	11792	57.00		N/A		4	2.0	N/A	0.52	40
	PCP 4/12 Pitch	7TGCP	11793	57.00		N/A		4	2.0	N/A	0.52	40
	PCP 6/12 Pitch	7TGCP	11794	57.00		N/A		4	2.0	3.1	0.52	40
	PCP 8/12 Pitch	7TGCP	11795	57.00		N/A		4	3.0	N/A	0.52	40
	PCP 10/12 Pitch	7TGCP	11791	57.00		N/A		4	3.0	N/A	0.52	40
	Painted Trim Sleeve	7TGS	12735	43.26		N/A		1	4.6	N/A	1.51	
	Painted Single Wall Adapter	7TGPS	11796	89.94		N/A		4	8.0	N/A	2.04	
FIRESTOPS	Firestop Assembly	7TGFS	11777	25.30		N/A		4	5.6	N/A	0.16	168
	Wall Firestop	7TGS	11813	102.98		N/A		1	6.8	N/A	2.13	
	Insulation Shield	7TGS	11790	169.47		N/A		1	7.9	N/A	4.94	12
TERMINATION COMPONENTS	Cap/Spark Arrester		N/A		7TGC	11772	165.30	1	N/A	5.0	1.51	36
	Cap (Detachable)		N/A		7TGD	48829	165.59	1	N/A	7.0	1.51	12
	Cap (Rain Cap)		N/A		7TGR	11797	100.01	1	N/A	3.1	1.51	
	Storm Collar	7TGS	11803	23.70	7TGS	12731	27.56	12	13.2	7.2	0.24	408
FLASHINGS	Flat Tall Cone 0/12 - 2/12	7TGFT	11778	104.84	7TGAFT	12730	117.08	*	4.4	2.5	4.67	
	Flashing 2/12 - 5/12	7TGF	11776	94.54	7TGAF	12727	105.45	*	4.0	1.9	3.99	120
	Flashing 11/12 - 15/12	7TGF15	11779	184.85	7TGAF15	12728	209.90	*	5.0	2.6	5.5	
	¹ Contemporary Kit	7TGCK	11774	466.45		N/A		KIT	21.6	N/A	10.67	4

¹Contemporary Kit consists of Cap, Flashing, Storm Collar, and Painted Ceiling Support - *Stainless Steel

*Item cartoned as ordered.

TEMP/GUARD 2100° CHIMNEY

8" DIAMETER												
Item	Description	Galvanized			Stainless (S) or Aluminum (A)			Carton				Skid Pcs.
		Catalog No.	Bar Code No.	Price Each	Catalog No.	Bar Code No.	Price Each					
								Pcs.	Galv. Lbs.	SS Lbs.	Cubes	
PIPE & FITTINGS	48" Length	8TGG48	11837	357.53	8TGS48	48560	407.52	1	23.5	21.5	4.46	16
	36" Length	8TGG36	11836	311.82	8TGS36	11859	365.42	1	17.5	16.5	3.35	32
	24" Length	8TGG24	11835	216.38	8TGS24	11858	253.53	1	12.1	10.5	2.29	32
	18" Length	8TGG18	11834	167.23	8TGS18	11857	195.93	2	18.0	16.6	3.34	32
	12" Length	8TGG12	11833	132.30	8TGS12	11856	148.24	2	12.8	11.6	2.28	64
	6" Length	8TGG6	11838	91.48	8TGS6	11860	119.27	4	13.6	12.0	2.28	64
	Insulated Tee w/Tee Cap	8TGGT	11831	411.30	8TGST	11853	481.88	1	12.0	10.5	2.79	18
	Tee Cap		N/A		8TGTC	12744	25.30	*	N/A	1.0	0.2	0
	Insulated Tee Cap	8TGITC	12970	47.81		N/A		6	15.6	N/A	1.56	
	15° Angle	8TGA15	11828	202.76	8TGSA15	11849	231.89	2	12.2	10.6	2.28	36
	30° Angle	8TGA30	11829	260.97	8TGSA30	11850	292.47	2	12.4	11.6	2.28	36
SUPPORTS	Painted Ceiling Support	8TGCSP	11822	173.57		N/A		1	7.7	N/A	1.78	24
	Painted Ceiling Support Trim	8TGCST	12741	56.52		N/A		1	1.7	N/A	0.13	75
	Deluxe Support	8TGDLS	12947	264.44		N/A		1	10.8	N/A	2.08	12
	Wall Support/ Adapter	8TGWS	11864	177.39		N/A		1	10.4	N/A	1.56	24
	Wall Support, Adjustable	8TGAWS	48739	199.19		N/A		1	11.5	N/A	1.88	20
	Anchor Plate		N/A		8TGAP	11816	118.64	1	N/A	5.0	1.4	32
	Support Band	8TGSB	11851	28.40		N/A		4	3.2	N/A	0.68	
	Roof Brace Kit	8TGRB	12743	142.45		N/A		1	5.2	N/A	0.27	144
	Wall Band	8TGWB	11862	56.87		N/A		4	7.6	N/A	1.56	96
	Wall Band Adjustment Kit	TGWBA	48767	45.08		N/A		12	4.8	N/A	0.36	
	Roof Support w/Trim	8TGRS	11847	224.91		N/A		1	18.5	N/A	5.57	12
Adjustable Roof Support	8TGAS	11817	70.91		N/A		1	3.5	N/A	0.38	112	
PITCHED CEILING PLATES & ACCESSORIES	PCP 0/12 - 2/12 Pitch	8TGPCP2	11841	60.07		N/A		4	2.0	N/A	0.52	40
	PCP 4/12 Pitch	8TGPCP4	11842	60.07		N/A		4	2.0	N/A	0.52	40
	PCP 6/12 Pitch	8TGPCP6	11843	60.07		N/A		4	2.0	N/A	0.52	40
	PCP 8/12 Pitch	8TGPCP8	11844	60.07		N/A		4	3.0	N/A	0.72	40
	PCP 10/12 Pitch	8TGPCP10	11840	60.07		N/A		4	3.0	N/A	1.4	40
	Painted Trim Sleeve	8TGTS	12745	45.54		N/A		1	4.0	N/A	1.51	18
	Painted Single Wall Adapter	8TGPSWA	11845	95.33		N/A		4	9.2	N/A	2.04	56
FIRESTOPS	Firestop Assembly	8TGFS	11824	26.41		N/A		4	6.0	N/A	1.76	168
	Wall Firestop	8TGWFS	11863	112.94		N/A		1	7.2	N/A	2.13	20
	Insulation Shield	8TGIS	11839	180.66		N/A		1	8.0	N/A	4.94	12
TERMINATION COMPONENTS	Cap/Spark Arrester		N/A		8TGC	11818	189.16	1	N/A	6.5	1.97	36
	Cap (Detachable)		N/A		8TGDC	48830	187.05	1	N/A	8.0	1.97	36
	Cap (Rain Cap)		N/A		8TGRC	11846	108.28	1	N/A	3.6	1.97	36
	Storm Collar	8TGSC	11852	28.90	8TGASC	12740	35.68	12	13.2	8.4	0.96	576
FLASHINGS	Flat Tall Cone 0/12 - 2/12	8TGFT	11825	142.07	8TGAFT	12739	159.15	*	4.5	2.2	4.33	120
	Flashing 2/12 - 5/12	8TGF	11823	103.31	8TGAF	12736	115.73	**	18.4	2.0	4.83	120
	Flashing 6/12 - 10/12	8TGF10	12742	157.65	8TGAF10	12972	176.50	*	7.0	2.5	10.67	40
	Flashing 11/12 - 15/12	8TGF15	11826	210.59	8TGAF15	12737	235.96	*	7.0	3.5	8.99	10
	Flashing 16/12 - 24/12	8TGF24	11827	327.30	8TGAF24	12738	366.77	*	8.0	4.0	11.02	10
	Dead Soft AL Flashing	8TGDSF	88051	141.58				1	6.3	N/A	5.59	
CHIMNEY KITS	¹ Contemporary Kit	8TGCK	11820	507.09		N/A		KIT	22.5	N/A	10.67	8
	Contemporary Kit		N/A		8TGCK	53566	529.43	KIT	23.0	23.0	10.67	8
	² Through the Wall Kit	8TGGTWK	11832	1340.52	8GTWK	11861	1447.82	KIT	51.5	49.0	14.08	8
	³ Standard Chimney Kit	8TGGCK5	11830	1052.18	8TGCK5	11821	1159.18	KIT	48.0	44.5	14.08	8

¹Contemporary Kit consists of Cap, Flashing, Storm Collar, and Painted Ceiling Support - *Stainless Steel

²Through the Wall Kits consist of Cap, Flashing, Storm Collar, (2) Wall Bands, Tee, Wall Support, Wall Firestop, 6" Length of Pipe, and Painted Wall Adapter.

³Standard Chimney Kits consist of Cap, Flashing, Storm Collar, Painted Ceiling Support, 36" Length of Pipe, and 24" Length of Pipe.

* 8TGF - 4 per ctn 8TGAF - 1 per ctn

*Item cartoned as ordered.

TEMP/GUARD 2100° CHIMNEY

10" DIAMETER												
Item	Description	Galvanized			Stainless (S) or Aluminum (A)			Carton				Skid Pcs.
		Catalog No.	Bar Code No.	Price Each	Catalog No.	Bar Code No.	Price Each	Carton				
								Pcs.	Galv. Lbs.	SS Lbs.	Cubes	
PIPE & FITTINGS	48" Length		N/A			N/A		N/A	N/A	N/A	N/A	
	36" Length	10TG36	11690	446.60	10TGS36	12692	510.79	1	23.5	22.5	4.5	18
	24" Length	10TG24	11689	328.80	10TGS24	12705	376.01	1	16.0	15.5	3.08	18
	18" Length	10TG18	11688	253.20	10TGS18	12704	289.49	2	23.6	23.6	4.5	18
	12" Length	10TG12	11687	194.69	10TGS12	12703	222.57	2	17.0	16.0	3.08	18
	6" Length	10TG6	11691	143.12	10TGS6	12706	160.37	4	16.4	16.4	3.08	
	Insulated Tee w/Tee Cap	10TGT	11683	535.88		N/A		1	15.0	N/A	4.05	6
	Tee Cap		N/A		10TGTC	12708	32.54	*	N/A	1.0	0.3	0
	15° Angle	10TGA15	11666	255.58		N/A		2	12.6	N/A	3.48	16
	30° Angle	10TGA30	11667	302.26	10TGSA30	42649	338.58	2	14.0	13.6	3.44	16
SUPPORTS	Painted Ceiling Support	10TGCSF	11670	193.82		N/A		1	9.0	N/A	2.13	
	Painted Ceiling Support Trim	10TGCST	12702	59.44		N/A		1	1.9	N/A	0.15	15
	Wall Support/ Adapter	10TGWS	11686	302.47		N/A		1	13.5	N/A	2.13	
	Anchor Plate		N/A		10TGAP	11664	145.11	1	N/A	5.5	1.46	24
	Support Band	10TGSB	11680	28.74		N/A		4	4.4	N/A	1.88	
	Wall Band	10TGWB	11684	57.60		N/A		4	8.0	N/A	1.8	
	Roof Support w/Trim	10TGRS	11678	297.89		N/A		1	23.0	N/A	6.14	
	Adjustable Roof Support	10TGAS	11665	75.52		N/A		1	3.5	N/A	0.66	
ACCESSORIES	Single Wall Adapter	10TGSWA	11682	93.58		N/A		4	9.6	N/A	2.36	
FIRESTOPS	Firestop Assembly	10TGFSF	11672	53.46		N/A		4	8.4	N/A	0.92	80
	Wall Firestop	10TGWFSF	11685	141.96		N/A		1	8.5	N/A	2.54	
	Insulation Shield	10TGIS	11676	225.61		N/A		1	9.5	N/A	5.18	
TERMINATION COMPONENTS	Cap/Spark Arrester		N/A		10TGC	11668	226.97	1	N/A	7.5	3.43	20
	Cap (Rain Cap)		N/A		10TGRC	11677	121.17	1	N/A	5.0	3.31	8
	Storm Collar	10TGSC	11681	35.43	10TGSSC	12707	41.52	*	1.5	1.0	0.5	200
FLASHINGS	Flat Tall Cone 0/12 - 2/12	10TGFT	11673	139.27		N/A		*	5.5	N/A	5.38	20
	Flashing 2/12 - 5/12	10TGF	11671	131.21	10TGAF	12701	147.08	1	5.5	2.0	6.32	20
	Flashing 6/12 - 10/12	10TGF10	43429	247.70		N/A		*	8.5	N/A	8.37	10
	Flashing 11/12 - 15/12	10TGF15	11674	271.28		N/A		*	9.7	N/A	11.55	8

*Item cartoned as ordered.

TEMP/GUARD 2100° CHIMNEY

12" DIAMETER												
Item	Description	Galvanized			Stainless (S) or Aluminum (A)			Carton				Skid Pcs.
		Catalog No.	Bar Code No.	Price Each	Catalog No.	Bar Code No.	Price Each	Carton				
								Pcs.	Galv. Lbs.	SS Lbs.	Cubes	
PIPE & FITTINGS	48" Length		N/A			N/A		N/A	N/A	N/A	N/A	
	36" Length	12TG36	11718	525.87	12TGS36	12714	609.13	1	28.0	25.5	6.2	18
	24" Length	12TG24	11717	378.58	12TGS24	12713	438.90	1	20.5	18.0	4.2	18
	18" Length	12TG18	11716	297.23	12TGS18	12712	338.64	2	28.0	26.6	6.2	18
	12" Length	12TG12	11715	222.56	12TGS12	12711	250.81	2	19.6	18.6	4.2	18
	6" Length	12TG6	11719	176.76	12TGS6	12715	201.71	4	20.4	19.6	4.2	
	Insulated Tee w/Tee Cap	12TGT	11711	601.88		N/A		1	20.0	N/A	6.4	4
	Tee Cap		N/A		12TGTC	29472	41.03	*	N/A	1.0	0.3	0
	15° Angle	12TGA15	11694	284.40		N/A		2	15.8	N/A	5.0	8
	30° Angle	12TGA30	11695	346.90	12TGSA30	42650	388.49	2	17.0	15.6	5.0	8
SUPPORTS	Painted Ceiling Support	12TGCS	11698	208.60		N/A		1	10.5	N/A	2.5	
	Painted Ceiling Support Trim	12TGCST	12710	62.41		N/A		1	2.1	N/A	0.2	15
	Wall Support/ Adapter	12TGWS	11714	315.80		N/A		1	13.5	N/A	2.1	
	Anchor Plate		N/A		12TGAP	11692	154.63	1	N/A	8.4	1.8	16
	Support Band	12TGSB	11708	29.43		N/A		4	5.2	N/A	1.9	
	Wall Band	12TGWB	11712	61.97		N/A		4	8.4	N/A	1.8	
	Roof Support w/Trim	12TGRS	11706	341.46		N/A		1	26.0	N/A	8.7	
	Adjustable Roof Support	12TGAS	11693	86.09		N/A		1	4.0	N/A	0.7	
ACCESSORIES	Single Wall Adapter	12TGSWA	11710	102.53		N/A		4	11.6	N/A	2.2	
FIRESTOPS	Firestop Assembly	12TGFA	11700	57.26		N/A		4	8.8	N/A	0.9	80
	Wall Firestop	12TGWFS	11713	148.81		N/A		1	8.3	N/A	1.6	
	Insulation Shield	12TGIS	11704	258.32		N/A		1	10.5	N/A	6.8	
	Radiation Shield	12TGRSH	11707	137.87		N/A		1	5.2	N/A	3.4	
TERMINATION COMPONENTS	Cap/Spark Arrester		N/A		12TGC	11696	283.74	1	N/A	7.5	3.4	20
	Cap (Rain Cap)		N/A		12TGRC	11705	139.29	1	N/A	5.3	3.4	8
	Storm Collar	12TGSC	11709	44.88	12TGSSC	12716	52.55	*	1.5	1.0	0.5	80
FLASHINGS	Flat Tall Cone 0/12 - 2/12	12TGFT	11701	151.91		N/A		*	6.0	N/A	5.8	5
	Flashing 2/12 - 5/12	12TGF	11699	154.37	12TGAF	12709	173.02	1	5.5	2.5	6.8	10
	Flashing 6/12 - 10/12	12TGF10	43430	282.90		N/A		*	9.5	N/A	11.0	10
	Flashing 11/12 - 15/12	12TGF15	11702	316.01		N/A		*	10.0	N/A	11.7	5

*Item cartoned as ordered.

TEMP/GUARD 2100° CHIMNEY 14" only
TEMP/GUARD 1700° CHIMNEY 16" and 18"
14" DIAMETER

Stainless Flue/Galvanized Jacket								
Item	Description	Catalog No.	Bar Code No	Price Each	Pcs.	Carton Lbs.	Carton Cubes	Skid Pcs.
PIPE & FITTINGS	48" Length	14TG48	92750	579.25	1	56.0	9.71	4
	36" Length	14TG36	92749	513.04	1	31.5	7.33	4
	18" Length	14TG18	12749	341.30	1	16.3	3.86	
	12" Length	14TG12	92747	271.91	1	11.6	2.77	
	15° Angle	14TGA15	12752	405.48	1	11.6	4.06	
	30° Angle	14TGA30	12753	413.74	1	13.4	4.06	8
SUPPORTS	Anchor Plate	14TGAP	12751	227.56	1	12.6	2.54	
	Support Band	14TGSB	93101	38.14	4	4.2	1.88	
	Wall Band	14TGWB	12758	116.71	4	10.2	2.12	
FIRESTOPS	Firestop Assembly	14TGFSA	12754	154.47	1	10.7	8.27	2
TERMINATION COMPONENTS	Cap/Spark Arrester	14TGC	12757	372.37	1	11.2	3.43	8
	Storm Collar	14TGSC	12756	48.99	1	2.9	1.88	
FLASHINGS	Flat Tall Cone 0/12 - 2/12	14TGFT	12755	256.53	1	10.7	9.48	2
SHIELDS	Radiation Shield For Flashing	14TGRSH	48952	147.93	1	5.4	2.88	

16" DIAMETER

Stainless Flue/Galvanized Jacket								
Item	Description	Catalog No.	Bar Code No	Price Each	Pcs.	Carton Lbs.	Carton Cubes	Skid Pcs.
PIPE & FITTINGS	48" Length	16TG48	92755	620.62	1	42.5	17.72	4
	36" Length	16TG36	92754	546.15	1	35.8	10.36	4
	18" Length	16TG18	48845	363.68	1	18.8	4.99	
	12" Length	16TG12	92752	299.23	1	12.7	3.43	4
	15° Angle	16TGA15	48847	451.00	1	10.4	6.01	
	30° Angle	16TGA30	48848	463.40	1	12.7	7.99	
SUPPORTS	Anchor Plate	16TGAP	48849	268.92	1	14.3	4.54	
	Support Band	16TGSB	93102	42.08	4	6.0	2.12	
	Wall Band	16TGWB	48850	122.05	4	11.1	3.72	
FIRESTOPS	Firestop Assembly	16TGFSA	48851	167.69	1	11.5	8.27	4
TERMINATION COMPONENTS	Cap/Spark Arrester	16TGC	48852	496.51	1	17.3	5.88	2
	Storm Collar	16TGSC	48853	57.98	1	3.6	2.13	
FLASHINGS	Flat Tall Cone 0/12 - 2/12	16TGFT	48854	277.21	1	11.7	12.59	2
SHIELDS	Radiation Shield For Flashing	16TGRSH	48855	155.33	1	5.6	3.71	8

18" DIAMETER

Stainless Flue/Galvanized Jacket								
Item	Description	Catalog No.	Bar Code No	Price Each	Pcs.	Carton Lbs.	Carton Cubes	Skid Pcs.
PIPE & FITTINGS	48" Length	18TG48	92759	744.74	1	47.3	21.44	1
	36" Length	18TG36	92758	661.98	1	35.5	16.63	1
	18" Length	18TG18	48858	397.61	1	17.7	8.7	
	12" Length	18TG12	92756	336.66	1	11.8	2.29	2
	15° Angle	18TGA15	48860	500.62	1	11.9	7.12	
	30° Angle	18TGA30	48861	513.04	1	14.7	9.51	
SUPPORTS	Anchor Plate	18TGAP	48862	413.74	1	16.0	5.47	2
	Wall Band	18TGWB	48863	136.52	4	12.0	3.72	
FIRESTOPS	Firestop Assembly	18TGFSA	48864	182.80	1	12.3	8.27	3
TERMINATION COMPONENTS	Cap/Spark Arrester	18TGC	48865	533.74	1	19.8	9.19	1
	Storm Collar	18TGSC	48866	98.27	1	3.9	1.88	
FLASHINGS	Flat Tall Cone 0/12 - 2/12	18TGFT	48867	331.01	1	12.7	10.83	2
SHIELDS	Radiation Shield For Flashing	18TGRSH	48868	123.95	1	6.5	4.89	1

CAUTION:The components listed on this sheet are intended for use as a chimney extension ONLY.

PAINTED SINGLE WALL BLACK STOVE PIPE

6" DIAMETER							
Description	Catalog No.	Bar Code No	Price Each	Carton			Skid Pcs.
				Pcs.	Lbs.	Cubes	
6" x 48" Pipe	6SW48	10525	71.97	4	30.0	4.64	48
6" x 24" Pipe	6SW24	10522	42.17	6	22.2	3.42	126
6" x 12" Pipe	6SW12	10519	27.35	6	12.0	1.74	126
6" x 66" Telescope Length	6SWTL66	10518	125.58	1	10.5	1.46	48
6" x 48" Telescope Length	6SWTL48	10517	109.60	1	8.0	1.08	48
6" x 14" Slip Connector	6SW14S	10521	32.49	6	13.2	2.04	84
6" x 90° Elbow	6SW90	10526	40.57	6	13.2	2.4	72
6" 45° Elbow	6SW45	10524	36.67	4	7.2	2.04	84
6" Dia. Tee/Tee Cap	6SWT	10515	104.73	4	14.0	3.24	32
6" Stove Top Adapter	6SWA1	10512	23.10	6	6.6	1.44	144
6" Trim Collar	6SWTC	10516	16.69	6	2.4	0.06	
6" to 8" Increaser	6SWI8	10513	50.59	6	7.8	1.08	

7" DIAMETER							
7" x 24" Pipe	7SW24	10538	47.60	6	27.6	5.9	
7" x 12" Pipe	7SW12	10535	33.35	6	13.8	3.0	
7" x 66" Telescope Length	7SWTL66	10534	137.08	1	12.5	2.4	
7" x 48" Telescope Length	7SWTL48	10533	114.37	1	14.0	1.7	
7" x 14" Slip Connector	7SW14S	10537	38.81	6	15.0	3.5	36
7" x 90° Elbow	7SW90	10542	44.61	6	17.4	4.6	
7" Stove Top Adapter	7SWA1	10528	24.02	6	7.2	2.2	
7" to 8" Increaser	7SWI8	10529	54.89	6	6.6	1.3	

8" DIAMETER							
8" x 48" Pipe	8SW48	10567	86.02	4	39.2	8.2	24
8" x 24" Pipe	8SW24	10564	52.52	6	29.4	5.88	72
8" x 12" Pipe	8SW12	10561	34.56	6	15.6	3	72
8" x 66" Telescope Length	8SWTL66	10560	148.54	1	14.0	2.98	30
8" x 48" Telescope Length	8SWTL48	10559	123.20	1	10.0	2.21	30
8" x 14" Slip Connector	8SW14S	10563	41.87	6	16.8	3.54	48
8" x 90° Elbow	8SW90	10568	45.24	6	19.8	4.56	72
8" 45° Elbow	8SW45	10566	41.34	4	6.4	3.24	48
8" Dia. Tee/Tee Cap	8SWT	10557	141.10	4	20.4	6.44	16
8" Dia. Oval Adapter	8SWBOA	86358	77.64	4	10.6	3.24	0
8" Stove Top Adapter	8SWA1	10555	25.93	6	7.8	2.16	72
8" Trim Collar	8SWTC	10558	18.61	6	1.8	0.12	

PAINTED DOUBLE WALL BLACK STOVE PIPE

6" DIAMETER							
Description	Catalog No.	Bar Code No	Price Each	Carton			Skid Pcs.
				Pcs.	Lbs.	Cubes	
6" Dia. X 48" Long	6DWB48	10510	215.29	1	15.0	3.2	16
6" Dia. X 24" Long	6DWB24	10508	163.45	4	24.8	4.2	48
6" Dia. X 18" Adj	6DWB18A	10507	132.94	4	18.8	3.2	48
6" Diam. X 12" Long	6DWB12	10506	105.30	4	13.6	2.2	48
6" Dia. X 8" Adj.	6DWB8A	29437	96.18	4	9.6	2.2	48
6" Dia. x 66" Telescope Length	6DWBTL66	10505	283.00	1	17.3	2.4	30
6" Dia. x 48" Telescope Length	6DWBTL48	10504	236.95	1	12.8	1.8	30
6" Dia. Tee w/Tee Cap	6DWBT	10503	176.96	1	5.5	1.1	
6" x 90° Elbow	6DWB90	10511	183.83	2	9.4	2.1	48
6" 45° Elbow	6DWB45	10509	112.84	4	12.0	2.2	72
6" Dia. Adapter	6DWBA	10501	51.93	4	6.8	1.0	
6" Trim Collar	6DWBTC	13182	29.71	1	1.3	0.0	
6" to 8" Increaser	6DWBI-8	29419	62.66	4	4.4	1.0	

8" DIAMETER							
8" Dia. X 48" Long	8DWB48	10553	296.92	1	17.6	3.2	16
8" Dia. X 24" Long	8DWB24	10551	252.08	4	33.2	5.0	
8" Dia. X 18" Adj	8DWB18A	10550	207.81	4	24.4	3.9	
8" Diam. X 12" Long	8DWB12	10549	164.11	4	18.0	2.9	
8" Dia. X 8" Adj.	8DWB8A	29438	136.23	4	12.4	3.2	
8" Dia. x 66" Telescope Length	8DWBTL66	10548	347.91	1	21.9	3.8	20
8" Dia. x 48" Telescope Length	8DWBTL48	10547	290.11	1	15.6	2.9	
8" Dia. Tee w/Tee Cap	8DWBT	10546	225.22	1	7.7	1.5	
8" x 90° Elbow	8DWB90	10554	230.77	2	11.4	2.4	
8" 45° Elbow	8DWB45	10552	157.92	4	16.0	3.9	
8" Dia. Oval Adapter	8DWBOA	86362	129.18	4	8.9	4.3	16
8" Dia. Adapter	8DWBA	10544	66.37	4	8.8	1.8	
8" Trim Collar	8DWBTC	13209	40.24	1	2.0	0.0	0

BIOMASS CHIMNEY

TYPE "L" VENT

3" DIAMETER							
Description	Catalog No.	Bar Code No.	Price Each	Pcs.	Carton Lbs.	Carton Cubes	Skid Pcs.
60" Pipe	3P60	11893	123.34	6	34.8	3.12	120
36" Pipe	3P36	11888	87.96	6	21.0	1.92	120
24" Pipe	3P24	11887	64.57	6	14.4	1.26	240
12" Pipe	3P12	11884	48.96	6	7.2	0.66	360
6" Pipe	3P6	12949	43.97	6	4.2	0.36	
25 FT. S.S. Flexcoil	SLX0325	78534	359.34	1	11.4	7.01	10
5 FT. S.S. Flex Connector	3PFXC	49129	262.16	6	16.2	3.12	120
Flex Tee	3PFLXT	12783	115.49	6	4.2	0.84	
Joint Trim Sleeve	3PTS	11881	58.66	6	2.4	0.3	
Adapter (Male Lock)	3P4A	12777	46.62	6	4.8	0.54	
Adapter (Female Lock)	3P4FA	48432	48.86	6	4.8	0.54	
12" Adjustable Length	3P12A	11885	61.02	6	7.2	0.66	
Stove Adapter 3"	3PSA	11877	27.35	6	1.8	0.3	
Stove Adapter, Universal	3PSAU	12762	34.94	6	2.4	0.3	
90° Elbow	3P90	11895	105.10	6	6.6	0.66	360
45° Elbow	3P45	11890	83.99	6	5.4	0.66	360
Standard Tee w/Cap	3PT	11880	133.88	6	8.4	1.08	
Horiz. Cleanout Tee w/Cap	3PCT	11869	175.07	6	10.8	1.56	
Vertical Cleanout Tee w/Cap	3PVCT	48500	175.07	6	10.8	1.02	
Tee Cap	3PTC	12951	30.94	6	1.2	0.3	
Twist-Off Tee Cap	3PCTC	38203	53.86	6	3.0	0.3	
Wall Band/Tee Support	3PWBS	12986	45.16	6	6.6	0.84	
Wall Support Adjustment Kit	PWAS	48765	72.22	12	6.0	0.36	
Wall Thimble	3PWT	11883	92.41	6	21.0	4.98	48
House Shield	PHS	11866	36.97	4	5.6	1	160
Roof Support	3PRS	12761	131.76	1	8.3	1.97	
Wall Bracket	3PWB	11882	28.67	6	1.8	0.3	
Wall Band Adjustment Kit	PWBA	48766	38.04	12	1.2	0.36	
Ceiling Plate	3PCP	11867	34.63	6	15.0	0.42	
Firestop Spacer	3PFS	11872	36.20	6	10.2	0.6	
Support Band	3PSB	11878	39.28	6	1.8	0.3	
Vertical Vent Cap	3PRC	11876	65.22	12	19.2	3.84	96
Horizontal Vent Cap	3PHC	11874	74.45	6	7.2	1.26	240
Horizontal Jet Cap	3PJC	12983	70.96	6	4.8	0.84	
Standard Flashing	3PF	11871	27.02	12	18.0	1.2	
High Pitch Flashing	3PF-12	12760	46.66	6	18.0	2.88	
Tall Cone Flashing	3PFT	11873	36.99	6	15.0	3.24	48
Storm Collar	3PSC	11879	7.60	6	1.2	0.3	
3" to 4" Increaser	3PI4	11875	55.95	6	5.4	0.54	
Increaser to Temp/Guard	3P6SWA	12759	122.84	6	6.6	1.44	
Vertical Termination Kit	3PVK	37528	506.42	1	8.6	2.03	13
Horizontal Termination Kit	3PHK	48295	644.24	1	8.1	1.57	26
3" DIAMETER - BLACK							
Description	Catalog No.	Bar Code No.	Price Each	Pcs.	Carton Lbs.	Carton Cubes	Skid Pcs.
60" Pipe	3P60B	51268	144.34	6	36.0	3.12	18
36" Pipe	3P36B	51270	102.95	6	22.0	1.86	18
24" Pipe	3P24B	51272	75.55	6	15.0	1.26	240
12" Pipe	3P12B	51306	57.32	6	8.0	0.66	360
6" Pipe	3P6B	51274	51.46	6	4.0	0.36	288
Joint Trim Sleeve	3PTSB	51287	50.46	6	3.0	0.3	18
Adapter (Male Lock)	3P4AB	51290	54.55	6	3.0	0.54	24
Adapter (Female Lock)	3P4FAB	51294	57.13	6	3.0	0.48	24
12" Adjustable Length	3P12AB	51292	71.36	6	8.0	0.66	360
Stove Adapter 3"	3PSAB	51278	31.98	6	3.0	0.3	240
Stove Adapter, Universal	3PSAUB	51280	40.88	6	3.0	0.3	18
90° Elbow	3P90B	51300	122.96	6	8.0	0.66	360
45° Elbow	3P45B	51298	98.26	6	6.0	0.54	288
Standard Tee w/Cap	3PTB	12763	156.62	6	8.0	1.02	288
Horiz. Cleanout Tee w/Cap	3PCTB	51308	204.82	6	9.0	1.5	18
Vertical Cleanout Tee w/Cap	3PVCTB	51304	204.82	6	9.0	0.96	18
Twist-Off Tee Cap	3PCTCB	51282	63.01	6	2.7	0.3	18

BIOMASS CHIMNEY

TYPE "L" FOR OIL & GAS

4" DIAMETER							
Description	Catalog No.	Bar Code No.	Price Each	Pcs.	Carton Lbs.	Cubes	Skid Pcs.
60" Pipe	4P60	11920	141.86	6	44.4	4.92	78
36" Pipe	4P36	11915	103.07	6	27.0	3	78
24" Pipe	4P24	11914	77.70	6	18.0	2.04	156
12" Pipe	4P12	11912	53.02	6	9.6	1.08	234
6" Pipe	4P6	12950	48.11	6	5.4	0.66	
25 FT. S.S. Flexcoil	SLX0425	78535	473.29	1	15.5	9.48	8
5 FT. S.S. Flex Connector	4PFXC	49130	282.88	6	4.0	4.92	78
Flex Tee	4PFLXT3	12785	139.55	6	5.4	1.44	
Joint Trim Sleeve	4PTS	51286	46.40	6	2.4	0.66	
Adapter (Male Lock)	4P4A	12778	49.46	6	6.0	1.08	
Adapter (Female Lock)	4P4FA	48433	51.70	6	6.6	1.08	
12" Adjustable Length	4P12A	11913	66.78	6	9.6	1.08	
Stove Adapter 4"	4PSA	11905	29.09	6	3.0	0.66	
Stove Adapter, Universal	4PSAU	12768	35.85	6	2.4	0.3	
90° Elbow	4P90	11926	129.82	6	9.6	1.56	144
45° Elbow	4P45	11917	94.15	6	7.2	1.08	156
Standard Tee w/Cap	4PT	11908	140.04	6	11.4	1.56	
Reduced Tap Tee w/Cap	4PT3	12769	137.28	6	10.8	1.56	
Reduced Tap Tee w/Adapter	4PT3A	12948	141.19	6	11.4	1.56	
Horiz. Cleanout Tee w/Cap	4PCT	11898	183.21	6	15.0	1.98	
Vert. Cleanout Tee w/Cap	4PVCT	48499	183.21	6	14.4	1.98	
Tee Cap	4PTC	12952	32.49	6	1.2	0.3	
Twist-Off Tee Cap	4PCTC	38204	55.78	6	3.6	0.3	
Wall Band/Tee Support	4PWBS	12987	50.61	6	7.2	0.84	
Wall Support Adjustment Kit	PWAS	48765	72.22	12	6.0	0.36	
Wall Thimble	4PWT	11911	99.46	6	21.6	4.98	48
House Shield	PHS	11866	36.97	4	5.6	1	160
Roof Support	4PRS	12767	143.94	1	8.5	1.97	
Wall Bracket	4PWB	11910	33.79	6	1.8	0.3	
Wall Band Adjustment Kit	PWBA	48766	38.04	12	1.2	0.36	
Ceiling Plate	4PCP	11896	35.69	6	13.8	0.42	
Firestop Spacer	4PFS	11901	36.48	4	7.2	0.6	
Support Band	4PSB	11906	39.58	6	1.8	0.3	
Vertical Vent Cap	4PRC	11904	74.37	12	19.2	3.84	96
Horizontal Vent Cap	4PHC	11903	80.23	6	7.2	1.26	
Horizontal Jet Cap	4PJC	12984	78.44	6	6.6	1.44	
Standard Flashing	4PF	11900	29.55	12	16.8	1.2	
High Pitch Flashing	4PF-12	12766	51.33	6	18.6	2.88	
Tall Cone Flashing	4PFT	11902	40.71	6	15.6	3.24	48
Storm Collar	4PSC	11907	7.60	6	1.8	0.3	
3" to 4" Increaser	3PI4	11875	55.95	6	5.4	0.54	
Increaser to Temp/Guard	4P6SWA	12764	125.98	6	7.2	1.44	
Increaser to Temp/Guard	4P8SWA	12765	160.58	6	8.4	2.22	
4" DIAMETER - BLACK							
Description	Catalog No.	Bar Code No.	Price Each	Pcs.	Carton Lbs.	Cubes	Skid Pcs.
60" Pipe	4P60B	51269	165.95	6	47.0	4.92	78
36" Pipe	4P36B	51271	120.63	6	29.2	3.06	156
24" Pipe	4P24B	51273	90.91	6	20.0	2.04	156
12" Pipe	4P12B	51307	62.07	6	10.0	1.02	234
6" Pipe	4P6B	51275	56.27	6	5.0	0.66	360
Joint Trim Sleeve	4PTSB	51288	54.30	6	4.0	0.72	18
Adapter (Female Lock)	4P4FAB	51295	60.48	6	4.0	1.02	36
12" Adjustable Length	4P12AB	51293	78.12	6	10.0	1.02	18
Stove Adapter 4"	4PSAB	51279	34.04	6	3.0	0.48	18
Stove Adapter, Universal	4PSAUB	51281	41.90	6	3.0	0.3	18
4" to 5" Increaser	4PI5	49668	34.15	12	3.6	0.48	
90° Elbow	4P90B	51301	151.91	6	10.0	1.56	180
45° Elbow	4P45B	51299	110.16	6	8.0	0.96	18
Standard Tee w/Cap	4PTB	12770	163.86	6	12.0	1.62	360
Reduced Tap Tee w/Cap	4PT3B	51302	165.18	6	12.0	1.5	18
Reduced Tap Tee w/Adapter	4PT3AB	51303	165.18	6	12.0	1.5	144
Horiz. Cleanout Tee w/Cap	4PCTB	51309	214.34	6	13.0	1.62	18
Vert. Cleanout Tee w/Cap	4PVCTB	51305	214.34	6	13.0	1.62	18
Twist-Off Tee Cap	4PCTCB	53567	65.28	6	3.8	0.6	18

BIOMASS CHIMNEY

TYPE "L" VENT

5" DIAMETER TYPE "L" VENT FOR OIL & GAS							
Description	Catalog No.	Bar Code No.	Price Each	Carton			Skid Pcs.
				Pcs.	Lbs.	Cubes	
60" Pipe	5P60	49541	162.61	6	54.0	6.96	60
36" Pipe	5P36	49542	118.19	6	33.0	4.2	60
24" Pipe	5P24	49543	89.08	6	22.2	2.88	60
12" Pipe	5P12	49544	60.79	6	11.4	1.56	180
60" SS Pipe	5PS60	49545	191.94	6	43.8	6.96	60
36" SS Pipe	5PS36	49546	139.46	6	26.4	4.2	60
12" Adjustable Length	5P12A	49547	76.58	6	11.4	1.56	144
45° Adjustable Elbow	5P45	49548	139.59	6	10.8	1.56	
90° Adjustable Elbow	5P90	49549	166.78	6	12.0	2.4	84
Standard Tee	5PT	49550	166.07	6	14.4	2.22	
Tee Cap	5PTC	49551	35.33	6	1.8	0.3	
Vertical Vent Cap (SS)	5PRC	49552	85.25	12	27.6	6.48	48
Storm Collar (AL)	5PSSC	49698	11.27	6	1.8	0.3	
Standard Adj Flashing (AL)	5PSF	49701	43.78	12	15.6	1.2	
High Pitch Flashing (AL)	5PSF-12	49700	76.10	6	17.4	2.88	
Tall Cone Flashing (AL)	5PSFT	49699	80.43	6	13.8	3.24	48
Wall Band/Tee Support	5PWBS	49557	65.11	6	8.4	0.84	
Appliance Adapter	5PSA	49580	43.12	6	3.6	0.66	
Wall Thimble	5PWT	49558	127.80	6	21.6	6.42	24
Wall Hanger	5PWH	49582	38.75	6	1.8	0.3	
Firestop Spacer	5PFS	49559	39.63	4	3.6	0.6	
Support Band	5PSB	49560	45.36	6	2.4	0.54	
Increaser to 6"	5PI6	49669	37.15	6	2.4	0.54	

6" DIAMETER TYPE "L" VENT FOR OIL & GAS							
Description	Catalog No.	Bar Code No.	Price Each	Carton			Skid Pcs.
				Pcs.	Lbs.	Cubes	
60" Pipe	6P60	49561	187.02	6	64.8	9.96	42
36" Pipe	6P36	49562	135.91	6	39.0	6.06	42
24" Pipe	6P24	49563	102.48	6	25.8	4.08	84
12" Pipe	6P12	49564	69.94	6	13.8	2.04	126
60" SS Pipe	6PS60	49565	220.69	6	55.8	9.96	42
36" SS Pipe	6PS36	49566	160.38	6	33.6	6.06	42
12" Adjustable Length	6P12A	49567	88.09	6	13.8	2.4	126
45° Adjustable Elbow	6P45	49568	160.50	6	12.6	2.4	
90° Adjustable Elbow	6P90	49569	191.77	6	13.8	3.18	84
Standard Tee	6PT	49570	190.99	6	19.2	3.42	48
Tee Cap	6PTC	49571	38.83	6	1.8	0.3	
Vertical Vent Cap (SS)	6PRC	11929	98.03	12	37.2	10.68	48
Storm Collar (AL)	6PSSC	49702	12.98	6	1.8	0.3	
Standard Adj Flashing (AL)	6PSF	49705	50.37	12	21.6	1.92	
High Pitch Flashing (AL)	6PSF-12	49704	87.50	6	19.8	6.3	18
Tall Cone Flashing (AL)	6PSFT	49703	92.53	6	16.8	3.24	48
Wall Band/Tee Support	6PWBS	49576	74.74	6	9.0	1.44	
Appliance Adapter	6PSA	49581	49.60	6	4.2	1.08	
Wall Thimble	6PWT	49577	146.95	6	21.0	6.42	24
Wall Hanger	6PWH	49583	43.11	6	1.8	0.3	
Firestop Spacer	6PFS	49578	45.58	4	6.4	0.6	
Support Band	6PSB	49579	52.19	6	7.2	0.54	

P.O Box 1139 * WICHITA, KANSAS 67201

(316) 943-2351 * FAX (316) 771-4154

e-mail: info@metal-fabinc.com * www.metal-fabinc.com

800-835-2830